



City of Arts & Innovation

# COMMUNITY & ECONOMIC DEVELOPMENT DEPARTMENT Planning Division

## Draft Negative Declaration

**AGENDA ITEM NO.:**

**WARD: 5**

1. **Case Number:** P15-0280 (Minor Conditional Use Permit) and P15-1090 (Variance)
2. **Project Title:** Saint Thomas the Apostle Catholic Church Wireless Telecommunication Facility
3. **Hearing Date:** March 3, 2016
4. **Lead Agency:** City of Riverside  
Community & Economic Development Department  
Planning Division  
3900 Main Street, 3<sup>rd</sup> Floor  
Riverside, CA 92522
5. **Contact Person:** Sean P. Kelleher, MBA, Associate Planner  
**Phone Number:** (951) 826-5712
6. **Project Location:** 3721 Jackson Street, located at the southwest corner of Magnolia Avenue and Jackson Street in the Magnolia Avenue Specific Plan, R-1-7000 - Single Family Residential Zone, CR - Commercial Retail Zone, and PF - Public Facilities Zone.
7. **Project Applicant/Project Sponsor's Name and Address:**

<u>Property Owner</u>	<u>Applicant</u>	<u>Representative</u>
The Roman Catholic Bishop of San Bernardino, a corporation sole 1201 E. Highland Avenue San Bernardino, CA 92404	LA SMSA LP, dba Verizon Wireless 15505 Sand Canyon Avenue, Building D, First Floor Irvine, CA 92618	Dail Richard, SAC Wireless (949) 235-6262 5865 Avenida Encinas Suite 142 - B Carlsbad, CA 92008

8. **General Plan Designation:** PF Public Facilities / Institutions
9. **Zoning:** Magnolia Avenue Specific Plan, R-1-7000 – Single Family Residential Zone, CR - Commercial Retail Zone, and PF - Public Facilities Zone
10. **Description of Project:**

The applicant is requesting a Conditional Use Permit (CUP) and Variance (VR) to allow the construction of a stealth fifty foot (50') tall wireless telecommunications facility designed as a church bell tower and related equipment enclosure, within an approximately 540 square foot enclosed lease area. The proposed lease area is generally situated towards the central portion of the property and generally located behind existing buildings and structures on-site, approximately 475 feet south of Magnolia Avenue, approximately 190 feet west of Jackson Street, and approximately 57 feet east of Wilbur Street. The nearest residential structure is located on

the west side of Wilbur Street and is approximately 135 feet from the lease area and approximately 170 feet from the proposed tower. The proposed equipment will be located within the lease area at grade level and will be screened by a six foot (6') tall block wall with associated landscaping.

The applicant is requesting a variance to exceed the maximum height limit of thirty five feet (35') of the R-1 7,000 zoning district. As previously noted the proposed tower height is fifty feet (50') tall. The additional height will allow for a larger area to be served by the wireless telecommunication facility.

Within the bell tower the applicant is proposing a single antenna array installed at a centerline height of approximately 45 feet above ground level and a parabolic antenna at a centerline height of approximately 39 feet above ground level. The antenna array will consist of twelve (12) antennas, approximately eight feet (8') in height, attached to three (3) separate sectors. In addition, twelve (12) RRU's will be added to the back side of the antenna arrays. The parabolic antenna has a four foot (4') diameter. The bell tower will be stucco coated and painted Sherwin Williams Antique White (SW 6119) and the cross will be painted Sherwin Williams Extra White (SW 7006). One foot (1') wide architectural bands are located on the tower at approximately 23 feet and 37 feet which frame an eight and one half foot (8 1/2') tall up-lit cross on each side of the bell tower. A one and one half foot (1 1/2') tall cornice is found at the top of the tower.

The proposed 540 square foot lease area is enclosed by a combination of an existing and new a six foot (6') tall CMU wall. The applicant is proposing to plant trumpet vines along the northwest and northeast portions of the wall. A four foot (4') wide six foot (6') tall solid metal man gate is proposed along the south west side of the lease area.

The applicant is also proposing the construction of a lattice patio cover approximately 3,150 square feet in size and standing ten feet (10') tall. The lattice patio covers will extend southerly from the wireless telecommunication facility and will provide shade for activities associated with the existing church use. The Lattice portion of the patio cover will be painted Sherwin Williams Positive Red (SW 6871) to match the trim on the existing buildings on-site.

A total of six trees will be removed onsite as part of the construction of the proposed wireless telecommunication facility and patio cover. The trees to be removed include one (1) pine (18" diameter trunk), four (4) citrus (6" diameter trunk) and one (1) orange (4" diameter trunk).

**11. Surrounding land uses and setting: Briefly describe the project's surroundings:**

The project site is approximately 4.64 acres, and is developed with an existing church facility, surface parking and landscaping.

	<b>Existing Land Use</b>	<b>General Plan Designation</b>	<b>Zoning Designation</b>
<b>Project Site</b>	Saint Thomas the Apostle Catholic Church	PF - Public Facilities / Institutions	Magnolia Avenue Specific Plan, R-1-7000 - Single Family Residential Zone, CR - Commercial Retail Zone, and PF - Public Facilities Zone
<b>North</b>	Commercial Development	MU-V - Mixed Use-Village and O - Office	Magnolia Avenue Specific Plan, CR - Commercial Retail Zone

<b>East</b>	Sherman Indian High School	PF Public Facilities / Institutions	Magnolia Avenue Specific Plan, CR - Commercial Retail Zone, and PF - Public Facilities Zone
<b>South</b>	The Church of Jesus Christ of Latter Day Saints and Single Family Residential	MDR – Medium Density Residential	Magnolia Avenue Specific Plan, and R-1-7000 - Single Family Residential Zone
<b>West</b>	Commercial Development and Single Family Residential	MU-V - Mixed Use-Village and MDR – Medium Density Residential	Magnolia Avenue Specific Plan, R-1-7000 - Single Family Residential Zone, and CR - Commercial Retail Zone

**12. Other public agencies whose approval is required (e.g., permits, financial approval, or participation agreement.):**

None

**13. Other Environmental Reviews Incorporated by Reference in this Review:**

- a. General Plan 2025
- b. GP 2025 FPEIR

**14. Acronyms**

- AICUZ - Air Installation Compatible Use Zone Study
- AQMP - Air Quality Management Plan
- AUSD - Alvord Unified School District
- CEQA - California Environmental Quality Act
- CMP - Congestion Management Plan
- EIR - Environmental Impact Report
- EMWD - Eastern Municipal Water District
- EOP - Emergency Operations Plan
- FEMA - Federal Emergency Management Agency
- FPEIR - GP 2025 Final Programmatic Environmental Impact Report
- GIS - Geographic Information System
- GhG - Green House Gas
- GP 2025 - General Plan 2025
- IS - Initial Study
- LHMP - Local Hazard Mitigation Plan
- MARB/MIP - March Air Reserve Base/March Inland Port
- MJPA-JLUS - March Joint Powers Authority - Joint Land Use Study
- MSHCP - Multiple-Species Habitat Conservation Plan
- MVUSD - Moreno Valley Unified School District
- NCCP - Natural Communities Conservation Plan
- OEM - Office of Emergency Services
- OPR - Office of Planning & Research, State
- PEIR - Program Environmental Impact Report
- PW - Public Works, Riverside
- RCALUC - Riverside County Airport Land Use Commission
- RCALUCP - Riverside County Airport Land Use Compatibility Plan

RCP - Regional Comprehensive Plan  
RCTC - Riverside County Transportation Commission  
RMC - Riverside Municipal Code  
RPD - Riverside Police Department  
RPU - Riverside Public Utilities  
RTIP - Regional Transportation Improvement Plan  
RTP - Regional Transportation Plan  
RUSD - Riverside Unified School District  
SCAG - Southern California Association of Governments  
SCAQMD - South Coast Air Quality Management District  
SCH - State Clearinghouse  
SKR-HCP - Stephens' Kangaroo Rat - Habitat Conservation Plan  
SWPPP - Storm Water Pollution Prevention Plan  
USGS - United States Geologic Survey  
WMWD - Western Municipal Water District  
WQMP - Water Quality Management Plan

**ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:**

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a “Potentially Significant Impact” as indicated by the checklist on the following pages.

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> Aesthetics               | <input type="checkbox"/> Agriculture & Forest Resources | <input type="checkbox"/> Air Quality                        |
| <input type="checkbox"/> Biological Resources     | <input type="checkbox"/> Cultural Resources             | <input type="checkbox"/> Geology/Soils                      |
| <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials  | <input type="checkbox"/> Hydrology/Water Quality            |
| <input type="checkbox"/> Land Use/Planning        | <input type="checkbox"/> Mineral Resources              | <input type="checkbox"/> Noise                              |
| <input type="checkbox"/> Population/Housing       | <input type="checkbox"/> Public Service                 | <input type="checkbox"/> Recreation                         |
| <input type="checkbox"/> Transportation/Traffic   | <input type="checkbox"/> Utilities/Service Systems      | <input type="checkbox"/> Mandatory Findings of Significance |

**DETERMINATION:** (To be completed by the Lead Agency)

On the basis of this initial evaluation which reflects the independent judgment of the City of Riverside, it is recommended that:

The City of Riverside finds that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

The City of Riverside finds that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

The City of Riverside finds that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

The City of Riverside finds that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

The City of Riverside finds that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Signature \_\_\_\_\_

Date February 5, 2016

Printed Name & Title Sean P. Kelleher, MBA, Associate Planner

For City of Riverside



City of Arts & Innovation

# COMMUNITY & ECONOMIC DEVELOPMENT DEPARTMENT Planning Division

## Environmental Initial Study

### EVALUATION OF ENVIRONMENTAL IMPACTS:

- 1) A brief explanation is required for all answers except “No Impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “No Impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “No Impact” answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
- 2) All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
- 3) Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. “Potentially Significant Impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “Potentially Significant Impact” entries when the determination is made, an EIR is required.
- 4) “Negative Declaration: Less Than Significant With Mitigation Incorporated” applies where the incorporation of mitigation measures has reduced an effect from “Potentially Significant Impact” to a “Less Than Significant Impact.” The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from “Earlier Analyses,” as described in (5) below, may be cross-referenced).
- 5) Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
  - a. **Earlier Analysis Used.** Identify and state where they are available for review.
  - b. **Impacts Adequately Addressed.** Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
  - c. **Mitigation Measures.** For effects that are “Less than Significant with Mitigation Measures Incorporated,” describe the mitigation measure which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
- 6) Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
- 7) **Supporting Information Sources:** A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.

- 8) The explanation of each issue should identify:
- a. the significance criteria or threshold, if any, used to evaluate each question; and
  - b. the mitigation measure identified, if any, to reduce the impact to less than significance.

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>1. AESTHETICS.</b> Would the project:				
a. Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>1a. Response:</b> (Source: General Plan 2025 Figure CCM-4 – Master Plan of Roadways, General Plan 2025 FPEIR Figure 5.1-1 – Scenic and Special Boulevards and Parkways, Table 5.1-A – Scenic and Special Boulevards, and Table 5.1-B – Scenic Parkways)</p> <p><b>Less Than Significant Impact.</b> The proposed project consists of an infill project within an urbanized area completely surrounded by existing development where there are no scenic vistas and where direct, indirect and cumulative impacts to scenic vistas are <b>less than significant impacts</b>.</p>				
b. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>1b. Response:</b> (Source: General Plan 2025 Figure CCM-4 – Master Plan of Roadways, General Plan 2025 FPEIR Figure 5.1-1 – Scenic and Special Boulevards, Parkways, Table 5.1-A – Scenic and Special Boulevards, Table 5.1-B – Scenic Parkways, Title 20 – Cultural Resources and, Title 19 – Article V – Chapter 19.100 – Residential Zones - RC Zone)</p> <p><b>Less Than Significant Impact.</b> The General Plan 2025 designates several roadways as Scenic Boulevards and Parkways in order to protect scenic resources and enhance the visual character of Riverside. The proposed project is located along Magnolia Avenue which is designated as a Scenic/Special Boulevard within the Circulation and Community Mobility Element of the General Plan 2025. The proposed Wireless Telecommunication Facility is located approximately 475 feet south of Magnolia Avenue. The Wireless Telecommunication Facility is screened from Magnolia Avenue by existing buildings associated with the Church and School on-site, as well as, mature trees. As discussed in the project description the tower has been designed as a stealth facility to look like a church bell tower. Furthermore, there are no rock outcroppings or historic buildings within view of this proposed project so no impacts to these resources are expected. The Zoning Code regulates building setbacks, building heights, land uses, landscaping, parking and other development standards for use and development of all properties. With the exception of the requested variance to increase the height of the proposed structure, the project complies with these standards. Therefore, any potential adverse direct, indirect or cumulative impacts from this project will be <b>less than significant impact</b>.</p>				
c. Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>1c. Response:</b> (Source: General Plan 2025, General Plan 2025 FPEIR, Zoning Code, Citywide Design and Sign Guidelines, and Magnolia Avenue Specific Plan)</p> <p><b>No Impact.</b> The proposed project consists of an infill project within an urbanized area completely surrounded by existing development. The project has been designed to be compatible with the surrounding area. Therefore, it will not degrade the existing visual character of the area and <b>no impact</b> directly, indirectly or cumulatively to the visual character or quality of the Planning Area will occur.</p>				
d. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>1d. Response:</b> (Source: General Plan 2025, General Plan 2025 FPEIR Figure 5.1-2 – Mount Palomar Lighting Area, Title 19 – Article VIII – Chapter 19.556 – Lighting, Citywide Design and Sign Guidelines, and Magnolia Avenue Specific Plan)</p> <p><b>No Impact.</b> The project would not result in a new source of substantial light or glare which would adversely affect day or nighttime views as the project consists of the establishment of a use within an existing building on a fully developed site</p>				



<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p>where adequate levels of lighting currently exist and no new lighting is proposed or required for the project and where no exterior building materials are proposed that would contribute to daytime glare impacts. As such the project will have no impact directly, indirectly or cumulatively which would adversely affect day or nighttime views.</p>				
<p><b>2.AGRICULTURE AND FOREST RESOURCES:</b></p>				
<p>In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state’s inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and the forest carbon measurement methodology provided in the Forest Protocols adopted by the California Air Resources Board. Would the project:</p>				
<p>a. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>2a. Response:</b> (Source: General Plan 2025 – Figure OS-2 – Agricultural Suitability)</p> <p><b>No Impact.</b> The project is located in an urbanized area of the City and is located on a site currently developed as a Church and School. Additionally, the site is identified as urban/built out land and therefore does not support agricultural resources or operations. There are no agricultural resources or operations, including farmlands within proximity of the subject site. Therefore, the project will have <b>no impact</b> directly, indirectly or cumulatively on agricultural uses.</p>				
<p>b. Conflict with existing zoning for agricultural use, or a Williamson Act contract?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>2b. Response:</b> (Source: General Plan 2025 – Figure OS-3 - Williamson Act Preserves, General Plan 2025 FPEIR – Figure 5.2-4 – Proposed Zones Permitting Agricultural Uses, and Title 19)</p> <p><b>No Impact.</b> The site is within a built environment and no Williamson Act contracts are implemented on the site. The proposed project will not conflict with existing zoning for agricultural uses or any applicable Williamson Act contracts. Therefore, <b>no impacts</b> will occur from this project directly, indirectly or cumulatively.</p>				
<p>c. Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)) timberland (as defined in Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>2c. Response:</b> (Source: GIS Map – Forest Data)</p> <p><b>No Impact.</b> The City of Riverside has no forest land that can support 10-percent native tree cover nor does it have any timberland. Therefore, <b>no impacts</b> will occur from this project directly, indirectly or cumulatively.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
d. Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>2d. Response:</b> (Source: GIS Map – Forest Data)</p> <p><b>No Impact.</b> The City of Riverside has no forest land that can support 10-percent native tree cover nor does it have any timberland, therefore <b>no impacts</b> will occur from this project directly, indirectly or cumulatively.</p>				
e. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>2e. Response:</b> (Source: General Plan – Figure OS-2 – Agricultural Suitability, Figure OS-3 – Williamson Act Preserves)</p> <p><b>No Impact.</b> The project is located in an urbanized area of the City and is located on a site currently developed as a Church and School. Additionally, the site is identified as urban/built out land and therefore does not support agricultural resources or operations. The project will not result in the conversion of designated farmland to non-agricultural uses. In addition, there are no agricultural resources or operations, including farmlands within proximity of the subject site. The City of Riverside has no forest land that can support 10-percent native tree cover. Therefore, <b>no impacts</b> will occur from this project directly, indirectly or cumulatively to conversion of Farmland, to non-agricultural use or to the loss of forest land.</p>				
<b>3. AIR QUALITY.</b>				
Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:				
a. Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>3a. Response:</b> (Source: South Coast Air Quality Management District’s 2007 Air Quality Management Plan (AQMP))</p> <p><b>No Impact.</b> The proposed Wireless Telecommunication Facility is consistent with the General Plan 2025 Program “Typical Growth Scenario” in all aspects. The Air Quality Management Plan (AQMP) for the South Coast Air Basin (SCAB) sets forth a comprehensive program that will lead the SCAB into compliance with all Federal and State air quality standards. The City of Riverside is located within the Riverside County sub region of the SCAG projections. The General Plan 2025 FPEIR determined that implementation of the General Plan 2025 would generally meet attainment forecasts and attainment of the standards of the AQMP. The General Plan 2025 contains policies to promote mixed use, pedestrian-friendly communities that serve to reduce air pollutant emissions over time and this project is consistent with these policies. Because the proposed project is consistent with the 2007 AQMP, the proposed project will not conflict or obstruct implementation of the applicable air quality plan – AQMP and therefore this project will have no impact directly, indirectly or cumulatively to the implementation of an air quality plan.</p>				
b. Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><b>3b. Response:</b> (Source: General Plan 2025 FPEIR Table 5.3-B SCAQMD CEQA Regional Significance Thresholds, and South Coast Air Quality Management District's 2007 AQMP)</p> <p><b>No Impact.</b> The project will not result in the violation of any ambient air quality standard or contribute substantially to an existing or projected air quality violation because the project is proposed on a previously developed site and involves limited construction, grading or earthmoving activities associated with the construction of a wireless telecommunication facility located within a 540 square foot project area, as well as, the construction of two (2) trellises for the property owner totaling 1,360 square feet. As such, the project will have <b>no impact</b> directly, indirectly or cumulatively to ambient air quality or contribute to an existing air quality violation.</p>				
<p>c. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>3c. Response:</b> (Source: General Plan 2025 FPEIR Table 5.3-B SCAQMD CEQA Regional Significance Thresholds and South Coast Air Quality Management District's 2007 Air Quality Management Plan)</p> <p><b>Less Than Significant Impact.</b> Per the GP 2025 FPEIR, AQMP thresholds indicate future construction activities under the General Plan are projected to result in significant levels of NOx and ROG, both ozone precursors, PM-10, PM-2.5 and CO. Although long-term emissions are expected to decrease by 2025, all criteria pollutants remain above the SCAQMD thresholds.</p> <p>The portion of the Basin within which the City is located is designated as a non-attainment area for ozone, PM-10 and PM-2.5 under State standards, and as a non-attainment area for ozone, carbon monoxide, PM-10, and PM-2.5 under Federal standards.</p> <p>Because the proposed project is consistent with the General Plan 2025, cumulative impacts related to criteria pollutants as a result of the project were previously evaluated as part of the cumulative analysis of build out anticipated under the General Plan 2025 Program. As a result, the proposed project does not result in any new significant impacts that were not previously evaluated and for which a statement of overriding considerations was adopted as part of the General Plan 2025 FPEIR. Therefore, cumulative air quality emissions impacts are <b>less than significant</b>.</p>				
<p>d. Expose sensitive receptors to substantial pollutant concentrations?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>3d. Response:</b> (Source: General Plan 2025 FPEIR Table 5.3-B SCAQMD CEQA Regional Significance Thresholds and South Coast Air Quality Management District's 2007 Air Quality Management Plan)</p> <p><b>No Impact.</b> The project would not expose sensitive receptors to substantial pollutant concentrations because the project is proposed on a previously developed site and involves limited construction, grading or earthmoving activities associated with the construction of a wireless telecommunication facility located within a 540 square foot project area, as well as, the construction of two (2) trellises for the property owner totaling 1,360 square feet. As such, <b>no impact</b> directly, indirectly or cumulatively to a sensitive receptor will occur.</p>				
<p>e. Create objectionable odors affecting a substantial number of people?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ISSUES (AND SUPPORTING INFORMATION SOURCES):	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
<p><b>3e. Response:</b></p> <p><b>No Impact.</b> The project would not expose a substantial number of people to objectionable odors because no odors are anticipated to be generated by the proposed use. Therefore, <b>no impact</b> to creating objectionable odors will occur directly, indirectly or cumulatively.</p>				
<p><b>4. BIOLOGICAL RESOURCES.</b></p>				
<p>Would the project:</p>				
<p>a. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>4a. Response:</b> <i>(Source: General Plan 2025 – Figure OS-6 – Stephen’s Kangaroo Rat (SKR) Core Reserve and Other Habitat Conservation Plans (HCP), Figure OS-7 – MSHCP Cores and Linkages, Figure OS-8 – MSHCP Cell Areas, General Plan 2025 FPEIR Figure 5.4-2 – MSHCP Area Plans, Figure 5.4-4 - MSHCP Criteria Cells and Subunit Areas, Figure 5.4-6 – MSHCP Narrow Endemic Plant Species Survey Area, Figure 5.4-7 – MSHCP Criteria Area Species Survey Area, and Figure 5.4-8 – MSHCP Burrowing Owl Survey Area)</i></p> <p><b>No Impact.</b> The project site is located on a previously developed/improved site within an urbanized area and a search of the MSHCP database and other appropriate databases identified no potential for candidate, sensitive or special status species, suitable habitat for such species on site. Federal Species of Concern, California Species of Special Concern, and California Species Animal or Plants on lists 1-4 of the California Native Plant Society (CNPS) Inventory. Therefore, the project will have <b>no impact</b> directly, indirectly and cumulatively on habitat modifications, species identified as a candidate, sensitive, or special status species in local or regional plans, and policies or regulations of the California Department of Fish and Game or U.S. Fish and Wildlife Service.</p>				
<p>b. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>4b. Response:</b> <i>(Source: General Plan 2025 – Figure OS-6 – Stephen’s Kangaroo Rat (SKR) Core Reserve and Other Habitat Conservation Plans (HCP), Figure OS-7 – MSHCP Cores and Linkages, Figure OS-8 – MSHCP Cell Areas, General Plan 2025 FPEIR Figure 5.4-2 – MSHCP Area Plans, Figure 5.4-4 - MSHCP Criteria Cells and Subunit Areas, Figure 5.4-6 – MSHCP Narrow Endemic Plant Species Survey Area, Figure 5.4-7 – MSHCP Criteria Area Species Survey Area, Figure 5.4-8 – MSHCP Burrowing Owl Survey Area, and MSHCP Section 6.1.2 - Protection of Species Associated with Riparian/Riverine Areas and Vernal Pools)</i></p> <p><b>No Impact.</b> No wetland or riparian vegetation exists on the project site as it is fully developed. Furthermore, the project site is located within an urban built-up area, contains existing development. Generally, the surrounding area has been developed for many years and a long history of severe disturbance exists in the area, such that there is little chance that any riparian habitat could have persisted. Therefore, <b>no impact</b> to any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service with implementation of the proposed project will occur directly, indirectly and cumulatively.</p>				
<p>c. Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal,</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
etc.) through direct removal, filling, hydrological interruption, or other means?				
<b>4c. Response:</b> <i>(Source: City of Riverside GIS/CADME USGS Quad Map Layer)</i>				
<p><b>No Impact.</b> The project is located within an urbanized area where no federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) exist on site or within proximity to the project site. The project site does not contain any discernible drainage courses, inundated areas, wetland vegetation, or hydric soils and thus does not include USACOE jurisdictional drainages or wetlands. Therefore, the proposed project would have <b>no impact</b> to federally protected wetlands as defined by Section 404 of the Clean Water Act directly, indirectly and cumulatively.</p>				
d. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>4d. Response:</b> <i>(Source: MSHCP, General Plan 2025 –Figure OS-7 – MSHCP Cores and Linkage)</i>				
<p><b>No Impact.</b> The project is within an urbanized area and will not result in a barrier to the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. Therefore, the project will have <b>no impact</b> to wildlife movement directly, indirectly and cumulatively.</p>				
e. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>4e. Response:</b> <i>(Source: MSHCP, Title 16 Section 16.72.040 – Establishing the Western Riverside County MSHCP Mitigation Fee, Title 16 Section 16.40.040 – Establishing a Threatened and Endangered Species Fees)</i>				
<p><b>No Impact.</b> The project proposes the removal of six (6) trees on-site to allow for the construction of two (2) new trellises associated with the proposed wireless telecommunication facility. The construction of the Wireless Telecommunication facility is subject to the City of Riverside landscaping design standards. In addition, the General Plan 2025 includes policies to ensure that future development would not conflict with any local policies or ordinances protecting biological resources, including tree preservation policies. This project has been reviewed against these policies and found to be in compliance with the policies. For these reasons, the project will have <b>no impact</b> directly, indirectly and cumulatively local policies or ordinances protecting biological resources.</p>				
f. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>4f. Response:</b> <i>(Source: MSHCP, General Plan 2025 – Figure OS-6 – Stephen’s Kangaroo Rat (SKR) Core Reserve and Other Habitat Conservation Plans (HCP), Stephens’ Kangaroo Rat Habitat Conservation Plan, Lake Mathews Multiple Species Habitat Conservation Plan and Natural Community Conservation Plan, and El Sobrante Landfill Habitat Conservation Plan)</i>				
<p><b>No Impact.</b> The project site is located on a previously developed/improved site within an urbanized area and will not impact an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan directly, indirectly and cumulatively. Therefore, the project will have <b>no impact</b> on the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>5. CULTURAL RESOURCES.</b> Would the project:				
a. Cause a substantial adverse change in the significance of a historical resource as defined in § 15064.5 of the CEQA Guidelines?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>5a. Response:</b> (Source: GP 2025 FPEIR Table 5.5-A Historical Districts and Neighborhood Conservation Areas and Appendix D, Title 20 of the Riverside Municipal Code)</p> <p><b>No Impact.</b> The project site is located on a site currently developed as a Church and School that has existed for many years. No earthwork or building demolition is proposed in collaboration with the proposed use. As such, the project will have <b>no impact</b> directly, indirectly and cumulatively on historical resources as defined in Section 15064.5 of the CEQA Guidelines.</p>				
b. Cause a substantial adverse change in the significance of an archeological resource pursuant to § 15064.5 of the CEQA Guidelines?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>5b. Response:</b> (Source: GP 2025 FPEIR Figure 5.5-1 - Archaeological Sensitivity and Figure 5.5-2 - Prehistoric Cultural Resources Sensitivity, and Appendix D – Cultural Resources Study)</p> <p><b>No Impact.</b> The project is located on a previously developed/improved site within an urbanized area where no activities, such as new development involving grading/ground disturbance, are proposed that would create potential for disturbance or archeological resources. Therefore, the project will have no impact directly, indirectly and cumulatively to an archeological resource pursuant to Section 15064.5 of the CEQA Guidelines.</p>				
c. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>5c. Response:</b> (Source: General Plan 2025 Policy HP-1.3)</p> <p><b>No Impact.</b> The project is located on a previously developed/improved site within an urbanized area where no activities, such as new development involving grading/ground disturbance, are proposed that would create a potential for disturbance of paleontological resources or site or unique geologic features. Therefore, the project will have no impact directly or indirectly on a unique paleontological resource or site or unique geologic feature.</p>				
d. Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>5d. Response:</b> (Source: GP 2025 FPEIR Figure 5.5-1 - Archaeological Sensitivity and Figure 5.5-2 - Prehistoric Cultural Resources Sensitivity)</p> <p><b>No Impact.</b> The project is located on a previously developed/improved site within an urbanized area where no activities, such as new development involving grading/ground disturbance, are proposed that would create potential for disturbance of human remains. Therefore, the project will have <b>no impact</b> directly, indirectly or cumulatively to disturb any human remains, including those interred outside of formal cemeteries.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>6. GEOLOGY AND SOILS.</b> Would the project:				
a. Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6i. Response:</b> (Source: General Plan 2025 Figure PS-1 – Regional Fault Zones &amp; General Plan 2025 FPEIR Appendix E – Geotechnical Report)</p> <p><b>No Impact.</b> Seismic activity is to be expected in Southern California. In the City of Riverside, there are no Alquist-Priolo zones. The project site does not contain any known fault lines and the potential for fault rupture or seismic shaking is low. Compliance with the California Building Code regulations will ensure that <b>no impacts</b> related to strong seismic ground will occur directly, indirectly and cumulatively.</p>				
ii. Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6ii. Response:</b> (Source: General Plan 2025 FPEIR Appendix E – Geotechnical Report)</p> <p><b>No Impact.</b> The San Jacinto Fault Zone located in the northeastern portion of the City, or the Elsinore Fault Zone, located in the southern portion of the City’s Sphere of Influence, have the potential to cause moderate to large earthquakes that would cause intense ground shaking. Because the proposed project complies with California Building Code regulations, impacts associated with strong seismic ground shaking will have <b>no impact</b> directly, indirectly and cumulatively.</p>				
iii. Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>6iii. Response:</b> (Source: General Plan 2025 Figure PS-1 – Regional Fault Zones, Figure PS-2 – Liquefaction Zones, General Plan 2025 FPEIR Figure PS-3 – Soils with High Shrink-Swell Potential, and Appendix E – Geotechnical Report)</p> <p><b>Less Than Significant Impact.</b> The project site is located in an area with an area for a high potential for liquefaction as depicted in the General Plan 2025 Liquefaction Zones Map – Figure PS-2. Compliance with the California Building Code regulations will ensure that impacts related to seismic-related ground failure, including liquefaction would have a <b>less than significant impact</b> directly, indirectly and cumulatively.</p>				
iv. Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6iv. Response:</b> (Source: General Plan 2025 FPEIR Figure 5.6-1 – Areas Underlain by Steep Slope, and Appendix E – Geotechnical Report)</p> <p><b>No Impact.</b> The project site and its surroundings have generally flat topography and are not located in an area prone to landslides per Figure 5.6-1 of the General Plan 2025 Program Final PEIR. Therefore, there will be <b>no impact</b> related to landslides directly, indirectly and cumulatively.</p>				
b. Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6b. Response:</b> (Source: General Plan 2025 FPEIR Figure 5.6-1 – Areas Underlain by Steep Slope, Figure 5.6-4 – Soils, Table 5.6-B – Soil Types, Title 17 – Grading Code)</p> <p><b>No Impact.</b> The project does not involve substantial development, grading activities, or structures that would result in soil erosion or the loss of topsoil. As such, the project will have <b>no impact</b> resulting in substantial soil erosion or loss of topsoil directly, indirectly or cumulatively.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
c. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>6c. Response:</b> <i>(Source: General Plan 2025 Figure PS-1 – Regional Fault Zones, Figure PS-2 – Liquefaction Zones, General Plan 2025 FPEIR Figure PS-3 – Soils with High Shrink-Swell Potential, Figure 5.6-1 - Areas Underlain by Steep Slope, Figure 5.6-4 – Soils, Table 5.6-B – Soil Types, and Appendix E – Geotechnical Report)</i></p> <p><b>Less Than Significant Impact.</b> The general topography of the subject site is flat. The project site is located in an area with an area for a high potential for liquefaction as depicted in the General Plan 2025 Liquefaction Zones Map – Figure PS-2. The project site and its surroundings have generally flat topography and are not located in an area prone to landslides per Figure 5.6-1 of the General Plan 2025 Program Final PEIR. Compliance with the City’s existing codes and the policies contained in the General Plan 2025 help to ensure that impacts related to geologic conditions are reduced to <b>less than significant impacts</b> level directly, indirectly and cumulatively.</p>				
d. Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6d. Response:</b> <i>(Source: General Plan 2025 FPEIR Figure 5.6-4 – Soils, Figure 5.6-4 – Soils, Table 5.6-B – Soil Types, Figure 5.6-5 – Soils with High Shrink-Swell Potential, Appendix E – Geotechnical Report, and California Building Code as adopted by the City of Riverside and set out in Title 16 of the Riverside Municipal Code)</i></p> <p><b>No Impact.</b> The project is located on a site that does not have expansive soils and therefore there will be <b>no impact</b> directly, indirectly or cumulatively.</p>				
e. Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>6e. Response:</b> <i>(Source: General Plan 2025 FPEIR Figure 5.6-4 – Soils, and Table 5.6-B – Soil Types)</i></p> <p><b>No Impact.</b> The proposed project will not require sewer services. Therefore, the project will have <b>no impact</b>.</p>				



<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>7. GREENHOUSE GAS EMISSIONS.</b> Would the project:				
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>7a. Response:</b></p> <p><b>Less Than Significant Impact.</b> The proposed Project involves the construction of a wireless telecommunications facility. The Project is consistent with the City’s General Plan 2025 policies and statewide Building Code requirements designed to reduce GhG emissions. Since the Project will not result in a net increase in GhG emissions, it will not interfere with the State’s goals of reducing greenhouse gas emissions to 1990 levels by the year 2020 as stated in AB 32 and an 80 percent reduction in GhG emissions below 1990 levels by 2050 as stated in Executive Order S-3-05. Projects that are consistent with the Projections of employment and population forecasts identified by the SCAG are considered consistent with the AQMP growth Projections, since these forecast numbers were used by SCAG's modeling section to forecast travel demand and air quality for planning activities such as the RTP, the SCAQMD’s AQMP, RTIP, and the Regional Housing Plan. This Project is consistent with the Projections of employment and population forecasts identified by the SCAG that are consistent with the General Plan 2025 “Typical Growth Scenario.” Therefore, this Project will have <b>less than significant</b> impacts with respect to GhG emissions.</p>				
b. Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>7b. Response:</b></p> <p><b>Less Than Significant Impact.</b> The SCAQMD supports State, Federal and international policies to reduce levels of ozone depleting gases through its Global Warming Policy and rules and has established an interim Greenhouse Gas (GHG) threshold. As indicated in Question A, above, the Project would comply with the City’s General Plan 2025 policies and State Building Code provisions designed to reduce GHG emissions. In addition, the Project would comply with all SCAQMD applicable rules and regulations during construction and will not interfere with the State’s goals of reducing GHG emissions to 1990 levels by the year 2020 as stated in the AB 32 and an 80 percent reduction in GHG emissions below 1990 levels by 2050 as stated in Executive Order S-3-05. Based on the discussion above, the Project will not conflict with any applicable plan, policy or regulation related to the reduction in the emissions of GHG and thus a <b>less than significant</b> impact will occur directly, indirectly and cumulatively in this regard.</p>				
<b>8. HAZARDS &amp; HAZARDOUS MATERIALS.</b> Would the project:				
a. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8a. Response:</b> <i>(Source: General Plan 2025 Public Safety Element, GP 2025 FPEIR, California Health and Safety Code, Title 49 of the Code of Federal Regulations, California Building Code, and Riverside Fire Department EOP)</i></p> <p><b>No Impact.</b> The proposed project does not involve the transport, use, or disposal of any hazardous material because the use is a Wireless telecommunication Facility. As such, the project will have <b>no impact</b> related to the transport, use, or disposal of any hazardous material either directly, indirectly and cumulatively.</p>				
b. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ISSUES (AND SUPPORTING INFORMATION SOURCES):	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
<p><b>8b. Response:</b> (Source: General Plan 2025 Public Safety Element, GP 2025 FPEIR Tables 5.7 A – D, California Health and Safety Code, Title 49 of the Code of Federal Regulations, California Building Code, and City of Riverside’s EOP)</p> <p><b>No Impact.</b> The proposed project does not involve the use of any hazardous materials. As such the project will have <b>no impact</b> directly, indirectly or cumulatively for creating a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment.</p>				
<p>c. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8c. Response:</b> (Source: General Plan 2025 Public Safety and Education Elements, GP 2025 FPEIR Table 5.7-D - CalARP RMP Facilities in the Project Area, Figure 5.13-2 – RUSD Boundaries, Table 5.13-D RUSD Schools, Figure 5.13-3 AUSD Boundaries, Table 5.13-E AUSD Schools, Figure 5.13-4 – Other School District Boundaries, California Health and Safety Code, Title 49 of the Code of Federal Regulations, and California Building Code)</p> <p><b>No Impact.</b> The proposed project does not involve any emission or handling of any hazardous materials, substances or waste within one-quarter mile of an existing school because the proposed use is a Wireless Telecommunication Facility. Therefore, the project will have <b>no impact</b> regarding emitting hazardous emissions or handling hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school directly, indirectly or cumulatively.</p>				
<p>d. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8d. Response:</b> (Source: General Plan 2025 Figure PS-5 – Hazardous Waste Sites, GP 2025 FPEIR Tables 5.7-A – CERCLIS Facility Information, Figure 5.7-B – Regulated Facilities in TRI Information and 5.7-C – DTSC EnviroStor Database Listed Sites)</p> <p><b>No Impact.</b> A review of hazardous materials site lists compiled pursuant to Government Code Section 65962.5 found that the project site is not included on any such lists. Therefore, the project would have <b>no impact</b> to creating any significant hazard to the public or environment directly, indirectly or cumulatively.</p>				
<p>e. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8e. Response:</b> (Source: General Plan 2025 Figure PS-6 – Airport Safety Zones and Influence Areas, RCALUCP)</p> <p><b>No Impact.</b> Although a portion of the Church and School Facility are located within Safety and/or Airport Compatibility Zone E, the location of the proposed Wireless Telecommunication Facility is not within a Safety and/or Airport Compatibility Zone as depicted on Figure 5.7-2 of the General Plan 2025 Program FPEIR for Riverside Municipal Airport as noted in the Riverside County Airport Land use Compatibility Plan (RCALUCP). Therefore, the project will have <b>no impact</b> resulting in a safety hazard for people residing or working in the project area directly, indirectly or cumulatively.</p>				
<p>f. For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><b>8f. Response:</b> (Source: General Plan 2025 Figure PS-6 – Airport Safety Zones and Influence Areas and RCALUCP)</p> <p><b>No Impact.</b> Because the proposed project is not located within proximity of a private airstrip, and does not propose a private airstrip, the project will not expose people residing or working in the City to excessive noise levels related to a private airstrip and would have <b>no impact</b> directly, indirectly or cumulatively.</p>				
g. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8g. Response:</b> (Source: GP 2025 FPEIR Chapter 7.5.7 – Hazards and Hazardous Materials, City of Riverside’s EOP, 2002 and Riverside Operational Area – Multi-Jurisdictional LHMP, 2004 Part 1, and OEM’s Strategic Plan)</p> <p><b>No Impact.</b> The project will not result in physical alterations to the project site as such will not impair implementation or physically interfere with an adopted emergency plan. Therefore, <b>no impact</b>, either directly, indirectly or cumulatively to an emergency response or evacuation plan will occur.</p>				
h. Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>8h. Response:</b> (Source: General Plan 2025 Figure PS-7 – Fire Hazard Areas, GIS Map Layer VHFSZ 2010, City of Riverside’s EOP, 2002, Riverside Operational Area – Multi-Jurisdictional LHMP, 2004 Part 1/Part 2 and OEM’s Strategic Plan)</p> <p><b>No Impact.</b> The proposed project is located in an urbanized area where no wildlands exist and the property is no located within a Very High Fire Severity Zone (VHFSZ) or adjacent to wildland areas or a VHFSZ; therefore <b>no impact</b> regarding wildland fires either directly, indirectly or cumulatively from this project will occur.</p>				
<p><b>9. HYDROLOGY AND WATER QUALITY.</b> Would the project:</p>				
a. Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>9a. Response:</b> (Source: GP 2025 FPEIR Table 5.8-A – Beneficial Uses Receiving Water)</p> <p><b>Less Than Significant Impact.</b> The project site is currently developed with close to 100 percent of impervious surface, with the exception of landscaped areas. Upon construction of the Wireless Telecommunication Facility, the permeable area of the project site will decrease slightly. Due to the decrease of permeable area a preliminary WQMP was not required to be submitted and approved by the Public Works Department for this project. Furthermore, under the NPDES permit managed by the RWQCB, the project is not required to institute new water quality BMPs, as no new runoff will be generated from the project. Urban runoff is currently and will continue to be conveyed by local drainage facilities developed throughout the City to regional drainage facilities, and then ultimately to the receiving waters. To address potential water contaminants, the project is required to comply with applicable Federal, State, and local water quality regulations</p> <p>During the construction phase, the project will be required to implement Best Management Practices. Storm water management measures will be required to be implemented to effectively control erosion and sedimentation and other construction-related pollutants during construction. Given compliance with all applicable local, state, and federal laws regulating surface water quality and the fact that the project will not result in a net increase of surface water runoff, the</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
proposed project as designed is anticipated to result in a <b>less than significant impact</b> directly, indirectly or cumulatively to any water quality standards or waste discharge.				
b. Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9b. Response:</b> (Source: General Plan 2025 Table PF-1 – RPU Projected Domestic Water Supply (AC-FT/YR), Table PF-2 – RPU Projected Water Demand, RPU Map of Water Supply Basins, and RPU Urban Water Management Plan)</p> <p><b>No Impact.</b> The proposed project is located within the Arlington Water Supply Basin. This proposed project is for the construction of a Wireless Telecommunication Facility with a 560 square foot lease area, and the construction of a 3,150 square foot lattice patio cover. The project will not require a sewer connection and will not substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level, due to the proposed use. Therefore, there will be <b>no impact</b> to groundwater supplies and recharge either directly, indirectly or cumulatively.</p>				
c. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>9c. Response:</b></p> <p><b>Less Than Significant Impact.</b> The project will result in minimal physical alterations to the project site (i.e. through grading, ground disturbance, structures or paving) and would not significantly alter the existing drainage patterns of the site because the Project involves the construction of a wireless telecommunications facility involving improvement of small portion of the site (560 square feet) with an antenna structure, minimal erosion or siltation on- or off-site will occur. Therefore, the Project will have a <b>less than significant impact</b> directly, indirectly or cumulatively to existing drainage patterns.</p>				
d. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9d. Response:</b></p> <p><b>No Impact.</b> The project will not directly or indirectly result in any activity or physical alteration of the site or surrounding area, (i.e. through grading, ground disturbance, structures or additional paving) that would alter the existing drainage pattern of the site, alter the course of stream or river, or increase the rate or amount of surface runoff in a manner that would result in flooding on- or off-site because the project consists of the construction of a new Wireless Telecommunication Facility within a 560 square foot lease area, and the construction of a 3,150 square foot lattice patio cover Therefore no flooding on or off-site as a result of the project will occur and there will be <b>no impact</b> directly, indirectly or cumulatively that would substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site.</p>				
e. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><b>9e. Response:</b></p> <p><b>No Impact.</b> The project will not directly or indirectly result in any activity or physical alteration of the site or surrounding area (i.e. through grading, ground disturbance, structures or additional paving) that would create or contribute runoff water which would exceed capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff because the project consists of the construction of a new Wireless Telecommunication Facility within a 560 square foot lease area, and the construction of a 3,150 square foot lattice patio cover. Therefore, the project will not create or contribute runoff water exceeding capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff and there will be <b>no impact</b> directly, indirectly or cumulatively.</p>				
f. Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9f. Response:</b></p> <p><b>No Impact.</b> The project will not directly or indirectly result in any activity or physical alteration of the site or surrounding area, (i.e. through grading, ground disturbance, structures or additional paving) that would create or contribute runoff water which would substantially degrade water quality because the project consists of a new Wireless Telecommunication Facility within a 560, square foot lease area, and the construction of a 3,150 square foot lattice patio cover. Therefore, the project will not degrade water quality and there will be <b>no impact</b> directly, indirectly or cumulatively.</p>				
g. Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9g. Response: (Source: General Plan 2025 Figure PS-4 – Flood Hazard Areas, and FEMA Flood Hazard Maps Zone X FIRM No. 06065C0715G)</b></p> <p><b>No Impact.</b> A review of National Flood Insurance Rate Map (Map Number 06065C0715G Effective Date August 28, 2080) and Figure 5.8-2 – Flood Hazard Areas of the General Plan Program FPEIR, shows that the project is, not located within or near a 100-year flood hazard area and does not involve the construction of housing. There will be <b>no impact</b> caused by this project directly, indirectly or cumulatively as it will not place housing within a 100-year flood hazard area.</p>				
h. Place within a 100-year flood hazard area structures which would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9h. Response: (Source: General Plan 2025 Figure PS-4 – Flood Hazard Areas, and FEMA Flood Hazard Maps Zone X FIRM No. 06065C0715G)</b></p> <p><b>No Impact.</b> The project site is not located within or near a 100-year flood hazard area as depicted on General Plan 2025 Program FPEIR Figure 5.8-2 – Flood Hazard Areas and the National Flood Insurance Rate Map (Map Number 06065C0715G Effective Date August 28, 2008). Therefore, the project will not place a structure within a 100-year flood hazard area that would impede or redirect flood flows and <b>no impact</b> will occur directly, indirectly or cumulatively.</p>				
i. Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9i. Response: (Source: General Plan 2025 Figure PS-4 – Flood Hazard Areas, and FEMA Flood Hazard Maps Zone X FIRM No. 06065C0715G)</b></p> <p><b>No Impact.</b> The project site is not located within or near a flood hazard area as depicted on General Plan 2025 Program FPEIR Figure 5.8-2 – Flood Hazard Areas and the National Flood Insurance Rate Map (Map Number 06065C0715G Effective Date August 28, 2008) or subject to dam inundation as depicted on General Plan 2025 Program FPEIR Figure 5.8-2 – Flood Hazard Areas. Therefore, the project will not place a structure within a flood hazard or dam inundation area that</p>				

ISSUES (AND SUPPORTING INFORMATION SOURCES):	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
would expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam and therefore <b>no impact</b> directly, indirectly or cumulatively will occur.				
j. Inundation by seiche, tsunamis, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>9j. Response:</b> (Source: GP 2025 FPEIR Chapter 7.5.8 – Hydrology and Water Quality)</p> <p><b>No Impact.</b> Tsunamis are large waves that occur in coastal areas; therefore, since the City is not located in a coastal area, <b>no impacts</b> due to tsunamis will occur directly, indirectly or cumulatively. Additionally, the proposed project site and its surroundings have generally flat topography and is within an urbanized area not within proximity to Lake Mathews, Lake Evans, the Santa Ana River, Lake Hills, Norco Hills, Box Springs Mountain Area or any of the 9 arroyos which transverse the City and its sphere of influence.</p>				
<b>10. LAND USE AND PLANNING:</b>				
Would the project:				
a. Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>10a. Response:</b> (Source: General Plan 2025 Land Use and Urban Design Element, Project site plan, and City of Riverside GIS/CADME map layers)</p> <p><b>No Impact.</b> The project is an infill project currently served by fully improved public streets and other infrastructure and does not involve the subdivision of land or the creation of streets that could alter the existing surrounding pattern of development or an established community. Further, the project is consistent with the General Plan 2025, the Zoning Code, the Subdivision Code and the Citywide Design and Sign Guidelines. Therefore, <b>no impact</b> directly, indirectly or cumulatively to an established community will occur.</p>				
b. Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>10b. Response:</b> (Source: General Plan 2025, General Plan 2025 Figure LU-10 – Land Use Policy Map, Table LU-5 – Zoning/General Plan Consistency Matrix, Figure LU-7 – Redevelopment Areas, Magnolia Avenue Specific Plan, Title 19 – Zoning Code, Title 18 – Subdivision Code, Title 7 – Noise Code, Title 17 – Grading Code, Title 20 – Cultural Resources Code, Title 16 – Buildings and Construction and Citywide Design and Sign Guidelines)</p> <p><b>No Impact.</b> The project is an infill project consistent with the General Plan 2025 and Magnolia Avenue Specific Plan. It is not located within other plan areas and it is not a project of Statewide, Regional or Areawide Significance. For these reasons, this project will have <b>no impact</b> on an applicable land use plan, policy or regulation directly, indirectly or cumulatively.</p>				
c. Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>10c. Response:</b> (Source: General Plan 2025, General Plan 2025 – Figure LU-10 – Land Use Policy Map, Table LU-5 – Zoning/General Plan Consistency Matrix, Figure LU-7 – Redevelopment Areas, enter appropriate Specific Plan if one, Title 19 – Zoning Code, Title 18 – Subdivision Code, Title 7 – Noise Code, Title 17 – Grading Code, Title 20 – Cultural Resources Code, Title 16 – Buildings and Construction and Citywide Design and Sign Guidelines)</p> <p><b>No Impact.</b> The project site is located on a previously developed/improved site within an urbanized area and will not impact an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
habitat conservation plan directly, indirectly and cumulatively. Therefore, the project will have <b>no impact</b> on the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan				
<b>11. MINERAL RESOURCES.</b>				
Would the project:				
a. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>11a. Response: (Source: General Plan 2025 Figure – OS-1 – Mineral Resources)</b>				
<b>No Impact.</b> The project does not involve extraction of mineral resources or grading activity. No mineral resources have been identified on the project site and there is no historical use of the site or surrounding area for mineral extraction purposes. The project site is not, nor is it adjacent to, a locally important mineral resource recovery site delineated in the General Plan 2025, specific plan or other land use plan. Therefore, the project will have no impact on mineral resources directly, indirectly or cumulatively.				
b. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>11b. Response: (Source: General Plan 2025 Figure – OS-1 – Mineral Resources)</b>				
<b>No Impact.</b> The GP 2025 FPEIR determined that there are no specific areas with the City of Sphere Area which have locally-important mineral resource recovery sites and that the implementation of the General Plan 2025 would not significantly preclude the ability to extract state-designated resources. The proposed project is consistent with the General Plan 2025. Therefore, there is <b>no impact</b> .				
<b>12. NOISE.</b>				
Would the project result in:				
a. Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>12a. Response: (Source: General Plan Figure N-1 – 2003 Roadway Noise, Figure N-2 – 2003 Freeway Noise, Figure N-3 – 2003 Railway Noise, Figure N-5 – 2025 Roadway Noise, Figure N-6 – 2025 Freeway Noise, Figure N-7 – 2025 Railroad Noise, Figure N-10 – Noise/Land Use Noise Compatibility Criteria, FPEIR Table 5.11-I – Existing and Future Noise Contour Comparison, Table 5.11-E – Interior and Exterior Noise Standards, Appendix G – Noise Existing Conditions Report, and Title 7 – Noise Code)</b>				
<b>Less Than Significant Impact.</b> The proposed project does not involve uses or activities that would increase ambient noise levels as the project involves the construction and operation of a Wireless Telecommunication Facility on a site currently developed with a church and school. Temporary construction noise associated with the Project will need to comply with the provisions of set forth in Title 7 of the Municipal Code. Therefore, the project will have <b>no impact</b> on the exposure of persons to or the generation of noise levels in excess of established City standards either directly, indirectly or cumulatively.				
b. Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>12b. Response: (Source: General Plan Figure N-1 – 2003 Roadway Noise, Figure N-2 – 2003 Freeway Noise, Figure N-3 – 2003 Railway Noise, Figure N-5 – 2025 Roadway Noise, Figure N-6 – 2025 Freeway Noise, Figure N-7 –</b>				

ISSUES (AND SUPPORTING INFORMATION SOURCES):	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
<p><i>2025 Railroad Noise, Figure N-10 – Noise/Land Use Noise Compatibility Criteria, FPEIR Table 5.11-I – Existing and Future Noise Contour Comparison, Table 5.11-E – Interior and Exterior Noise Standards, Appendix G – Noise Existing Conditions Report, and Title 7 – Noise Code)</i></p> <p><b>Less Than Significant Impact.</b> Construction related activities although short term, are the most common source of ground borne noise and vibration that could affect occupants of neighboring uses. Title 7 limits construction related activities from 7:00 a.m. to 7:00 p.m. on weekdays, and 8:00 a.m. to 5:00 p.m. on Saturdays. No construction noise is permitted on Sundays or on Federal holidays. As construction activities are temporary and limited, the Project will cause a less than significant exposure of persons to or generation of excessive ground borne vibration or ground borne noise levels. This Project will not generate or be exposed to long-term vibration impacts during operation of the proposed use or during construction activities as no blasting or pile driving is foreseeable in conjunction with development of this Project. Therefore, impacts are <b>less than significant</b> on the exposure of persons to or the generation of excessive ground borne vibration/noise levels in excess of established City standards directly, indirectly or cumulatively.</p>				
c. A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>12c. Response:</b> <i>(Source: General Plan Figure N-1 – 2003 Roadway Noise, Figure N-2 – 2003 Freeway Noise, Figure N-3 – 2003 Railway Noise, Figure N-5 – 2025 Roadway Noise, Figure N-6 – 2025 Freeway Noise, Figure N-7 – 2025 Railroad Noise, Figure N-10 – Noise/Land Use Noise Compatibility Criteria, FPEIR Table 5.11-I – Existing and Future Noise Contour Comparison, Table 5.11-E – Interior and Exterior Noise Standards, Appendix G – Noise Existing Conditions Report, and Title 7 – Noise Code)</i></p> <p><b>No Impact.</b> The proposed project does not involve uses or activities that would result in a substantial permanent increase ambient noise levels in the project vicinity above levels existing without the project because the project consists of the operation of a wireless telecommunication facility. Therefore, this project will have <b>no impact</b> on existing noise levels either directly, indirectly or cumulatively.</p>				
d. A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>12d. Response:</b> <i>(Source: FPEIR Table 5.11-J – Construction Equipment Noise Levels, Appendix G – Noise Existing Conditions Report)</i></p> <p><b>Less Than Significant Impact.</b> The primary source of temporary or periodic noise associated with the proposed project is from construction activity and maintenance work. Construction noise typically involves the loudest common urban noise events associated with grading, construction, large diesel engines, truck deliveries and hauling.</p> <p>Both the General Plan 2025 and Municipal Code Title 7 (Noise Code) limit construction activities to specific times and days of the week and during those specified times, construction activity is subject to the noise standards provided in the Title 7. Considering the short-term nature of construction and the provisions of the Noise Code, the temporary and periodic increase in noise levels due to the construction which may result from the project are considered <b>less than significant</b> directly, indirectly and cumulatively.</p>				
e. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>12e. Response:</b> <i>(Source: General Plan 2025 Figure N-8 – Riverside and Flabob Airport Noise Contours, Figure N-9 – March ARB Noise Contour, and Figure N-10 – Noise/Land Use Noise Compatibility Criteria, RCALUCP)</i></p>				



<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><b>Less Than Significant Impact.</b> Although the project site is located within two (2) miles of Riverside Municipal Airport the project is not located within an airport land use plan. The proposed project is not located within any of the airport noise contour areas as depicted on Figures N-8 and N-9 of the Noise Element of the General Plan 2025. Furthermore, the wireless telecommunication facility is an unmanned facility, or this reason, the project would not expose people working in the project area to excessive noise levels related to airport noise. Therefore, impacts will be <b>less than significant</b> directly, indirectly and cumulatively on people residing or working in the project area to excessive noise levels.</p>				
<p>f. For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>12f. Response:</b> (Source: General Plan 2025 Figure PS-6 – Airport Safety Zones and Influence Areas, RCALUCP, March Air Reserve Base/March Inland Port Comprehensive Land Use Plan (1999))</p> <p><b>No Impact.</b> Per the GP 2025 Program FPEIR, there are no private airstrips within the City that would expose people working or residing in the City to excessive noise levels. Because the proposed project consists of development anticipated under the General Plan 2025, is not located within proximity of a private airstrip, and does not propose a private airstrip, the project will not expose people residing or working in the City to excessive noise levels related to a private airstrip and would have <b>no impact</b> directly, indirectly or cumulatively.</p>				
<p><b>13. POPULATION AND HOUSING.</b></p>				
<p>Would the project:</p>				
<p>a. Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>13a. Response:</b> (Source: General Plan 2025 Table LU-3 – Land Use Designations, FPEIR Table 5.12-A – SCAG Population and Households Forecast, Table 5.12-B – General Plan Population and Employment Projections–2025, Table 5.12-C – 2025 General Plan and SCAG Comparisons, Table 5.12-D - General Plan Housing Projections 2025, Capital Improvement Program and SCAG’s RCP and RTP)</p> <p><b>No Impact.</b> The project is in an urbanized area and does not propose new homes or businesses that would directly induce substantial population growth, and does not involve the addition of new roads or infrastructure that would indirectly induce substantial population growth because the project consists of the construction of a new wireless telecommunication facility. Therefore, this project will have <b>no impact</b> on population growth either directly or indirectly.</p>				
<p>b. Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>13b. Response:</b> (Source: CADME Land Use 2003 Layer)</p> <p><b>No Impact.</b> The project will not displace existing housing, necessitating the construction of replacement housing elsewhere because the project site is proposed on a previously improved site that has no existing housing that will be removed or affected by the proposed project. Therefore, there will be <b>no impact</b> on existing housing either directly, indirectly or cumulatively.</p>				
<p>c. Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>13c. Response:</b> (Source: CADME Land Use 2003 Layer)</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><b>No Impact.</b> The project will not displace any people, necessitating the construction of replacement housing elsewhere because the project site is proposed on a previously improved site that has no existing housing or residents that will be removed or affected by the proposed project. Therefore, this project will <b>have no impact</b> on people, necessitating the need for replacement housing either directly, indirectly or cumulatively.</p>				
<b>14. PUBLIC SERVICES.</b>				
<p>Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:</p>				
<p>a. Fire protection?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>14a. Response:</b> (Source: FPEIR Table 5.13-B – Fire Station Locations, Table 5.13-C – Riverside Fire Department Statistics and Ordinance 5948 § 1)</p>				
<p><b>No Impact.</b> The project consists of the construction of a new wireless telecommunication facility located on a site currently developed with a church and associated school. Adequate fire facilities and services are provided by Station 2 located at 9449 Andrew St. to serve this project. In addition, with implementation of General Plan 2025 policies, compliance with existing codes and standards, and through Fire Department practices, there will be <b>no impacts</b> on the demand for additional fire facilities or services either directly, indirectly or cumulatively.</p>				
<p>b. Police protection?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>14b. Response:</b> (Source: General Plan 2025 Figure PS-8 – Neighborhood Policing Centers)</p>				
<p><b>No Impact.</b> The project consists of the construction of a new wireless telecommunication facility located on a site currently developed with a church and associated school. Adequate police facilities and services are provided by Neighborhood Policing Center Central located 8181 Lincoln Ave to serve this project. Therefore, this project will not result in the intensification of land use and there will be <b>no impact</b> on the demand for additional police facilities or services either directly, indirectly or cumulatively.</p>				
<p>c. Schools?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>14c. Response:</b> (Source: FPEIR Figure 5.13-2 – RUSD Boundaries, Table 5.13-D – RUSD, and Table 5.13-G – Student Generation for RUSD and AUSD By Education Level)</p>				
<p><b>No Impact.</b> The project is non-residential use that will not involve the addition of any housing units that would increase numbers of school age children. Therefore, there will be <b>no impact</b> on the demand for additional school facilities or services either directly, indirectly or cumulatively</p>				
<p>d. Parks?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>14d. Response:</b> (Source: General Plan 2025 Figure PR-1 – Parks, Open Spaces and Trails, Table PR-4 – Park and Recreation Facilities, Parks Master Plan 2003, GP 2025 FPEIR Table 5.14-A – Park and Recreation Facility Types, and Table 5.14-C – Park and Recreation Facilities Funded in the Riverside Renaissance Initiative)</p> <p><b>No Impact.</b> The project is a non-residential use that will not involve the addition of any housing units that would increase the population. Therefore, there will be no impact on the demand for additional park facilities or services either directly, indirectly or cumulatively.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
e. Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>14e. Response:</b> (Source: General Plan 2025 Figure LU-8 – Community Facilities, FPEIR Figure 5.13-5 - Library Facilities, Figure 5.13-6 - Community Centers, Table 5.3-F – Riverside Community Centers, Table 5.13-H – Riverside Public Library Service Standards)</p> <p><b>No Impact.</b> The project consists of the construction of a new wireless telecommunication facility located on a site currently developed with a church and associated school. Adequate public facilities and service such as libraries and communities centers and are provided in the Arlington Neighborhood to serve this project. Therefore, this project will not result in the intensification of land use and there will be <b>no impact</b> on the demand for additional public facilities or services either directly, indirectly or cumulatively.</p>				
<b>15. RECREATION.</b>				
a. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>15a. Response:</b> (Source: General Plan 2025 Figure PR-1 – Parks, Open Spaces and Trails, Table PR-4 – Park and Recreation Facilities, Figure CCM-6 – Master plan of Trails and Bikeways, Parks Master Plan 2003, FPEIR Table 5.14-A – Park and Recreation Facility Types, and Table 5.14-C – Park and Recreation Facilities Funded in the Riverside Renaissance Initiative, Table 5.14-D – Inventory of Existing Community Centers, Riverside Municipal Code Chapter 16.60 - Local Park Development Fees, Bicycle Master Plan May 2007)</p> <p><b>No Impact.</b> The project will not result in an intensification of land use and therefore, there will be <b>no impact</b> on the demand for additional recreational facilities either directly, indirectly or cumulatively.</p>				
b. Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>15b. Response:</b></p> <p><b>No Impact.</b> The project will not include new recreational facilities or require the construction or expansion of recreational facilities; therefore, there will be <b>no impact</b> directly, indirectly or cumulatively.</p>				
<b>16. TRANSPORTATION/TRAFFIC.</b>				
Would the project result in:				
a. Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16a. Response:</b> (Source: General Plan 2025 Figure CCM-4 – Master Plan of Roadways, FPEIR Figure 5.15-4 – Volume to Capacity (V/C) Ratio and Level of Service (LOS) (Typical 2025), Table 5.15-D – Existing and Future Trip Generation Estimates, Table 5.15-H – Existing and Typical Density Scenario Intersection Levels of Service, Table 5.15-I – Conceptual General Plan Intersection Improvement Recommendations, Table 5.15-J – Current</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<p><i>Status of Roadways Projected to Operate at LOS E or F in 2025, Table 5.15.-K – Freeway Analysis Proposed General Plan, and Appendix H – Circulation Element Traffic Study and Traffic Study Appendix)</i></p> <p><b>No Impact.</b> The project site is located on a previously developed/improved site where no increase in intensity of use resulting in any measurable increase in traffic would occur and therefore <b>no impact</b> directly, indirectly or cumulatively to the capacity of the existing circulation system will occur.</p>				
<p>b. Conflict with an applicable congestion management program, including but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16b. Response:</b> <i>(Source: General Plan 2025 Figure CCM-4 – Master Plan of Roadways, FPEIR Figure 5.15-4 – Volume to Capacity (V/C) Ratio and Level of Service (LOS) (Typical 2025), Table 5.15-D – Existing and Future Trip Generation Estimates, Table 5.15-H – Existing and Typical Density Scenario Intersection Levels of Service, Table 5.15-I – Conceptual General Plan Intersection Improvement Recommendations, Table 5.15-J – Current Status of Roadways Projected to Operate at LOS E or F in 2025, Table 5.15.-K – Freeway Analysis Proposed General Plan, Appendix H – Circulation Element Traffic Study and Traffic Study Appendix, and SCAG’s RTP)</i></p> <p><b>No Impact.</b> The project site does not include a state highway or principal arterial within Riverside County’s Congestion Management Program (CMP) and the project is consistent with the Transportation Demand Management/Air Quality components of the Program; therefore, there is <b>no impact</b> either directly, indirectly or cumulatively to the CMP.</p>				
<p>c. Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16c. Response:</b> <i>(Source: General Plan 2025 Figure PS-6 – Airport Safety Zones and Influence Areas, and RCALUCP)</i></p> <p><b>No Impact.</b> The project will not change air traffic patterns, increase air traffic levels or change the location of air traffic patterns. It is not located within an airport influence area. As such, this project will have <b>no impact</b> directly, indirectly or cumulatively on air traffic patterns.</p>				
<p>d. Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16d. Response:</b> <i>(Source: Project Site Plans, Lane Striping and Signing Plans)</i></p> <p><b>No Impact.</b> The project is located on a site that is currently developed, with all site improvements in place, and where no site modifications will occur that would result in hazards due to design features such as driveways, intersection improvements, etc. In addition, the proposed use is compatible with other uses on the site. As such, the project will have <b>no impact</b> on increasing hazards through design or incompatible uses either directly, indirectly or cumulatively.</p>				
<p>e. Result in inadequate emergency access?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16e. Response:</b> <i>(Source: California Department of Transportation Highway Design Manual, Municipal Code, and Fire Code)</i></p> <p><b>No Impact.</b> The project is located on a site that is currently developed, with all site improvements in place, and where no site modifications are proposed that would affect emergency access; therefore there will be <b>no impact</b> directly, indirectly or cumulatively to emergency access.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
f. Conflict with adopted policies, plans or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>16f. Response:</b> (Source: FPEIR, General Plan 2025 Land Use and Urban Design, Circulation and Community Mobility and Education Elements, Bicycle Master Plan, School Safety Program – Walk Safe! – Drive Safe!)</p> <p><b>No Impact.</b> The project is located on a site that is currently developed, with all site improvements in place, and where no site modifications will occur that would result in conflicts with adopted policies, plans or programs supporting alternative transportation (e.g. bus turnouts, bicycle racks). As such, the project will have <b>no impact</b> directly, indirectly or cumulatively on adopted policies, plans, or programs supporting alternative transportation.</p>				
<p><b>17. UTILITIES AND SYSTEM SERVICES.</b> Would the project:</p>				
a. Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17a. Response:</b> (Source: General Plan 2025 Figure PF-2 – Sewer Facilities Map, FPEIR Figure 5.16-5 – Sewer Service Areas, Table 5.16-K - Estimated Future Wastewater Generation for the City of Riverside’s Sewer Service Area, and Figure 5.8-1 – Watersheds, Wastewater Integrated Master Plan and Certified EIR)</p> <p><b>No Impact.</b> The project will not exceed wastewater treatment requirements of the Regional Water Quality Control Board (RWQCB). The project is located on a site that is currently developed, with all site improvements in place, and where no site modifications are proposed that would affect wastewater treatment; therefore there will be <b>no impact</b> directly, indirectly or cumulatively to wastewater treatment.</p>				
b. Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17b. Response:</b> (Source: General Plan 2025 Table PF-1 – RPU PROJECTED DOMESTIC WATER Supply (AC-FT/YR), Table PF-2 – RPU Projected Water Demand, RPU, FPEIR Table 5.16-G – General Plan Projected Water Demand for RPU Including Water Reliability for 2025, and Figure 5.16-4 – Water Facilities and Figure 5.16-6 – Sewer Infrastructure and Wastewater Integrated Master Plan and Certified EIR.)</p> <p><b>No Impact.</b> The project will not result in the construction of new or expanded water or wastewater treatment facilities. The project is consistent with the Typical Growth Scenario of the General Plan 2025 where future water and wastewater generation was determined to be adequate (see Tables 5.16-E, 5.16-F, 5.16-G, 5.16-H, 5.16-I, 5.16-J and 5.16-K of the General Plan 2025 Final PEIR). Therefore, the project will have <b>no impact</b> resulting in the construction of new water or wastewater treatment facilities or the expansion of existing facilities directly, indirectly or cumulatively.</p>				
c. Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17c. Response:</b> (Source: FPEIR Figure 5.16-2 - Drainage Facilities)</p> <p><b>No Impact.</b> The project is located on a previously developed/improved site within an urbanized area where no increase in impervious surfaces will occur that would require or result in the construction of new storm water drainage facilities or expansion of existing facilities. Therefore, the project will have <b>no impact</b> resulting in the construction of new storm water drainage facilities or the expansion of existing facilities directly, indirectly or cumulatively.</p>				

ISSUES (AND SUPPORTING INFORMATION SOURCES):	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
d. Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17d. Response:</b> (Source: FPEIR Figure 5.16-3 – Water Service Areas, Figure 5.16-4 – Water Facilities, Table 5.16-E – RPU Projected Domestic Water Supply (AC-FT/YR, Table 5.16-F – Projected Water Demand, Table 5.16-G – General Plan Projected Water Demand for RPU including Water Reliability for 2025, and RPU Master Plan)</p> <p><b>No Impact.</b> The project will not exceed expected water supplies. The project is consistent with the General Plan 2025 Typical Growth Scenario where future water supplies were determined to be adequate (see Tables t.16-E, 5.16-F, 5.16-G, 5.16-H, 5.16-I and 5.16-J of the General Plan 2025 Final PEIR). Therefore, the project will have <b>no impact</b> resulting in the insufficient water supplies either directly, indirectly or cumulatively.</p>				
e. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project’s projected demand in addition to the provider’s existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17e. Response:</b> (Source: FPEIR Figure 5.16-5 - Sewer Service Areas, Figure 5.16-6 -Sewer Infrastructure, Table 5.16-K - Estimated Future Wastewater Generation for the City of Riverside’s Sewer Service Area, and Wastewater Integrated Master Plan and Certified EIR)</p> <p><b>No Impact.</b> The project will not exceed wastewater treatment requirements of (Regional Water Quality Control Board). The project is consistent with the General Plan 2025 Typical Growth Scenario where future wastewater generation was determined to be adequate (see Table 5.16-K of the General Plan 2025 Final PEIR). Further, the current Wastewater Treatment Master Plan anticipates and provides for this type of project. Therefore, <b>no impact</b> to wastewater treatment directly, indirectly or cumulatively will occur.</p>				
f. Be served by a landfill with sufficient permitted capacity to accommodate the project’s solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17f. Response:</b> (Source: FPEIR Table 5.16-A – Existing Landfills and Table 5.16-M – Estimated Future Solid Waste Generation from the Planning Area)</p> <p><b>No Impact.</b> The project is consistent with the General Plan 2025 Typical Build-out Project level where future landfill capacity was determined to be adequate (see Tables 5.16-A and 5.16-M of the General Plan 2025 Final PEIR). Therefore, <b>no impact</b> to landfill capacity will occur directly, indirectly or cumulatively.</p>				
g. Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p><b>17g. Response:</b> (Source: California Integrated Waste Management Board 2002 Landfill Facility Compliance Study)</p> <p><b>No Impact.</b> The California Integrated Waste Management Act under the Public Resource Code requires that local jurisdictions divert at least 50% of all solid waste generated by January 1, 2000. The City is currently achieving a 60% diversion rate, well above State requirements. In addition, the California Green Building Code requires all developments to divert 50% of non-hazardous construction and demolition debris for all projects and 100% of excavated soil and land clearing debris for all non-residential projects beginning January 1, 2011. The proposed project must comply with the City’s waste disposal requirements as well as the California Green Building Code and as such would not conflict with any Federal, State, or local regulations related to solid waste. Therefore, <b>no impacts</b> related to solid waste statutes will occur directly, indirectly or cumulatively.</p>				

<b>ISSUES (AND SUPPORTING INFORMATION SOURCES):</b>	<b>Potentially Significant Impact</b>	<b>Less Than Significant With Mitigation Incorporated</b>	<b>Less Than Significant Impact</b>	<b>No Impact</b>
<b>18. MANDATORY FINDINGS OF SIGNIFICANCE.</b>				
a. Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or an endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>18a. Response:</b> <i>(Source: General Plan 2025 – Figure OS-6 – Stephen’s Kangaroo Rat (SKR) Core Reserve and Other Habitat Conservation Plans (HCP), Figure OS-7 – MSHCP Cores and Linkages, Figure OS-8 – MSHCP Cell Areas, General Plan 2025 FPEIR Figure 5.4-2 – MSHCP Area Plans, Figure 5.4-4 - MSHCP Criteria Cells and Subunit Areas, Figure 5.4-6 – MSHCP Narrow Endemic Plant Species Survey Area, Figure 5.4-7 – MSHCP Criteria Area Species Survey Area, Figure 5.4-8 – MSHCP Burrowing Owl Survey Area, MSHCP Section 6.1.2 - Protection of Species Associated with Riparian/Riverine Areas and Vernal Pools, FPEIR Table 5.5-A Historical Districts and Neighborhood Conservation Areas, Figure 5.5-1 - Archaeological Sensitivity, Figure 5.5-2 - Prehistoric Cultural Resources Sensitivity, Appendix D, and Title 20 of the Riverside Municipal Code)</i></p> <p><b>Less Than Significant Impact.</b> Potential impacts related to habitat of fish or wildlife species were discussed in the Biological Resources Section of this Initial Study, and were all found to be <b>less than significant</b>. Additionally, potential impacts to cultural, archaeological and paleontological resources related to major periods of California and the City of Riverside’s history or prehistory were discussed in the Cultural Resources Section of this Initial Study, and were found to be <b>less than significant</b>.</p>				
b. Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>18b. Response:</b> <i>(Source: FPEIR Section 6 – Long-Term Effects/ Cumulative Impacts for the General Plan 2025 Program)</i></p> <p><b>Less Than Significant Impact.</b> Because the project is consistent with the General Plan 2025, no new cumulative impacts are anticipated and therefore cumulative impacts of the proposed project beyond those previously considered in the GP 2025 FPEIR are <b>less than significant</b>.</p>				
c. Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p><b>18c. Response:</b> <i>(Source: FPEIR Section 5 – Environmental Impact Analysis for the General Plan 2025 Program)</i></p> <p><b>Less Than Significant Impact.</b> Effects on human beings were evaluated as part of the aesthetics, air quality, hydrology &amp; water quality, noise, population and housing, hazards and hazardous materials, and traffic sections of this initial study and found to be less than significant for each of the above sections. Based on the analysis and conclusions in this initial study, the project will not cause substantial adverse effects, directly or indirectly to human beings. Therefore, potential direct and indirect impacts on human beings that result from the proposed project are <b>less than significant</b>.</p>				

**Note:** Authority cited: Sections 21083 and 21087, Public Resources Code. Reference: Sections 21080(c), 21080.1, 21080.3, 21082.1, 21083, 21083.3, 21093, 21094, 21151, Public Resources Code; Sundstrom v. County of Mendocino, 202 Cal.App.3d 296 (1988); Leonoff v. Monterey Board of Supervisors, 222 Cal.App.3d 1337 (1990).