

COUNTY OF RIVERSIDE, STATE OF CALIFORNIA  
RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

No. 1-0-122-634

**ENCROACHMENT PERMIT**

City of Riverside  
Public Works Department  
3900 Main Street  
Riverside, CA 92502

Riverside, California

January 12, 1981

Attention: William D. Gardner, Chief Public Works Engineer

In compliance with your request of December 18, 1980

and subject to all the terms, conditions and restrictions written below or printed as general or special provisions on any part of this form

PERMISSION IS HEREBY GRANTED TO connect a 18" RCP (by means of Riverside County Flood Control and Water Conservation District modified Junction Structure No. 3) to University Wash, Thornton Storm Drain at Station 130+18.

Said work shall be performed in accordance with street improvement plans for Iowa Avenue from Columbia Avenue north 661'. (PM 16394)

Permittee's attention is called to Special Provisions No. 1 & 2 found on the reverse side hereof, requiring 5 days notice prior to commencing work. Notice may be given by calling Jack Hanson at 714-787-6667.

Materials and Methods shall conform to the following Sections of the Standard Specifications for Public Works Construction, 1979, including supplements.

1. Section 303 - Concrete and Masonry Construction. Combined aggregate grading for all concrete shall be 1½" maximum. Concrete shall be Class "A" minimum 3,000 psi.
2. Section 306 - Underground Conduit Construction. Backfill and bedding shall be compacted to not less than eighty-five (85) percent relative density and the top 3 feet shall be compacted to ninety (90) percent relative density.
3. Eighteen inch RCP shall be 2000 D.

This permit is to be strictly construed and no work other than that specifically mentioned above is authorized hereby. Performance of the work shall be deemed to be acceptance by the Permittee of all terms and conditions of this permit.

This permit shall be void unless work herein contemplated shall have been completed before June 30, 1981.

District Drawing No. 1-364, Sheet: 20

RECOMMENDED FOR APPROVAL:

By Jack J. Hanson  
PERMIT ENGINEER

By [Signature]  
CHIEF OF OPERATIONS

APPROVED:

[Signature]  
KENNETH L. EDWARDS  
CHIEF ENGINEER

## GENERAL PROVISIONS

1. ACCEPTANCE OF PROVISIONS. It is understood and agreed by the Permittee that the performance of any work authorized under this permit shall constitute an acceptance of the provisions contained herein, and failure to comply with said provisions shall result in revocation of this permit by the Riverside County Flood Control and Water Conservation District.
2. NO PRECEDENT ESTABLISHED. This permit is granted with the understanding that this action is not to be considered as establishing any precedent on the question of the expediency of permitting any certain kind of encroachment to be erected within right of way of the Riverside Flood Control and Water Conservation District.
3. KEEP PERMIT ON THE WORK. This permit shall be kept at the site of the work and must be shown to any representative of the Riverside County Flood Control and Water Conservation District.
4. PERMITS FROM OTHER AGENCIES. The party or parties to whom this permit is issued shall, whenever the same is required by law, secure the written order or consent to any work hereunder from the Public Utilities Commission of the State of California or any other public Board having jurisdiction, and this permit shall be suspended in operation unless and until such order or consent is obtained.
5. CLEAN UP RIGHT OF WAY. Upon completion of the work, all brush, timber, scraps and material shall be entirely removed and the right of way left in as presentable condition as before work started.
6. STANDARDS OF CONSTRUCTION. All work shall conform to recognized standards of construction.
7. SUPERVISION OF GRANTOR. All the work shall be done subject to the supervision of, and to the satisfaction of, the Riverside County Flood Control and Water Conservation District.
8. FUTURE MOVING OF INSTALLATION. It is understood by the Permittee that whenever construction, reconstruction or maintenance work on the right of way may require, the installation provided for herein shall, upon request of the Riverside County Flood Control and Water Conservation District, be immediately moved by, and at the sole expense of, the Permittee.
9. LIABILITY FOR DAMAGES. The Permittee is responsible for all liability for personal injury or property damage which may arise out of work herein permitted, or which may arise out of failure on the Permittee's part to perform his obligations under this permit in respect to maintenance. In the event any claim of such liability is made against the Riverside County Flood Control and Water Conservation District, or any officer or employee thereof, Permittee shall defend, indemnify and hold them and each of them harmless from such claim.
10. MAKING REPAIRS. The permittee shall replace and restore the right of way at the place of the excavation to its condition prior to the making of the excavation.
11. CARE OF DRAINAGE. If the work herein contemplated shall interfere with the established drainage, ample provision shall be made by the Permittee to provide for it as may be directed by the grantor.
12. MAINTENANCE. The permittee agrees by the acceptance of this permit to exercise reasonable care to maintain properly any encroachment placed by it in the right of way and to exercise reasonable care in inspecting for and immediately repairing and making good any injury to any portion of the right of way as a result of the work done under this permit, including any and all injury to the right of way which would not have occurred had such work not been done or such encroachment not placed therein.
13. PERFORMANCE WARRANTY. Bond may be required of the permittee whenever in the judgment of the Riverside County Flood Control and Water Conservation District, it becomes necessary or advisable to guarantee performance.
14. DURATION. This permit may be cancelled by the Riverside County Flood Control and Water Conservation District upon thirty days written notice to permittee.

## SPECIAL PROVISIONS

1. INSPECTION FEE REQUIRED BY GRANTOR. The permittee shall deposit a sum in the amount of \$ 150.00 with the Riverside County Flood Control and Water Conservation District at least five working days prior to the anticipated start of work covered by this permit. Said amount is to cover the estimated cost of inspection, investigation, testing, etc., by the District of the work proposed under the permit. \*
2. NOTICE OF BEGINNING OF WORK. The permittee shall advise the Chief Engineer in writing of the anticipated start of work covered by this permit. Said notice shall be delivered to the office of the Riverside County Flood Control and Water Conservation District at least five working days prior to the start of work.

\*If installation is not completed within either 10 working days after commencing work or such other time as may be specified on the encroachment permit, the permit will be suspended and no work will be allowed until a penalty payment equal to the original inspection fee is paid. This penalty will be assessed for each 10 working days or other specified period until the installation is completed.