



- GENERAL NOTES**
- It shall be the responsibility of the contractor to clear the right of way in accordance with provisions of law as it affects such utility, including irrigation lines and appurtenances, and at no cost to the City.
  - Construction shall be in accordance with the City of Riverside, Dept. of Public Works, Specifications No. 461 and Standard Drawings.
  - Prime Coat, Seal Coat, and paint binder are required. Grading will require a permit under Ordinance 5683 for a cut exceeding 100 cubic yards, or a fill over one foot in depth.
  - The amount of asphalt overlay on existing pavement has been estimated by the Engineer to be approximately 62,400 sq. yds.
  - Trim edge of existing pavement, where new paving joins existing pavement, to a clean, straight line. Construct match-up paving as shown and overlay paving as directed in the field to produce a smooth crown section.
  - Contact Street Light Engineer at 787-7429 for light req'ts and form and elec. Dept. at 787-7501 for street tree req'ts prior to sidewalk construction.
- BENCHMARK**  
City Bench Mark - Pk. Station center of N.E. curb return of Tenth St. and Ottawa Ave. Elev. 943.548.

<b>J. F. DAVIDSON ASSOCIATES</b> CIVIL ENGINEERS - SURVEYORS - PLANNERS RIVERSIDE, CALIFORNIA APPROVED BY: <i>[Signature]</i> DATE: 11-5-66 R.E. No. 862		<b>CITY OF RIVERSIDE, CALIFORNIA</b> DEPARTMENT OF PUBLIC WORKS APPROVED BY: <i>[Signature]</i> DATE: 1-7-66 OFFICE ENGINEER: <i>[Signature]</i> DATE: 1-7-66 TRAFFIC DIVISION: <i>[Signature]</i> DATE: 1-7-66 ASSISTANT CITY ENGINEER: <i>[Signature]</i> DATE: 1-7-66		PROJECT NO. <b>R-1057-A</b> SHEET <b>1</b> OF <b>1</b> FILE NO. <b>3318</b>
W.O. 793 FOR: TERRACE HOTELS, INC. P.B. 994107		DESIGNED BY: <i>[Signature]</i> DRAWN BY: <i>[Signature]</i> CHECKED BY: <i>[Signature]</i>		

STREET PLAN AND PROFILE  
 NINTH STREET  
 (North Side)  
 C.U.P. C-19-645 8/R/S 943  
 HORIZ. SCALE: 1" = 20' VERT. SCALE: 1" = 5'