



- GENERAL NOTES**
- All construction to be in accordance with standard specifications No. 661 of the City of Riverside, Dept. of Public Works.
 - It shall be the responsibility of the contractor to clear the right-of-way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 - Prime coat, seal coat and paint binder are required.
 - Grading will require a permit under Ordinance 3073 for a cut or fill exceeding 100 c.y. or a fill over 1 foot in depth.
 - The developer shall arrange for a subgrade to be made by a sub-contractor to meet the design standard and for the contractor to contact the City of Riverside, Dept. of Public Works, for a copy of the design standard and for a permit to be issued for the work.
 - Contractor to contact Parks & Recreation Dept. for a permit to be issued for the work.
 - Trim edge of existing pavement where new paving is to be placed to be a smooth crown as shown and overlay paving to be a smooth crown section. See typical sections.
 - The amount of asphalt overlay on existing pavement has been estimated by the Engineer to be approx. 17 tons.

STREET LIGHTS

NOTES:

- All street light standards and pullboxes to be located in the field.
- All street light standards shall be checked for clearance of drive ways and placed 1' from end of curb returns.
- See City of Riverside Draw No. L1-2008 and L1-18011 for light standard details and Draw No. L1-18003 for pullbox details.
- All cable to be AWG No. 8 copper.
- This is a 2 wire 240 volt multiple system.
- All construction to comply with City of Riverside Street Light Specification.
- Inspections to be called for as outlined in specifications.
- Feed points to be confirmed at time of construction.
- Feed points to be determined.
- 25% to 50% Connection fee paid 9-17-65.
- The City of Riverside Traffic Engineering Dept. will pay 75% toward the cost of this project to the Developer Upon Completion of the Work & Receipt of a Statement From The Developer.

LEGEND

- Indicates City of Riverside marbleite light standard No. 350d with 7000L, 175W, Type II, except as noted "Line Material" mercury vapor luminaire with color corrected lamp. Cal. No. L1M441 or approved equal.
- Indicates City of Riverside marbleite light standard No. 68J10 with 8000L, 400W, Type III "Line Material" mercury vapor luminaire Cal. No. L1M5342 or approved equal.
- Indicates No. 3/2 pullbox "Brooks Products Inc." or approved equal.
- Indicates 1" rigid galv. steel conduit, except as noted.
- Indicates feed point.

APPROVED: *Don Campbell* DATE: 7-19-64
 Gen. Supr. & Ch. Eng. 500

DESIGNED: A. Cobral
 DRAWN: A. Cobral
 CHECKED: N.A.M.
 DATE: 6-28-67
 SEAL: No. 2700

157 W. FINE ST. San Bernardino, Calif.
 NESTE, BRUDIN & STONE
 CIVIL ENGINEERS
 DATE: 7-2-66

REVISIONS		CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS	
MARK	DATE	DESCRIPTION	

STREET IMPROVEMENT PLAN
 TEQUESQUITE AVE. & BROCKTON AVE.
 N.W. Corner
 R/5917

DESIGNED BY: SUBMITTED BY: APPROVED BY: PROJ. NO. 55 279
 DRAWN BY: BARK. DEPT. TRAFFIC DIV. DATE: 7-21-64 9-17-65 L5-13099
 CHECKED BY: RECOMMENDED BY: R-1069
 SHEET 1 OF 1