

- STREET LIGHT NOTES (LEGEND)**
- All street light standards and pullboxes to be located in the field, by Contractor, according to plan and approved by Utilities personnel.
 - All street light standards shall be checked for clearance of driveways and cleared from end of curb returns.
 - See City of Riverside Draw No. LI-1301 for light standard details and Draw No. LI-3003 for pullbox details.
 - All cable to be AWG 10 or larger.
 - This is a 2 wire 240 volt multiple system.
 - All construction to comply with City of Riverside Street Light Specifications #10.
 - Attention to be called to the notes on Specifications.
 - Feed point to be confirmed at time of construction.
 - Feed point to be determined.
 - 10 1/2" inspection fee to be paid; 4-13-67 (date paid).
 - 11 1/2" inspection fee to be paid; 4-13-67 (date paid).
 - The City of Riverside Public Engineering Division will pay a 75% toward the cost of this project to the contractor upon completion of the work and receipt of statement from the Division.
 - Excavation for street light standard bases, pullboxes and conduits must be done after installation of curb and gutters, but before installation of sidewalks.
 - Standard to be of type and connected as specified by City of Riverside Public Works Dept.
 - Street light circuits to be connected to electric underground distribution circuits.
 - Coordinate street light work with electric underground distribution work.
 - City of Riverside to connect street light cables to electric underground distribution cables.
 - Install a waterproof in the box fuse holder on the above top cables in the case of each street light standard. Fuse holder to be "Duggan-Wright" for copper wire distribution wires with a "Duggan-Wright" 1/2" x 3/8" x 1/2" with date of approval equal.
 - Contractor to obtain a street crossing permit from City of Riverside Public Works Department before doing any excavation in proposed or dedicated street right-of-way.
- Indicates City of Riverside Marking Light standard as per with 28000, 2800, Type 20 "Line Material" marking upper dominants with individual photoelectric receptacle and control unit, Cat. No. LM572B.
- Indicates No. 3/4 pullbox "Brooks Products, Inc." or approved equal.
- Indicates 1" rigid galv. steel conduit, except as noted.

- GENERAL NOTES**
- It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of law as it affects such utility, including irrigation lines and appurtenances, and all as noted to the City.
 - Construction shall be in accordance with the City of Riverside, Department of Public Works, Specifications No. 461 and Standard Drawing.
 - Primo coat, seal coat, and joint binder are required.
 - Grading will require a permit under Ordinance 3093 for a cut or fill exceeding 100 cubic yards, or a fill over one foot in depth.
 - The subdivider shall arrange for a soil test to be made by Soil Engineer after the Streets have been prepared to rough grade.
 - Trim edge of existing pavement, where new paving joints existing pavement, to a clean, straight line. Contract matching paving as shown and overlay paving as directed in the field to produce a smooth cross section.
 - The finished subgrade shall have a composition of "hot" Area Base 3093 as a depth of 20" (10" if approved by local method as "bank" 3093" immediately prior to placement of cover.


NOTICE TO CONTRACTOR

The existence and location of any underground utility pipes or structures shown on these plans are obtained by a search of the available records. To the best of our knowledge, there are no existing utilities, except as shown on these plans.

The contractor is required to take due precautionary measures to protect the utility lines shown and any other lines not of record or not shown on these plans.

QUANTITY ESTIMATE

CURB & GUTTER, STD. NO. 200 (6"x6")	163 LF
2 1/2" x 6" x 1/2" S&W COAT	5,094.5 SF
2 1/2" x 6" BEDWOOD HEADS	150 LF
IMPROVED BASE MATERIAL	239 CY
4" S&W S&W STIFFENS	4 LF
CONCRETE APPROACH, STD. NO. 302	1 EA



**TYPICAL SECTION
IOWA AVENUE**
T.I. 7
NO SCALE

**- CAUTION -
HIGH PRESSURE GAS LINE**
24 HOURS BEFORE EXCAVATING IN THIS AREA CONTACT - MR. BAIRD AT SOUTHERN COUNTY GAS CO. PH: 845-2617

Approved for Street Lights
Date: 5-8-67

ALBERT A. WEBB ASSOCIATES
CIVIL ENGINEERS
RIVERSIDE, CALIFORNIA
APPROVED BY *Albert A. Webb* DATE 3/30/67
R.E. No. 9876

MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
APPROVED BY *W. Baird* DATE 4-25-67
OFFICE ENGINEER
PARK DEPARTMENT
TRAFFIC DIVISION
ASSISTANT CITY ENG.

STREET PLAN AND PROFILE
IOWA AVENUE
EAST SIDE, BETWEEN SPRUCE ST. AND SOUTHERN PACIFIC R.R.
M.P. 4-687 & R/S 988
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 4'

PROJECT NO. **R-1226**
L5-13242
SHEET 1 OF 1
FILE NO. 67-81-A