



BENCH MARK:
Elev. 753.220, RR. Nail in center of N.E. curb
return Arlington & Crest. C.R. No. 475/25, 244/41

- GENERAL NOTES**
- (1) It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of law as it affects each utility, including irrigation lines and appurtenances, and at no cost to the City.
 - (2) Construction shall be in accordance with the City of Riverside, Department of Public Works, Specifications No. 401 and Standard Drawings.
 - (3) Prime coat, seal coat, and paint binder are required.
 - (4) Grading will require a permit under Ordinance 5093 for a cut or fill exceeding 100 cubic yards, or a fill over one foot in depth.
 - (5) The contractor shall arrange for a soil test to be made by a Soil Engineer after the subgrade has been prepared to rough grade. Depth of subgrade material and A.C. paving shall be determined by City of Riverside Design Standards and Test Procedures.
 - (6) Trim edge of existing pavement, where new paving joints existing pavement, to a clean, straight line. Construct mitre joint paving as shown and mortar paving as directed in the field to produce a smooth crown section.

QUANTITY ESTIMATE

Curb & Gutter Standard 200 (6" C.F.)	168 L.F.
2 1/2" A.C.	600 S.F.
Imparted Base Material	15 Cu.
Subway Standard 325 (350)	304 S.F.
Driveway Approach Standard 302	3 Ea.
Cross Gutter Arpan Standard 220	290 S.F.
Curb Gutter Removal	56 L.F.
2"x4" Redwood Header	2.5 L.F.
W-21-R	2 Ea.

ALBERT A. WE CIVIL ENGINEER RIVERSIDE APPROVED BY: <i>[Signature]</i> DATE 4/30/68 R.E. No. 2070		CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY: <i>[Signature]</i> DATE 4/30/68 OFFICE ENGINEER PARK DEPARTMENT TRAFFIC DIVISION ASSISTANT CITY ENGINEER		STREET PLAN AND PROFILE CREST AVE. CURB & GUTTER WEST SIDE ARLINGTON AVE. TO 185 1/2 SLY BUILDING PERMIT 10020 ARLINGTON		PROJECT NO. R-1284 SHEET 1 OF 1 FILE NO. 68-117	
W.O. 68-117 FOR: Diamond Const. Co. F.B. 12-109		DESIGNED BY: <i>[Signature]</i> DRAWN BY: <i>[Signature]</i> CHECKED BY: <i>[Signature]</i>		HORIZ. SCALE: 1" = 20' VERT. SCALE: 1" = 2'		DATE: 6-5-68	

NOTICE TO CONTRACTOR
 The existence and location of any underground utility pipes or structures shown on these plans are obtained by a search of the available records. To the best of our knowledge, there are no existing utilities except as shown on these plans.
 The contractor is required to take the necessary measures to protect the utility lines shown on the plans during the course of the work.