



- CONSTRUCTION NOTES**
- Const. 4" A.C. over 10" O.G. Base
  - Const. R.C.C. Curb & Gutter, 6" curb face per Std. Dwg. No. 200
  - Const. R.C.C. Sidewalk per City of Riverside Std. Dwg. No. 350
  - Const. R.C.C. Driveway Approach per City of Riverside Std. Dwg. No. 302
  - Sawcut exist. AC pavement, feather over smooth joint.

**QUANTITY ESTIMATE**

1. 4" A.C. over 10" Imported Base Material.	1990 Sq. Ft.
2. R.C.C. Curb & Gutter, Type B	332 L.F.
3. R.C.C. Sidewalk, 3" Thick	1410 Sq. Ft.
4. R.C.C. Driveway Approach	710 Sq. Ft.
5. Sawcut exist. AC pavement, Feather over smooth joint Remove exist. AC pavement	332 L.F. 2650 Sq. Ft.

The City of Riverside is not in anyway responsible for the accuracy of the Quantity Estimate shown on this sheet.

**BLAINE STREET**

**GENERAL NOTES**

- Construction shall be in accordance with Standard Specifications for Public Works Construction, 1970 Edition, and City of Riverside Standard Drawings.

**NOTE CONCERNING IRRIGATION LINES:**

An "Active" Irrigation Line Exists 30' N/O the E. of Blaine St. The exact location of this line is unknown. It will be the responsibility of the Street Improvement Contractor to protect this line from damage. Any relocation required will be to the satisfaction of the Engineer, Water Div., Public Utilities Dept.

**BENCH MARK**  
Elev. 941.005 brass disk stamped (ITA) capped at the int. of E. of Third St and E. of Chicago Ave.

APPROVED BY:  
CHIEF PUBLIC UTILITIES ENGINEER - WATER  
11-24-71

Prepared under the supervision of: *Philip A. Gustafson* R/E No. 13875 Date *11-24-71*

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS		BLAINE STREET FROM 358.53 FEET EAST OF IOWA AVE. TO 690.57 FEET EAST OF IOWA AVE. C-17-701		PROJECT NO. <b>R-1537</b>
APPROVED BY: OFFICE ENGINEER DATE	BY DATE	APPROVED BY: DIRECTOR OF PUBLIC WORKS DATE	SHEET <b>1</b> OF <b>1</b>	
DESIGNED BY	DRAWN BY	CHECKED BY	HORIZ. SCALE: 1" = 40' VERT. SCALE: 1" = 4'	