


BM. Elev. 819.10 Spike in SW Curb met.
 School Circle & Caroline Court
 F.B. 606/55
 Scale: Hor. 1" = 20'
 Vert. 1" = 2'

Curb Curve Data (sta. 9+16.37 sta. 9+79.73)


$\Delta = 15^{\circ}34'00''$
$R = 231'$
$L = 68.25'$
C Curve Data
$R = 233'$
$L = 63.36'$

Curb Curve Data (sta. 9+79.73 to 10+67.67)

$\Delta = 21^{\circ}37'30''$
$R = 231'$
$L = 94.73'$
C Curve Data
$R = 233'$
$L = 87.94'$



- CONSTRUCTION NOTES**
1. Const. Type I curb and gutter per Std. 200 (6" C.R.)
 2. Const. curb type 8/w per Std. 325
 3. Const. 2 1/2" A.C. over 9 1/2" D.C. or 6 1/2" A.C. over compacted native.



- GENERAL NOTES**
1. It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances and at no cost to the city.
 2. Construction shall be in accordance with the City of Riverside Department of Public Works Standard Drawings, and the Standard Specifications for Public Works Cover 1973 edition.
 3. Trim edge of exist. pvt. where new pvt. joins to a smooth, straight line. Const. match up paving as shown on plan and overlay paving as directed in the field to produce a smooth section.
 4. Const. driveway approaches per Std. 502. Exact size and location to be determined at the time of const. as approved by the Traffic Engineer.
 5. Curb and gutter shall be staked with 3' offsets at 12.5' intervals. 1/4" diameter pins will be placed at all expansion joints.
 6. Location of laterals to be determined in the field at the direction of the owner. Avoid conflict with proposed and/or exist. facilities.
 7. All flagged elevations shall be staked in the field by the engineer.

THIS PLAN PREPARED BY: Edward A. Perry 3/1/75	DESIGNED BY: [Signature] DRAWN BY: [Signature] CHECKED BY: [Signature]	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS	N'LY SIDE SCHOOL CIRCLE (Sta. 9+79.73 to 10+67.67)	PROJECT NO. R-1811
		APPROVED BY: [Signature] DATE: 3-2-75	P.M. 210 BR-9-745	SHEET 1 OF 1