INDEPENDENCE AT CANYON SPRINGS

CONSTRUCTION HEALTH RISK ASSESSMENT

Prepared By:

Haseeb Qureshi | hqureshi@urbanxroads.com
Ali Dadabhoy | adadabhoy@urbanxroads.com

Reference Number
16503-04 Construction HRA

Agency
City of Riverside

Date
January 15, 2026

TABLE OF CONTENTS

EXECUTIVE SUMMARY **7**
ES.1 Construction Impacts 7

1 INTRODUCTION **10**
1.1 Site Location 10
1.2 Project Description 10

2 BACKGROUND **14**
2.1 Background on Recommended Methodology 14
2.2 Construction Health Risk Assessment 14
2.3 Exposure Quantification 17
2.4 Carcinogenic Chemical Risk 19
2.5 Non-Carcinogenic Exposures 20
2.6 Potential Project DPM-Source Cancer and Non-Cancer Risks 20

3 REFERENCES **25**
4 CERTIFICATION **27**

APPENDICES

APPENDIX 2.1: CALEEMOD OUTPUTS
APPENDIX 2.2: EMISSION CALCULATIONS
APPENDIX 2.3: AERMOD MODEL OUTPUTS
APPENDIX 2.4: RISK CALCULATIONS
APPENDIX 2.5: MODELED RECEPTORS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP **11**
EXHIBIT 1-B: SITE PLAN **12**
EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES **16**
EXHIBIT 2-B: RECEPTOR LOCATIONS **23**

LIST OF TABLES

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS 8
TABLE 2-1: CONSTRUCTION DURATION 14
TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS 15
TABLE 2-3: AERMOD MODEL PARAMETERS 17
TABLE 2-4: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (RESDIENT) 18
TABLE 2-5: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (WORKER) 18
TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD) 19

LIST OF ABBREVIATED TERMS

(1)	Reference
%	Percent
µg	Microgram
AERMOD	American Meteorological Society/Environmental Protection Agency Regulatory Model
APN	Assessor's Parcel Number
AQMD	Air Quality Management District
ASF	Age Sensitivity Factor
CalEEMod	California Emissions Estimator Model
CARB	California Air Resources Board
CEQA	California Environmental Quality Act
CPF	Cancer Potency Factor
DPM	Diesel Particulate Matter
EMFAC	Emission Factor Model
EPA	Environmental Protection Agency
FAH	Fraction of Time at Home
HI	Hazard Index
HRA	Health Risk Assessment
MEIR	Maximally Exposed Individual Receptor
MEIW	Maximally Exposed Individual Worker
MEISC	Maximally Exposed Individual School Child
NED	National Elevation Data
OEHHA	Office of Environmental Health Hazard Assessment
PM_{10}	Particulate Matter 10 microns in diameter or less
Project	Independence at Canyon Springs
REL	Reference Exposure Level
SCAQMD	South Coast Air Quality Management District
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
URF	Unit Risk Factor
UTM	Universal Transverse Mercator

This page intentionally left blank

EXECUTIVE SUMMARY

This report evaluates the potential health risk impacts to sensitive receptors (which are residents and school children) and adjacent workers associated with the development of the Project, more specifically, health risk impacts as a result of exposure to Toxic Air Contaminants (TACs) including diesel particulate matter (DPM) as a result of heavy-duty diesel trucks and equipment associated with on-site and off-site construction activity. This section summarizes the significance criteria and Project health risks.

The results of the health risk assessment from Project-generated DPM emissions during construction are provided in Tables ES-1.

ES.1 CONSTRUCTION IMPACTS

Residential Exposure Scenario:

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R1 which is located at 21710 Eucalyptus Avenue, approximately 1,143 feet south of the Project site. Location R1 is placed at the building façade. At the maximally exposed individual receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 0.54 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be less than ≤0.01, which would not exceed the applicable threshold of 1.0. Location R1 is the nearest residential receptor to the Project site and would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. As such, based on the previous discussion, a less than significant impact is expected for cancer risk and no mitigation is required.

Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. The modeled receptors are illustrated on Exhibit 2-B.

Worker Exposure Scenario:

The worker receptor land use with the greatest potential exposure to Project construction-source DPM emissions is Location R4, which represents the potential worker receptor, County of Riverside Government Office located at 2724 Gateway Dr, approximately 77 feet west of the Project site. At the maximally exposed individual worker (MEIW), the maximum incremental cancer risk impact is 0.18 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Location R4 is the worker receptor that would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. All other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW

identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby workers. The modeled receptors are illustrated on Exhibit 2-B.

School Child Exposure Scenario:

The nearest school and location of the maximally exposed individual school child (MEISC) is Edgemont Elementary School, approximately 739 feet south of the Project site and represented by Receptor R2. At the MEISC, the maximum incremental cancer risk impact attributable to the Project is calculated to be 0.44 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Because all other modeled school receptors would be exposed to lower concentrations of DPM, all other school receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein. The modeled receptors are illustrated on Exhibit 2-B.

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold?
1.82 Year Exposure[1]	Maximum Exposed Sensitive Receptor (Location R1)	0.54	10.00	NO
1.82 Year Exposure[1]	Maximum Exposed Worker Receptor (Location R4)	0.18	10.00	NO
1.82 Year Exposure[1]	Maximum Exposed Individual School Child (Location R2)	0.44	10.00	NO
Time Period	Location	Maximum Hazard Index	Significance Threshold	Exceeds Significance Threshold?
Annual Average	Maximum Exposed Sensitive Receptor (Location R1)	≤ 0.01	1.00	NO
Annual Average	Maximum Exposed Worker Receptor (Location R4)	≤ 0.01	1.00	NO
Annual Average	Maximum Exposed Individual School Child (Location R2)	≤ 0.01	1.00	NO

[1] 1.82 years Is the expected duration of construction activities.

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the HRA prepared by Urban Crossroads, Inc., for the proposed Independence at Canyon Springs Project (Project). The purpose of this GHGA is to evaluate Project-related construction emissions and determine the level of GHG impacts as a result of constructing the Project.

1.1 SITE LOCATION


The Project is located at the northwest corner of the intersection of Gateway Drive and Canyon Park Drive in the City of Riverside, and specifically within Planning Area 8B of the Canyon Springs Business Park Specific Plan area. The Project is surrounded by undeveloped land within the Canyon Springs Specific Plan area and Canyons Springs Healthcare Campus Specific Plan area to the north and east, a parking lot to the south, and the Riverside County Registrar of Voters office to the west, as shown in Exhibit 1-A. Gateway Drive and Canyon Park Drive form the southern and eastern boundaries of the Project site, respectively.

1.2 PROJECT DESCRIPTION

The proposed development associated with the Project consists of 156 residential units a fitness building, a leasing office, and a pool on approximately 9.13 acres, as shown on Exhibit 1-B. The Project is anticipated to be developed in one phase with an opening year of 2028.

The proposed Project also involves an amendment to the Canyon Springs Business Park Specific Plan to allow for the development of mixed-use/multi-family residential uses within Planning Area 8B, a General Plan Amendment to change from the General Plan Land Use designation for the Project site from C - Commercial to MU-U – Mixed Use – Urban (max. 40 du/ac), and a Zoning Code Amendment to rezone the property from O - Office to MU-U – Mixed Use - Urban (40 du/ac).

EXHIBIT 1-A: LOCATION MAP



LEGEND:

Site Boundary | Canyon Springs Business Park Specific Plan

EXHIBIT 1-B: SITE PLAN



This page intentionally blank

2 BACKGROUND

2.1 BACKGROUND ON RECOMMENDED METHODOLOGY

This HRA is based on applicable guidelines to produce conservative estimates of human health risk posed by exposure to DPM. The conservative nature of this analysis is due primarily to the following factors:

- The California Air Response Boards (CARB)-adopted diesel exhaust Unit Risk Factor (URF) of 300 in one million per $\mu g/m^3$ is based upon the upper 95 percentile of estimated risk for each of the epidemiological studies utilized to develop the URF. Using the 95th percentile URF represents a very conservative (health-protective) risk posed by DPM because it represents breathing rates that are high for the human body.

2.2 CONSTRUCTION HEALTH RISK ASSESSMENT

2.2.1 Emissions Calculations

The emissions calculations for the construction HRA component are based on an assumed mix of construction equipment and trip activity as outlined in the *Independence at Canyon Springs Air Quality Analysis*, prepared by Urban Crossroads, Inc. (1) Detailed California Emissions Estimator Model (CalEEMod) model outputs are presented in Appendix 2.1.

Construction related DPM emissions are expected to occur primarily as a function of the operation of heavy-duty construction equipment.

The Project would result in approximately 476 total working days of construction activity. The construction duration by phase is shown in Table 2-1. A detailed summary of construction equipment assumptions by phase is provided at Table 2-2. The CalEEMod emissions outputs are presented in Appendix 2.1. The modeled emission sources for construction activity are illustrated on Exhibit 2-A. Consistent with SCAQMD's Localized Significance Threshold Methodology (2), DPM emissions from construction equipment were modeled using adjacent volume sources with a release height of 5 meters and an initial vertical dimension of 1.4 meters. On-road truck emissions were modeled as a line source (made up of multiple adjacent volume sources). It should be noted that the on-road haul route modeled and shown on Exhibit 2-A is conservative, as it passes closer in proximity to residential receptors and includes a greater number of residences along the modeled route.

TABLE 2-1: CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Days
Site Preparation and Grading	1/1/2027	1/21/2027	15
Foundation	2/18/2027	9/10/2027	147
Curb & Gutter and Paving	1/21/2027	7/6/2027	119
Framing and Architectural Coating (Building Construction)	5/14/2027	10/28/2028	381
On-Site Wet and Dry Utilities	1/21/2027	9/3/2027	162

TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Construction Activity	Equipment[1]	Quantity	Hours
Site Preparation and Grading	Excavators	1	8
	Off-Highway Trucks	2	8
	Graders	1	8
	Rubber Tired Dozers	1	8
	Crawler Tractors	8	8
Foundation	Forklifts	3	8
	Generator Sets	1	8
	Tractors/Loaders/Backhoes	3	8
Curb & Gutter and Paving	Pavers	2	8
	Paving Equipment	2	8
	Rollers	2	8
Framing and Architectural Coating (Building Construction)	Air Compressors	1	8
On-Site Wet and Dry Utilities	Rubber Tired Dozers	2	8
	Excavators	1	8

[1] In order to account for fugitive dust emissions, Crawler Tractors were used in lieu of Tractors/Loaders/Backhoes.

EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES



LEGEND:

N

Construction Activity Off-site Truck Hauling Movements

2.3 EXPOSURE QUANTIFICATION

The analysis herein has been conducted in accordance with the guidelines in the Health Risk Assessment Guidance for Analyzing Cancer Risks from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis (3). The Environmental Protection Agency's (U.S. EPA's) AERMOD model has been utilized. For purposes of this analysis, the Lakes AERMOD View (Version 13.0.0) was used to calculate annual average particulate concentrations associated with site operations. Lakes AERMOD View was utilized to incorporate the U.S. EPA's latest AERMOD Version 24142 (4).

The model offers additional flexibility by allowing the user to assign an initial release height and vertical dispersion parameters for mobile sources representative of a roadway. For this HRA, the roadways were modeled as adjacent volume sources. Roadways were modeled using the U.S. EPA's haul route methodology for modeling of on-site and off-site truck movement. More specifically, the Haul Road Volume Source Calculator in Lakes AERMOD View has been utilized to determine the release height parameters. Based on the US EPA methodology, the Project's modeled sources would result in a release height of 3.49 meters and an initial lateral dimension of 4.0 meters, and an initial vertical dimension of 3.25 meters.

Model parameters are presented in Table 2-3 (5). The model requires additional input parameters including emission data and local meteorology. Meteorological data from the SCAQMD's TMCA monitoring station was used to represent local weather conditions and prevailing winds (6).

TABLE 2-3: AERMOD MODEL PARAMETERS

Dispersion Coefficient (Urban/Rural)	Urban (population 2,492,442)
Terrain (Flat/Elevated)	Elevated (Regulatory Default)
Averaging Time	1 year (5-year Meteorological Data Set)
Receptor Height	0 meters (Regulatory Default)

Universal Transverse Mercator (UTM) coordinates for World Geodetic System (WGS) 84 were used to locate the Project site boundaries, each volume source location, and receptor locations in the Project vicinity. The AERMOD dispersion model summary output files for the Project are presented in Appendix 2.3. Modeled sensitive receptors were placed at residential and non-residential locations.

Receptors may be placed at applicable structure locations for residential property and not necessarily the boundaries of the properties containing these uses because the human receptors (residents) spend a majority of their time at the residence and not on the property line. It should be noted that the primary purpose of receptor placement is focused on long-term exposure. For example, the HRA evaluates the potential health risks to residents, workers and school children over a period of 30, 25, or 9 years of exposure. Notwithstanding, as a conservative measure, receptors were placed at either the outdoor living area or the building façade, whichever is closer to the Project site.

Discrete receptors were placed in all directions nearest to the Project site and Project truck routes in order to account for the predominant wind directions in the Project vicinity.

For purposes of this HRA, receptors include both residential, non-residential (worker) and school land uses in the vicinity of the Project. These receptors are included in the HRA since residents, workers and school children may be exposed at these locations over a long-term duration of 30, 25 and 9 years respectively. This methodology is consistent with SCAQMD and OEHHA recommended guidance.

Any impacts to residents located further away from the Project site than the modeled receptors would have a lesser impact than what has already been disclosed in the HRA at the MEIR, MEIW and MEISC because concentrations dissipate with distance.

All receptors were set to existing elevation height so that only ground-level concentrations are analyzed. United States Geological Survey (USGS) National Elevation Data (NED) terrain data using AERMAP was utilized in the HRA modeling to set elevations (7).

Discrete variants for daily breathing rates, exposure frequency, fraction of time at home, and exposure duration were obtained from relevant distribution profiles presented in the 2015 OEHHA Guidelines. Tables 2-4 through 2-6 summarize the Exposure Parameters for residents, workers, and school children based on 2015 OEHHA Guidelines. Appendix 2.4 includes the detailed risk calculation.

TABLE 2-4: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (RESDIENT)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Fraction of Time at Home	Exposure Frequency (days/year)	Exposure Time (hours/day)
0 to 2	1,090	10	1.82	1.00	250	8

TABLE 2-5: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (WORKER)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year)	Exposure Time (hours/day)
16 to 41	230	1	1.82	250	8

TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year) a	Exposure Time (hours/day)
4 to 13	572	3	1.82	180	12

[a] To represent the unique characteristics of the school-based population, the assessment employed the U.S. Environmental Protection Agency's guidance to develop viable dose estimates based on reasonable maximum exposures (RME). RME's are defined as the "highest exposure that is reasonably expected to occur" for a given receptor population. As a result, lifetime risk values for the student population were adjusted to account for an exposure duration of 180 days per year for nine (9) years. The 9 year exposure duration is also consistent with OEHHA Recommendations and consistent with the exposure duration utilized in school-based risk assessments for various schools within the Los Angeles County Unified School District (LAUSD) that have been accepted by the SCAQMD.

2.4 CARCINOGENIC CHEMICAL RISK

Excess cancer risks are estimated as the upper-bound incremental probability that an individual will develop cancer over a lifetime as a direct result of exposure to potential carcinogens over a specified exposure duration. The estimated risk is expressed as a unitless probability. The cancer risk attributed to a chemical is calculated by multiplying the chemical intake or dose at the human exchange boundaries (e.g., lungs) by the chemical-specific cancer potency factor (CPF). A risk level of 10 in one million implies a likelihood that up to 10 people out of one million equally exposed people would contract cancer if exposed continuously (24 hours per day) to the levels of toxic air contaminants over a specified duration of time.

Guidance from CARB and the California Environmental Protection Agency, Office of Environmental Health Hazard Assessment (OEHHA) recommends a refinement to the standard point estimate approach when alternate human body weights and breathing rates are utilized to assess risk for susceptible subpopulations such as children. For the inhalation pathway, the procedure requires the incorporation of several discrete variates to effectively quantify dose. Once determined, contaminant dose is multiplied by the cancer potency factor (CPF) in units of inverse dose expressed in milligrams per kilogram per day (mg/kg/day)$^{-1}$ to derive the cancer risk estimate. Therefore, to assess exposures, the following dose algorithm was utilized.

$$DOSE_{AIR} = \left(C_{AIR} \times \frac{BR}{BW} \times A \times EF\right) \times (1 \times 10^{-6})$$

Where:

$DOSE_{AIR}$	=	chronic daily intake (mg/kg/day)
C_{AIR}	=	concentration of contaminant in air (µg/m^3)
$\frac{BR}{BW}$	=	daily breathing rate normalized to body weight (L/kg BW-day)
A	=	inhalation absorption factor
EF	=	exposure frequency (days/365 days)

BW	=	body weight (kg)
1×10^{-6}	=	conversion factors (µg to mg, L to m^3)

$$RISK_{AIR} = DOSE_{AIR} \times CPF \times ASF \times FAH \times \frac{ED}{AT}$$

Where:

$DOSE_{AIR}$	=	chronic daily intake (mg/kg/day)
CPF	=	cancer potency factor
ASF	=	age sensitivity factor
FAH	=	fraction of time at home
ED	=	number of years within particular age group
AT	=	averaging time

2.5 NON-CARCINOGENIC EXPOSURES

An evaluation of the potential noncarcinogenic effects of chronic exposures was also conducted. Adverse health effects are evaluated by comparing a compound's annual concentration with its toxicity factor or Reference Exposure Level (REL). The REL for diesel particulates was obtained from OEHHA for this analysis. The chronic reference exposure level (REL) for DPM was established by OEHHA as 5 µg/m^3 (8).

Non-cancer health effects are expressed as a hazard index (HI), which is calculated using the following equation:

$$HI_{DPM} = \frac{C_{DPM}}{REL_{DPM}}$$

Where:

HI_{DPM}	=	Hazard index (unitless)
C_{DPM}	=	Annual average DPM concentration (µg/m^3)
REL_{DPM}	=	REL for DPM (the DPM concentration at which no adverse health effects are anticipated).

2.6 POTENTIAL PROJECT DPM-SOURCE CANCER AND NON-CANCER RISKS

2.6.1 Construction Impacts

Residential Exposure Scenario:

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R1 which is located at 21710 Eucalyptus Avenue, approximately 1,143 feet south of the Project site. Location R1 is placed at the building façade. At the maximally exposed individual

receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 0.54 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be less than ≤0.01, which would not exceed the applicable threshold of 1.0. Location R1 is the nearest residential receptor to the Project site and would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. As such, based on the previous discussion, a less than significant impact is expected for cancer risk and no mitigation is required.

Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. The modeled receptors are illustrated on Exhibit 2-B.

Worker Exposure Scenario:

The worker receptor land use with the greatest potential exposure to Project construction-source DPM emissions is Location R4, which represents the potential worker receptor, County of Riverside Government Office located at 2724 Gateway Dr, approximately 77 feet west of the Project site. At the maximally exposed individual worker (MEIW), the maximum incremental cancer risk impact is 0.18 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Location R4 is the worker receptor that would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. All other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby workers. The modeled receptors are illustrated on Exhibit 2-B.

School Child Exposure Scenario:

The nearest school and location of the maximally exposed individual school child (MEISC) is Edgemont Elementary School, approximately 739 feet south of the Project site and represented by Receptor R2. At the MEISC, the maximum incremental cancer risk impact attributable to the Project is calculated to be 0.44 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Because all other modeled school receptors would be exposed to lower concentrations of DPM, all other school receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein.

Receptors in the Project study area are described below and shown in Exhibit 2-B. It should be noted that for clarity purposes, the receptors presented in Exhibit 2-B do not represent all modeled

receptors and instead presents the nearest receptors that would experience the highest pollutant concentrations. A total of 42 receptors were modeled in the analysis. Appendix 2.5 presents the locations of all receptors modeled in AERMOD.

EXHIBIT 2-B: RECEPTOR LOCATIONS



This page intentionally left blank

3 REFERENCES

1. **Urban Crossroads, Inc.** *Independence at Canyon Springs Air Quality Analysis.* 2025.
2. **South Coast Air Quality Management District.** *Final Localized Significance Threshold Methodology.* 2008.
3. **South Coast Air Quality Managment District.** Mobile Source Toxics Analysis. [Online] 2003. http://www.aqmd.gov/ceqa/handbook/mobile_toxic/mobile_toxic.html.
4. **Environmental Protection Agency.** User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] https://gaftp.epa.gov/Air/aqmg/SCRAM/models/preferred/aermod/aermod_userguide.pdf.
5. —. User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] April 2018. https://www3.epa.gov/ttn/scram/models/aermod/aermod_userguide.pdf.
6. **South Coast Air Quality Management District.** Data for AERMOD. [Online] [Cited: May 9, 2022.] https://www.aqmd.gov/home/air-quality/air-quality-data-studies/meteorological-data/data-for-aermod.
7. **Environmental Protection Agency.** User's Guide for the AERMOD Terrain Preprocessor (AERMAP). [Online] 2018. https://gaftp.epa.gov/Air/aqmg/SCRAM/models/related/aermap/aermap_userguide_v18081.pdf.
8. **Office of Environmental Health Hazard Assessment.** Chemical Toxicity Database. [Online] https://oehha.ca.gov/chemicals.

This page intentionally left blank

4 CERTIFICATION

The contents of this health risk assessment represent an accurate depiction of the impacts to sensitive receptors associated with the proposed Independence at Canyon Springs Project. The information contained in this health risk assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
1133 Camelback #8329
Newport Beach, CA 92658
hqureshi@urbanxroads.com

Education

Master of Science in Environmental Studies
California State University, Fullerton • May, 2010
Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

Professional Affiliations

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

Professional Certifications

Planned Communities and Urban Infill – Urban Land Institute • June, 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April, 2008
Principles of Ambient Air Monitoring – CARB • August, 2007
AB2588 Regulatory Standards – Trinity Consultants • November, 2006
Air Dispersion Modeling – Lakes Environmental • June, 2006

This page intentionally left blank

APPENDIX 2.1:

CALEEMOD OUTPUTS

16503 - Independence at Canyon Springs Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

3. Construction Emissions Details

3.1. Site Preparation and Grading (2027) - Unmitigated

3.3. Foundation (2027) - Unmitigated

3.5. Curb & Gutter and Paving (2027) - Unmitigated

3.7. Framing and Architectural Coating (2027) - Unmitigated

3.9. Framing and Architectural Coating (2028) - Unmitigated

3.11. On-Site Wet and Dry Utilities (2027) - Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16503 - Independence at Canyon Springs
Construction Start Date	1/1/2027
Operational Year	2028
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	10.0
Location	33.935687, -117.283232
County	Riverside-South Coast
City	Riverside
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5531
EDFZ	11
Electric Utility	City of Riverside
Gas Utility	Southern California Gas
App Version	2022.1.1.30

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	156	Dwelling Unit	5.29	225,321	1,827,206	—	504	—

Parking Lot	369	Space	1.37	0.00	0.00	—	—	—
Other Asphalt Surfaces	2.44	Acre	2.44	0.00	0.00	—	—	—
Recreational Swimming Pool	1.19	1000sqft	0.03	1,190	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	7.51	6.93	30.2	39.5	0.06	1.23	1.83	2.79	1.13	0.44	1.42	—	7,446	7,446	0.26	0.22	7.26	7,506
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	8.61	7.14	64.4	66.1	0.15	2.95	5.32	8.28	2.73	1.64	4.37	—	18,674	18,674	0.61	1.07	0.37	19,007
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.43	3.10	14.7	18.5	0.03	0.59	0.97	1.56	0.55	0.25	0.79	—	3,995	3,995	0.13	0.14	1.55	4,041
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.63	0.57	2.68	3.38	0.01	0.11	0.18	0.29	0.10	0.05	0.14	—	661	661	0.02	0.02	0.26	669

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	7.51	6.93	30.2	39.5	0.06	1.23	1.83	2.79	1.13	0.44	1.42	—	7,446	7,446	0.26	0.22	7.26	7,506
2028	4.26	4.20	1.74	5.15	0.01	0.03	0.88	0.91	0.03	0.21	0.24	—	1,393	1,393	0.02	0.10	3.23	1,426
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	8.61	7.14	64.4	66.1	0.15	2.95	5.32	8.28	2.73	1.64	4.37	—	18,674	18,674	0.61	1.07	0.37	19,007
2028	4.23	4.18	1.79	4.30	0.01	0.03	0.88	0.91	0.03	0.21	0.24	—	1,333	1,333	0.02	0.10	0.08	1,363
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	3.43	3.10	14.7	18.5	0.03	0.59	0.97	1.56	0.55	0.25	0.79	—	3,995	3,995	0.13	0.14	1.55	4,041
2028	2.50	2.47	1.06	2.62	< 0.005	0.02	0.52	0.53	0.02	0.12	0.14	—	793	793	0.01	0.06	0.82	811
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.63	0.57	2.68	3.38	0.01	0.11	0.18	0.29	0.10	0.05	0.14	—	661	661	0.02	0.02	0.26	669
2028	0.46	0.45	0.19	0.48	< 0.005	< 0.005	0.09	0.10	< 0.005	0.02	0.03	—	131	131	< 0.005	0.01	0.14	134

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	12.3	11.5	9.33	61.7	0.16	0.42	12.6	13.0	0.41	3.20	3.61	92.9	21,310	21,403	10.2	0.65	42.3	21,895
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	11.2	10.4	9.62	44.3	0.16	0.42	12.6	13.0	0.41	3.20	3.61	92.9	20,424	20,517	10.2	0.67	2.51	20,976

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	10.6	10.0	6.49	44.1	0.12	0.21	10.6	10.8	0.21	2.69	2.90	92.9	15,448	15,541	10.1	0.58	16.4	15,981
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.94	1.83	1.19	8.05	0.02	0.04	1.93	1.97	0.04	0.49	0.53	15.4	2,558	2,573	1.67	0.10	2.71	2,646

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.82	5.29	5.25	51.1	0.14	0.09	12.6	12.7	0.09	3.20	3.29	—	14,175	14,175	0.50	0.60	40.8	14,406
Area	6.35	6.16	2.67	9.97	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,308	3,308	0.06	0.01	—	3,312
Energy	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	3,554	3,554	0.29	0.02	—	3,568
Water	—	—	—	—	—	—	—	—	—	—	—	12.3	273	285	1.28	0.03	—	327
Waste	—	—	—	—	—	—	—	—	—	—	—	80.7	0.00	80.7	8.06	0.00	—	282
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.45	1.45
Total	12.3	11.5	9.33	61.7	0.16	0.42	12.6	13.0	0.41	3.20	3.61	92.9	21,310	21,403	10.2	0.65	42.3	21,895
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.51	4.98	5.63	42.6	0.13	0.10	12.6	12.7	0.09	3.20	3.29	—	13,313	13,313	0.51	0.62	1.06	13,510
Area	5.54	5.39	2.59	1.10	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,285	3,285	0.06	0.01	—	3,288
Energy	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	3,554	3,554	0.29	0.02	—	3,568
Water	—	—	—	—	—	—	—	—	—	—	—	12.3	273	285	1.28	0.03	—	327
Waste	—	—	—	—	—	—	—	—	—	—	—	80.7	0.00	80.7	8.06	0.00	—	282
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.45	1.45
Total	11.2	10.4	9.62	44.3	0.16	0.42	12.6	13.0	0.41	3.20	3.61	92.9	20,424	20,517	10.2	0.67	2.51	20,976

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.63	4.18	4.86	37.4	0.11	0.08	10.6	10.7	0.08	2.69	2.77	—	11,380	11,380	0.44	0.53	14.9	11,562
Area	5.81	5.77	0.23	6.15	< 0.005	0.02	—	0.02	0.02	—	0.02	0.00	241	241	< 0.005	< 0.005	—	241
Energy	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	3,554	3,554	0.29	0.02	—	3,568
Water	—	—	—	—	—	—	—	—	—	—	—	12.3	273	285	1.28	0.03	—	327
Waste	—	—	—	—	—	—	—	—	—	—	—	80.7	0.00	80.7	8.06	0.00	—	282
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.45	1.45
Total	10.6	10.0	6.49	44.1	0.12	0.21	10.6	10.8	0.21	2.69	2.90	92.9	15,448	15,541	10.1	0.58	16.4	15,981
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.85	0.76	0.89	6.82	0.02	0.01	1.93	1.95	0.01	0.49	0.50	—	1,884	1,884	0.07	0.09	2.47	1,914
Area	1.06	1.05	0.04	1.12	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	39.9	39.9	< 0.005	< 0.005	—	40.0
Energy	0.03	0.01	0.26	0.11	< 0.005	0.02	—	0.02	0.02	—	0.02	—	588	588	0.05	< 0.005	—	591
Water	—	—	—	—	—	—	—	—	—	—	—	2.04	45.1	47.2	0.21	0.01	—	54.1
Waste	—	—	—	—	—	—	—	—	—	—	—	13.4	0.00	13.4	1.33	0.00	—	46.7
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	0.24
Total	1.94	1.83	1.19	8.05	0.02	0.04	1.93	1.97	0.04	0.49	0.53	15.4	2,558	2,573	1.67	0.10	2.71	2,646

3. Construction Emissions Details

3.1. Site Preparation and Grading (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	4.94	4.15	33.6	37.0	0.07	1.82	—	1.82	1.67	—	1.67	—	7,548	7,548	0.31	0.06	—	7,574
Dust From Material Movement	—	—	—	—	—	—	2.95	2.95	—	1.01	1.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.20	0.17	1.38	1.52	< 0.005	0.07	—	0.07	0.07	—	0.07	—	310	310	0.01	< 0.005	—	311
Dust From Material Movement	—	—	—	—	—	—	0.12	0.12	—	0.04	0.04	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.04	0.03	0.25	0.28	< 0.005	0.01	—	0.01	0.01	—	0.01	—	51.4	51.4	< 0.005	< 0.005	—	51.5
Dust From Material Movement	—	—	—	—	—	—	0.02	0.02	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.14	0.12	0.13	1.63	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	405	405	0.01	0.02	0.04	409
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	29.6	29.6	< 0.005	< 0.005	< 0.005	30.9
Hauling	0.24	0.09	6.44	1.55	0.04	0.11	1.54	1.65	0.11	0.43	0.54	—	5,647	5,647	0.11	0.88	0.28	5,913
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	16.8	16.8	< 0.005	< 0.005	0.02	17.1
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.21	1.21	< 0.005	< 0.005	< 0.005	1.27
Hauling	0.01	< 0.005	0.27	0.06	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	232	232	< 0.005	0.04	0.19	243
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.79	2.79	< 0.005	< 0.005	< 0.005	2.82
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.20	0.20	< 0.005	< 0.005	< 0.005	0.21
Hauling	< 0.005	< 0.005	0.05	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	38.4	38.4	< 0.005	0.01	0.03	40.2

3.3. Foundation (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.70	0.59	5.63	9.35	0.01	0.20	—	0.20	0.18	—	0.18	—	1,432	1,432	0.06	0.01	—	1,437
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.70	0.59	5.63	9.35	0.01	0.20	—	0.20	0.18	—	0.18	—	1,432	1,432	0.06	0.01	—	1,437
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.28	0.24	2.27	3.77	0.01	0.08	—	0.08	0.07	—	0.07	—	577	577	0.02	< 0.005	—	579
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.05	0.04	0.41	0.69	< 0.005	0.01	—	0.01	0.01	—	0.01	—	95.5	95.5	< 0.005	< 0.005	—	95.8
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.26	0.23	0.20	3.76	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	767	767	0.01	0.03	2.38	778
Vendor	0.01	< 0.005	0.19	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	177	177	< 0.005	0.03	0.45	186
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.24	0.21	0.22	2.84	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	705	705	0.01	0.03	0.06	714
Vendor	0.01	< 0.005	0.19	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	177	177	< 0.005	0.03	0.01	185
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.10	0.09	0.10	1.20	0.00	0.00	0.30	0.30	0.00	0.07	0.07	—	288	288	< 0.005	0.01	0.41	291
Vendor	< 0.005	< 0.005	0.08	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	71.4	71.4	< 0.005	0.01	0.08	74.7
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.22	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	47.6	47.6	< 0.005	< 0.005	0.07	48.2
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.8	11.8	< 0.005	< 0.005	0.01	12.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Curb & Gutter and Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.88	0.74	6.94	9.95	0.01	0.30	—	0.30	0.27	—	0.27	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.08	0.08	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.88	0.74	6.94	9.95	0.01	0.30	—	0.30	0.27	—	0.27	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.08	0.08	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.29	0.24	2.26	3.24	< 0.005	0.10	—	0.10	0.09	—	0.09	—	493	493	0.02	< 0.005	—	494
Paving	0.03	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.41	0.59	< 0.005	0.02	—	0.02	0.02	—	0.02	—	81.6	81.6	< 0.005	< 0.005	—	81.8
Paving	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.05	1.00	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	203	203	< 0.005	0.01	0.63	206
Vendor	0.01	< 0.005	0.15	0.05	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	—	148	148	< 0.005	0.02	0.38	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.06	0.06	0.75	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	187	187	< 0.005	0.01	0.02	189
Vendor	0.01	< 0.005	0.16	0.05	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	—	148	148	< 0.005	0.02	0.01	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.26	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	61.7	61.7	< 0.005	< 0.005	0.09	62.5
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	48.2	48.2	< 0.005	0.01	0.05	50.4

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	10.2	10.2	< 0.005	< 0.005	0.01	10.3
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.98	7.98	< 0.005	< 0.005	0.01	8.35
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Framing and Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.15	1.11	1.50	< 0.005	0.03	—	0.03	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	3.82	3.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.15	1.11	1.50	< 0.005	0.03	—	0.03	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	3.82	3.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.05	0.39	0.52	< 0.005	0.01	—	0.01	0.01	—	0.01	—	62.0	62.0	< 0.005	< 0.005	—	62.2
Architectural Coatings	1.33	1.33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.07	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	10.3	10.3	< 0.005	< 0.005	—	10.3
Architectural Coatings	0.24	0.24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.26	0.23	0.20	3.76	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	767	767	0.01	0.03	2.38	778
Vendor	0.02	0.01	0.49	0.16	< 0.005	0.01	0.14	0.14	0.01	0.04	0.05	—	473	473	0.01	0.07	1.20	495
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.24	0.21	0.22	2.84	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	705	705	0.01	0.03	0.06	714

Vendor	0.02	0.01	0.52	0.16	< 0.005	0.01	0.14	0.14	0.01	0.04	0.05	—	473	473	0.01	0.07	0.03	495
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	1.04	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	249	249	< 0.005	0.01	0.36	252
Vendor	0.01	< 0.005	0.18	0.05	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	165	165	< 0.005	0.02	0.18	172
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.19	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	41.2	41.2	< 0.005	< 0.005	0.06	41.7
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	27.3	27.3	< 0.005	< 0.005	0.03	28.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Framing and Architectural Coating (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	3.82	3.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	3.82	3.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.08	0.64	0.88	< 0.005	0.01	—	0.01	0.01	—	0.01	—	105	105	< 0.005	< 0.005	—	106
Architectural Coatings	2.26	2.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.12	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	17.4	17.4	< 0.005	< 0.005	—	17.5
Architectural Coatings	0.41	0.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.25	0.22	0.20	3.51	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	753	753	0.01	0.03	2.13	763
Vendor	0.02	0.01	0.47	0.15	< 0.005	0.01	0.14	0.14	0.01	0.04	0.05	—	462	462	0.01	0.07	1.10	485

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.21	0.21	0.22	2.65	0.00	0.00	0.74	0.74	0.00	0.17	0.17	—	692	692	0.01	0.03	0.06	701
Vendor	0.02	0.01	0.49	0.16	< 0.005	0.01	0.14	0.14	0.01	0.04	0.05	—	462	462	0.01	0.07	0.03	484
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.12	0.12	0.13	1.65	0.00	0.00	0.43	0.43	0.00	0.10	0.10	—	414	414	0.01	0.02	0.54	420
Vendor	0.01	0.01	0.29	0.09	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.03	—	273	273	< 0.005	0.04	0.28	286
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.30	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	68.6	68.6	< 0.005	< 0.005	0.09	69.5
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	< 0.005	—	45.2	45.2	< 0.005	0.01	0.05	47.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. On-Site Wet and Dry Utilities (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.22	1.87	16.8	14.8	0.03	0.72	—	0.72	0.67	—	0.67	—	2,899	2,899	0.12	0.02	—	2,909
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.22	1.87	16.8	14.8	0.03	0.72	—	0.72	0.67	—	0.67	—	2,899	2,899	0.12	0.02	—	2,909
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.99	0.83	7.46	6.56	0.01	0.32	—	0.32	0.30	—	0.30	—	1,287	1,287	0.05	0.01	—	1,291
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.15	1.36	1.20	< 0.005	0.06	—	0.06	0.05	—	0.05	—	213	213	0.01	< 0.005	—	214
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.50	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	102	102	< 0.005	< 0.005	0.32	103
Vendor	0.01	< 0.005	0.22	0.07	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	207	207	< 0.005	0.03	0.53	217
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.38	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	93.4	93.4	< 0.005	< 0.005	0.01	94.5

Vendor	0.01	< 0.005	0.23	0.07	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	207	207	< 0.005	0.03	0.01	216
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.18	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	42.0	42.0	< 0.005	< 0.005	0.06	42.5
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.8	91.8	< 0.005	0.01	0.10	96.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.95	6.95	< 0.005	< 0.005	0.01	7.04
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	—	15.2	15.2	< 0.005	< 0.005	0.02	15.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	5.82	5.29	5.25	51.1	0.14	0.09	12.6	12.7	0.09	3.20	3.29	—	14,175	14,175	0.50	0.60	40.8	14,406
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Recreational	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	5.82	5.29	5.25	51.1	0.14	0.09	12.6	12.7	0.09	3.20	3.29	—	14,175	14,175	0.50	0.60	40.8	14,406
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	5.51	4.98	5.63	42.6	0.13	0.10	12.6	12.7	0.09	3.20	3.29	—	13,313	13,313	0.51	0.62	1.06	13,510
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	5.51	4.98	5.63	42.6	0.13	0.10	12.6	12.7	0.09	3.20	3.29	—	13,313	13,313	0.51	0.62	1.06	13,510
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.85	0.76	0.89	6.82	0.02	0.01	1.93	1.95	0.01	0.49	0.50	—	1,884	1,884	0.07	0.09	2.47	1,914
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.85	0.76	0.89	6.82	0.02	0.01	1.93	1.95	0.01	0.49	0.50	—	1,884	1,884	0.07	0.09	2.47	1,914

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	1,715	1,715	0.13	0.02	—	1,723
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	61.5	61.5	< 0.005	< 0.005	—	61.8
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,776	1,776	0.14	0.02	—	1,785
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	1,715	1,715	0.13	0.02	—	1,723
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	61.5	61.5	< 0.005	< 0.005	—	61.8
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

Recreational Swimmi Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,776	1,776	0.14	0.02	—	1,785
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	284	284	0.02	< 0.005	—	285
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	10.2	10.2	< 0.005	< 0.005	—	10.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	294	294	0.02	< 0.005	—	295

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	1,778	1,778	0.16	< 0.005	—	1,783
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Recreati Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	1,778	1,778	0.16	< 0.005	—	1,783
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	1,778	1,778	0.16	< 0.005	—	1,783
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.16	0.08	1.40	0.60	0.01	0.11	—	0.11	0.11	—	0.11	—	1,778	1,778	0.16	< 0.005	—	1,783
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	0.03	0.01	0.26	0.11	< 0.005	0.02	—	0.02	0.02	—	0.02	—	294	294	0.03	< 0.005	—	295
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.03	0.01	0.26	0.11	< 0.005	0.02	—	0.02	0.02	—	0.02	—	294	294	0.03	< 0.005	—	295

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.30	0.15	2.59	1.10	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,285	3,285	0.06	0.01	—	3,288
Consumer Products	4.83	4.83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.40	0.40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.81	0.77	0.08	8.87	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	23.7	23.7	< 0.005	< 0.005	—	23.7
Total	6.35	6.16	2.67	9.97	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,308	3,308	0.06	0.01	—	3,312
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	0.30	0.15	2.59	1.10	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,285	3,285	0.06	0.01	—	3,288
Consumer Products	4.83	4.83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.40	0.40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	5.54	5.39	2.59	1.10	0.02	0.21	—	0.21	0.21	—	0.21	0.00	3,285	3,285	0.06	0.01	—	3,288

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hearths	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	37.2	37.2	< 0.005	< 0.005	—	37.3
Consumer Products	0.88	0.88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.07	0.07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.10	0.10	0.01	1.11	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.68	2.68	< 0.005	< 0.005	—	2.69
Total	1.06	1.05	0.04	1.12	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	0.00	39.9	39.9	< 0.005	< 0.005	—	40.0

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	12.2	272	284	1.27	0.03	—	325
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Recreational Swimmi Pool	—	—	—	—	—	—	—	—	—	—	—	0.13	0.56	0.70	0.01	< 0.005	—	1.15
Total	—	—	—	—	—	—	—	—	—	—	—	12.3	273	285	1.28	0.03	—	327
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	12.2	272	284	1.27	0.03	—	325
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	0.13	0.56	0.70	0.01	< 0.005	—	1.15
Total	—	—	—	—	—	—	—	—	—	—	—	12.3	273	285	1.28	0.03	—	327
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	2.01	45.0	47.0	0.21	0.01	—	53.9
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	0.02	0.09	0.12	< 0.005	< 0.005	—	0.19
Total	—	—	—	—	—	—	—	—	—	—	—	2.04	45.1	47.2	0.21	0.01	—	54.1

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	77.0	0.00	77.0	7.70	0.00	—	269
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	3.66	0.00	3.66	0.37	0.00	—	12.8
Total	—	—	—	—	—	—	—	—	—	—	—	80.7	0.00	80.7	8.06	0.00	—	282
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	77.0	0.00	77.0	7.70	0.00	—	269
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Recreational Swimmi Pool	—	—	—	—	—	—	—	—	—	—	—	3.66	0.00	3.66	0.37	0.00	—	12.8
Total	—	—	—	—	—	—	—	—	—	—	—	80.7	0.00	80.7	8.06	0.00	—	282
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	12.7	0.00	12.7	1.27	0.00	—	44.6
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	0.61	0.00	0.61	0.06	0.00	—	2.12
Total	—	—	—	—	—	—	—	—	—	—	—	13.4	0.00	13.4	1.33	0.00	—	46.7

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.44	1.44

Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.45	1.45
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.44	1.44
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.45	1.45
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Single Family Housing	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	0.24
Recreational Swimming Pool	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	< 0.005	< 0.005
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.24	0.24

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation and Grading	Grading	1/1/2027	1/21/2027	5.00	15.0	10
Foundation	Building Construction	2/18/2027	9/10/2027	5.00	147	230

Curb & Gutter and Paving	Paving	1/21/2027	7/6/2027	5.00	119	20
Framing and Architectural Coating	Building Construction	7/7/2027	10/28/2028	5.00	381	20
On-Site Wet and Dry Utilities	Trenching	1/21/2027	9/3/2027	5.00	162	20

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation and Grading	Excavators	Diesel	Average	1.00	8.00	36.0	0.38
Site Preparation and Grading	Off-Highway Trucks	Diesel	Average	2.00	8.00	376	0.38
Site Preparation and Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Site Preparation and Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Site Preparation and Grading	Crawler Tractors	Diesel	Average	8.00	8.00	87.0	0.43
Foundation	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Foundation	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Foundation	Tractors/Loaders/Backhoes	Diesel	Average	3.00	8.00	84.0	0.37
Curb & Gutter and Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Curb & Gutter and Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Curb & Gutter and Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Framing and Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

On-Site Wet and Dry Utilities	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
On-Site Wet and Dry Utilities	Excavators	Diesel	Average	1.00	8.00	36.0	0.38

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation and Grading	—	—	—	—
Site Preparation and Grading	Worker	32.5	18.5	LDA,LDT1,LDT2
Site Preparation and Grading	Vendor	1.00	10.2	HHDT,MHDT
Site Preparation and Grading	Hauling	85.0	20.0	HHDT
Site Preparation and Grading	Onsite truck	—	—	HHDT
On-Site Wet and Dry Utilities	—	—	—	—
On-Site Wet and Dry Utilities	Worker	7.50	18.5	LDA,LDT1,LDT2
On-Site Wet and Dry Utilities	Vendor	7.00	10.2	HHDT,MHDT
On-Site Wet and Dry Utilities	Hauling	0.00	20.0	HHDT
On-Site Wet and Dry Utilities	Onsite truck	—	—	HHDT
Foundation	—	—	—	—
Foundation	Worker	56.7	18.5	LDA,LDT1,LDT2
Foundation	Vendor	6.00	10.2	HHDT,MHDT
Foundation	Hauling	0.00	20.0	HHDT
Foundation	Onsite truck	—	—	HHDT
Curb & Gutter and Paving	—	—	—	—
Curb & Gutter and Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Curb & Gutter and Paving	Vendor	5.00	10.2	HHDT,MHDT
Curb & Gutter and Paving	Hauling	0.00	20.0	HHDT
Curb & Gutter and Paving	Onsite truck	—	—	HHDT

Framing and Architectural Coating	—	—	—	—
Framing and Architectural Coating	Worker	56.7	18.5	LDA,LDT1,LDT2
Framing and Architectural Coating	Vendor	16.0	10.2	HHDT,MHDT
Framing and Architectural Coating	Hauling	0.00	20.0	HHDT
Framing and Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Framing and Architectural Coating	456,275	152,092	0.00	0.00	9,958

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (Cubic Yards)	Material Exported (Cubic Yards)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation and Grading	8,902	—	75.0	0.00	—
Curb & Gutter and Paving	0.00	0.00	0.00	0.00	5.53

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	1.72	0%
Parking Lot	1.37	100%
Other Asphalt Surfaces	2.44	100%
Recreational Swimming Pool	0.00	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	439	0.03	< 0.005
2028	0.00	430	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Single Family Housing	1,123	1,367	1,119	422,413	14,626	17,795	14,565	5,500,632
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Recreational Swimming Pool	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Single Family Housing	—
Wood Fireplaces	0
Gas Fireplaces	156
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	0

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
456275.02499999997	152,092	0.00	0.00	9,958

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Single Family Housing	1,456,922	430	0.0330	0.0040	5,548,033
Parking Lot	52,277	430	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	430	0.0330	0.0040	0.00

Recreational Swimming Pool	0.00	430	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Single Family Housing	6,345,109	35,409,795
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
Recreational Swimming Pool	70,380	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Single Family Housing	143	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
Recreational Swimming Pool	6.78	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Single Family Housing	Average room A/C & Other residential A/C and heat pumps	User Defined	750	< 0.005	2.50	2.50	10.0

Single Family Housing	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00
Recreational Swimming Pool	Other commercial A/C and heat pumps	User Defined	750	< 0.005	4.00	4.00	18.0
Recreational Swimming Pool	Stand-alone retail refrigerators and freezers	R-134a	1,430	0.04	1.00	0.00	1.00

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	26.2	annual days of extreme heat
Extreme Precipitation	2.05	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	5.74	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	98.7
AQ-PM	64.4
AQ-DPM	63.8
Drinking Water	66.9
Lead Risk Housing	99.0
Pesticides	26.7
Toxic Releases	79.9
Traffic	84.3
Effect Indicators	—
CleanUp Sites	83.0
Groundwater	14.5
Haz Waste Facilities/Generators	57.5
Impaired Water Bodies	0.00
Solid Waste	66.7
Sensitive Population	—
Asthma	69.2

Cardio-vascular	84.9
Low Birth Weights	93.6
Socioeconomic Factor Indicators	—
Education	93.7
Housing	89.1
Linguistic	79.2
Poverty	98.0
Unemployment	98.1

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	4.067753112
Employed	10.67624791
Median HI	6.351854228
Education	—
Bachelor's or higher	5.504940331
High school enrollment	18.45245733
Preschool enrollment	9.547029385
Transportation	—
Auto Access	24.53483896
Active commuting	49.46747081
Social	—
2-parent households	16.55331708
Voting	0.20531246
Neighborhood	—
Alcohol availability	38.88104709

Park access	28.17913512
Retail density	72.02617734
Supermarket access	45.07891698
Tree canopy	0.757089696
Housing	—
Homeownership	15.87321956
Housing habitability	7.570896959
Low-inc homeowner severe housing cost burden	48.33825228
Low-inc renter severe housing cost burden	4.311561658
Uncrowded housing	6.172205826
Health Outcomes	—
Insured adults	6.454510458
Arthritis	29.1
Asthma ER Admissions	33.3
High Blood Pressure	15.4
Cancer (excluding skin)	89.7
Asthma	2.1
Coronary Heart Disease	19.3
Chronic Obstructive Pulmonary Disease	4.4
Diagnosed Diabetes	9.0
Life Expectancy at Birth	80.6
Cognitively Disabled	62.4
Physically Disabled	43.7
Heart Attack ER Admissions	40.6
Mental Health Not Good	1.3
Chronic Kidney Disease	10.6
Obesity	0.5
Pedestrian Injuries	78.3

Physical Health Not Good	1.5
Stroke	11.3
Health Risk Behaviors	—
Binge Drinking	85.2
Current Smoker	1.2
No Leisure Time for Physical Activity	1.1
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	1.2
Elderly	96.7
English Speaking	23.5
Foreign-born	67.9
Outdoor Workers	17.3
Climate Change Adaptive Capacity	—
Impervious Surface Cover	88.6
Traffic Density	83.2
Traffic Access	55.9
Other Indices	—
Hardship	97.3
Other Decision Support	—
2016 Voting	2.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	99.0
Healthy Places Index Score for Project Location (b)	1.00
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes

Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Project site is 9.13 acres.
Construction: Construction Phases	Schedule based on client provided data and based on the 2028 OY.
Operations: Vehicle Data	Based on information provided in the trip generation.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for all phases Hauling trips for grading adjusted based on Project specific information of 14 cy/truck capacity
Operations: Hearths	SCAQMD Rule 445 no wood burning devices. Wood burning devices added to gas devices.
Operations: Refrigerants	Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.

This page intentionally left blank

APPENDIX 2.2:

EMISSION CALCULATIONS

Emissions	Phase		Lb/Day	# Days	Emissions	Avg/Lb Day	Avg/Hourly
		0	0.00	0	0	#DIV/0!	#DIV/0!
On-Site	Site Preparation and Grading		1.82	15	27.22754603	1.815169735	0.226896217
Exhaust PM-10	Foundation		0.20	147	29.55010913	0.201021151	0.025127644
	Curb & Gutter and Paving		0.30	119	35.47696707	0.298125774	0.037265722
	Framing and Architectural Coating		0.02	381	8.738893639	0.022936729	0.002867091
	On-Site Wet and Dry Utilities		0.72	162	117.1344961	0.723052445	0.090381556
			3.06	476	218.128012	0.458252126	0.057281516
		0	0.00E+00	0	0	#DIV/0!	#DIV/0!
Off-Site	Site Preparation and Grading		1.12E-01	15	1.686536304	0.112435754	0.014054469
Exhaust PM-10	Foundation		2.70E-03	147	0.396673339	0.002698458	0.000337307
	Curb & Gutter and Paving		2.25E-03	119	0.267597094	0.002248715	0.000281089
	Framing and Architectural Coating		7.20E-03	381	2.741633416	0.007195888	0.000899486
	On-Site Wet and Dry Utilities		3.15E-03	162	0.510008578	0.003148201	0.000393525
			1.28E-01	476	5.602448731	0.01176985	0.001471231

Phase	Start Date	End Date	No. Days
	1/0/1900	1/0/1900	0
Site Preparation and Grading	1/1/2027	1/21/2027	15
Foundation	2/18/2027	9/10/2027	147
Curb & Gutter and Paving	1/21/2027	7/6/2027	119
Framing and Architectural Coating	5/14/2027	10/28/2028	381
On-Site Wet and Dry Utilities	1/21/2027	9/3/2027	162
		Total Days of Construction	**476**

This page intentionally left blank

APPENDIX 2.3:

AERMOD MODEL OUTPUTS

```
** Lakes Environmental AERMOD MPI
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 9/17/2025
** File: C:\Users\adadabhoy\Desktop\AERMOD\16503 - Independence at Canyon
Springs\16503 - Independence at Canyon Springs.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16503 - Independence at Canyon Spr
   MODELOPT DFAULT CONC
   AVERTIME PERIOD
   URBANOPT 2492442 County_of_Riverside
   POLLUTID DPM
   RUNORNOT RUN
   ERRORFIL "16503 - Independence at Canyon Springs.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     473839.905  3755176.349      479.100
   LOCATION VOL2         VOLUME     473885.243  3755176.932      479.910
   LOCATION VOL3         VOLUME     473907.043  3755177.164      480.370
   LOCATION VOL4         VOLUME     473774.669  3755131.048      477.680
   LOCATION VOL5         VOLUME     473819.609  3755131.012      478.240
   LOCATION VOL6         VOLUME     473864.834  3755131.012      478.830
   LOCATION VOL7         VOLUME     473906.812  3755131.244      479.490
   LOCATION VOL8         VOLUME     473774.331  3755086.330      477.090
   LOCATION VOL9         VOLUME     473819.271  3755086.293      477.690
   LOCATION VOL10        VOLUME     473864.496  3755086.293      478.280
   LOCATION VOL11        VOLUME     473906.473  3755086.525      478.900
   LOCATION VOL12        VOLUME     473775.420  3755041.263      476.670
   LOCATION VOL13        VOLUME     473820.360  3755041.226      477.210
```

```
   LOCATION VOL14        VOLUME     473865.585  3755041.226      477.780
   LOCATION VOL15        VOLUME     473907.563  3755041.458      478.360
   LOCATION VOL16        VOLUME     473775.085  3754996.355      476.210
   LOCATION VOL17        VOLUME     473820.025  3754996.319      476.780
   LOCATION VOL18        VOLUME     473865.250  3754996.319      477.430
   LOCATION VOL19        VOLUME     473907.227  3754996.551      477.900
** ----------------------------------------------------------------------
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE1
** DESCRSRC
** PREFIX
** Length of Side = 14.00
** Configuration = Adjacent
** Emission Rate = 0.000185372
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 11
** 473945.647, 3755201.740, 481.34, 3.49, 6.51
** 473949.203, 3754962.174, 477.75, 3.49, 6.51
** 473689.637, 3754958.619, 474.71, 3.49, 6.51
** 473625.634, 3754947.063, 473.58, 3.49, 6.51
** 473557.631, 3754931.506, 472.89, 3.49, 6.51
** 473572.299, 3754860.392, 472.43, 3.49, 6.51
** 473582.077, 3754811.057, 472.27, 3.49, 6.51
** 473588.299, 3754640.828, 472.63, 3.49, 6.51
** 473586.521, 3754582.603, 472.62, 3.49, 6.51
** 473215.395, 3754586.604, 472.27, 3.49, 6.51
** 473200.283, 3754586.604, 472.24, 3.49, 6.51
** ----------------------------------------------------------------------
   LOCATION L0000001     VOLUME   473945.751 3755194.740 481.24
   LOCATION L0000002     VOLUME   473945.959 3755180.742 481.03
   LOCATION L0000003     VOLUME   473946.166 3755166.743 480.82
   LOCATION L0000004     VOLUME   473946.374 3755152.745 480.61
   LOCATION L0000005     VOLUME   473946.582 3755138.747 480.40
   LOCATION L0000006     VOLUME   473946.790 3755124.748 480.19
   LOCATION L0000007     VOLUME   473946.997 3755110.750 479.98
   LOCATION L0000008     VOLUME   473947.205 3755096.751 479.77
   LOCATION L0000009     VOLUME   473947.413 3755082.753 479.56
   LOCATION L0000010     VOLUME   473947.621 3755068.754 479.35
   LOCATION L0000011     VOLUME   473947.829 3755054.756 479.14
   LOCATION L0000012     VOLUME   473948.036 3755040.757 478.93
   LOCATION L0000013     VOLUME   473948.244 3755026.759 478.72
   LOCATION L0000014     VOLUME   473948.452 3755012.760 478.51
   LOCATION L0000015     VOLUME   473948.660 3754998.762 478.30
   LOCATION L0000016     VOLUME   473948.867 3754984.764 478.09
   LOCATION L0000017     VOLUME   473949.075 3754970.765 477.88
   LOCATION L0000018     VOLUME   473943.795 3754962.100 477.69
   LOCATION L0000019     VOLUME   473929.796 3754961.909 477.52
   LOCATION L0000020     VOLUME   473915.797 3754961.717 477.36
   LOCATION L0000021     VOLUME   473901.799 3754961.525 477.19
```

LOCATION L0000022 VOLUME 473887.800 3754961.333 477.03
LOCATION L0000023 VOLUME 473873.801 3754961.141 476.87
LOCATION L0000024 VOLUME 473859.803 3754960.950 476.70
LOCATION L0000025 VOLUME 473845.804 3754960.758 476.54
LOCATION L0000026 VOLUME 473831.805 3754960.566 476.38
LOCATION L0000027 VOLUME 473817.807 3754960.374 476.21
LOCATION L0000028 VOLUME 473803.808 3754960.183 476.05
LOCATION L0000029 VOLUME 473789.809 3754959.991 475.88
LOCATION L0000030 VOLUME 473775.811 3754959.799 475.72
LOCATION L0000031 VOLUME 473761.812 3754959.607 475.56
LOCATION L0000032 VOLUME 473747.813 3754959.416 475.39
LOCATION L0000033 VOLUME 473733.815 3754959.224 475.23
LOCATION L0000034 VOLUME 473719.816 3754959.032 475.06
LOCATION L0000035 VOLUME 473705.817 3754958.840 474.90
LOCATION L0000036 VOLUME 473691.818 3754958.649 474.74
LOCATION L0000037 VOLUME 473678.007 3754956.519 474.50
LOCATION L0000038 VOLUME 473664.229 3754954.031 474.26
LOCATION L0000039 VOLUME 473650.452 3754951.544 474.02
LOCATION L0000040 VOLUME 473636.675 3754949.056 473.77
LOCATION L0000041 VOLUME 473622.924 3754946.443 473.55
LOCATION L0000042 VOLUME 473609.276 3754943.321 473.41
LOCATION L0000043 VOLUME 473595.629 3754940.199 473.28
LOCATION L0000044 VOLUME 473581.981 3754937.077 473.14
LOCATION L0000045 VOLUME 473568.334 3754933.955 473.00
LOCATION L0000046 VOLUME 473558.241 3754928.548 472.87
LOCATION L0000047 VOLUME 473561.069 3754914.836 472.78
LOCATION L0000048 VOLUME 473563.897 3754901.125 472.69
LOCATION L0000049 VOLUME 473566.725 3754887.413 472.60
LOCATION L0000050 VOLUME 473569.553 3754873.702 472.52
LOCATION L0000051 VOLUME 473572.378 3754859.990 472.43
LOCATION L0000052 VOLUME 473575.100 3754846.257 472.38
LOCATION L0000053 VOLUME 473577.822 3754832.524 472.34
LOCATION L0000054 VOLUME 473580.544 3754818.791 472.30
LOCATION L0000055 VOLUME 473582.300 3754804.946 472.28
LOCATION L0000056 VOLUME 473582.811 3754790.955 472.31
LOCATION L0000057 VOLUME 473583.323 3754776.965 472.34
LOCATION L0000058 VOLUME 473583.834 3754762.974 472.37
LOCATION L0000059 VOLUME 473584.346 3754748.983 472.40
LOCATION L0000060 VOLUME 473584.857 3754734.993 472.43
LOCATION L0000061 VOLUME 473585.369 3754721.002 472.46
LOCATION L0000062 VOLUME 473585.880 3754707.011 472.49
LOCATION L0000063 VOLUME 473586.391 3754693.021 472.52
LOCATION L0000064 VOLUME 473586.903 3754679.030 472.55
LOCATION L0000065 VOLUME 473587.414 3754665.039 472.58
LOCATION L0000066 VOLUME 473587.926 3754651.049 472.61
LOCATION L0000067 VOLUME 473588.184 3754637.057 472.63
LOCATION L0000068 VOLUME 473587.757 3754623.064 472.63
LOCATION L0000069 VOLUME 473587.329 3754609.070 472.62
LOCATION L0000070 VOLUME 473586.902 3754595.077 472.62
LOCATION L0000071 VOLUME 473585.001 3754582.620 472.62

```
   LOCATION L0000072     VOLUME   473571.001 3754582.771 472.61
   LOCATION L0000073     VOLUME   473557.002 3754582.922 472.59
   LOCATION L0000074     VOLUME   473543.003 3754583.072 472.58
   LOCATION L0000075     VOLUME   473529.004 3754583.223 472.57
   LOCATION L0000076     VOLUME   473515.005 3754583.374 472.55
   LOCATION L0000077     VOLUME   473501.006 3754583.525 472.54
   LOCATION L0000078     VOLUME   473487.006 3754583.676 472.53
   LOCATION L0000079     VOLUME   473473.007 3754583.827 472.51
   LOCATION L0000080     VOLUME   473459.008 3754583.978 472.50
   LOCATION L0000081     VOLUME   473445.009 3754584.129 472.49
   LOCATION L0000082     VOLUME   473431.010 3754584.280 472.47
   LOCATION L0000083     VOLUME   473417.010 3754584.430 472.46
   LOCATION L0000084     VOLUME   473403.011 3754584.581 472.45
   LOCATION L0000085     VOLUME   473389.012 3754584.732 472.43
   LOCATION L0000086     VOLUME   473375.013 3754584.883 472.42
   LOCATION L0000087     VOLUME   473361.014 3754585.034 472.41
   LOCATION L0000088     VOLUME   473347.014 3754585.185 472.39
   LOCATION L0000089     VOLUME   473333.015 3754585.336 472.38
   LOCATION L0000090     VOLUME   473319.016 3754585.487 472.37
   LOCATION L0000091     VOLUME   473305.017 3754585.638 472.35
   LOCATION L0000092     VOLUME   473291.018 3754585.788 472.34
   LOCATION L0000093     VOLUME   473277.019 3754585.939 472.33
   LOCATION L0000094     VOLUME   473263.019 3754586.090 472.31
   LOCATION L0000095     VOLUME   473249.020 3754586.241 472.30
   LOCATION L0000096     VOLUME   473235.021 3754586.392 472.29
   LOCATION L0000097     VOLUME   473221.022 3754586.543 472.28
   LOCATION L0000098     VOLUME   473207.022 3754586.604 472.25
** End of LINE VOLUME Source ID = SLINE1
** Source Parameters **
   SRCPARAM VOL1         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL2         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL3         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL4         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL5         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL6         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL7         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL8         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL9         0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL10        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL11        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL12        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL13        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL14        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL15        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL16        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL17        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL18        0.0003798606     5.000    10.356     1.400
   SRCPARAM VOL19        0.0003798606     5.000    10.356     1.400
** LINE VOLUME Source ID = SLINE1
   SRCPARAM L0000001     0.000001892      3.49      6.51      3.25
```

```
SRCPARAM L0000002     0.000001892      3.49      6.51      3.25
SRCPARAM L0000003     0.000001892      3.49      6.51      3.25
SRCPARAM L0000004     0.000001892      3.49      6.51      3.25
SRCPARAM L0000005     0.000001892      3.49      6.51      3.25
SRCPARAM L0000006     0.000001892      3.49      6.51      3.25
SRCPARAM L0000007     0.000001892      3.49      6.51      3.25
SRCPARAM L0000008     0.000001892      3.49      6.51      3.25
SRCPARAM L0000009     0.000001892      3.49      6.51      3.25
SRCPARAM L0000010     0.000001892      3.49      6.51      3.25
SRCPARAM L0000011     0.000001892      3.49      6.51      3.25
SRCPARAM L0000012     0.000001892      3.49      6.51      3.25
SRCPARAM L0000013     0.000001892      3.49      6.51      3.25
SRCPARAM L0000014     0.000001892      3.49      6.51      3.25
SRCPARAM L0000015     0.000001892      3.49      6.51      3.25
SRCPARAM L0000016     0.000001892      3.49      6.51      3.25
SRCPARAM L0000017     0.000001892      3.49      6.51      3.25
SRCPARAM L0000018     0.000001892      3.49      6.51      3.25
SRCPARAM L0000019     0.000001892      3.49      6.51      3.25
SRCPARAM L0000020     0.000001892      3.49      6.51      3.25
SRCPARAM L0000021     0.000001892      3.49      6.51      3.25
SRCPARAM L0000022     0.000001892      3.49      6.51      3.25
SRCPARAM L0000023     0.000001892      3.49      6.51      3.25
SRCPARAM L0000024     0.000001892      3.49      6.51      3.25
SRCPARAM L0000025     0.000001892      3.49      6.51      3.25
SRCPARAM L0000026     0.000001892      3.49      6.51      3.25
SRCPARAM L0000027     0.000001892      3.49      6.51      3.25
SRCPARAM L0000028     0.000001892      3.49      6.51      3.25
SRCPARAM L0000029     0.000001892      3.49      6.51      3.25
SRCPARAM L0000030     0.000001892      3.49      6.51      3.25
SRCPARAM L0000031     0.000001892      3.49      6.51      3.25
SRCPARAM L0000032     0.000001892      3.49      6.51      3.25
SRCPARAM L0000033     0.000001892      3.49      6.51      3.25
SRCPARAM L0000034     0.000001892      3.49      6.51      3.25
SRCPARAM L0000035     0.000001892      3.49      6.51      3.25
SRCPARAM L0000036     0.000001892      3.49      6.51      3.25
SRCPARAM L0000037     0.000001892      3.49      6.51      3.25
SRCPARAM L0000038     0.000001892      3.49      6.51      3.25
SRCPARAM L0000039     0.000001892      3.49      6.51      3.25
SRCPARAM L0000040     0.000001892      3.49      6.51      3.25
SRCPARAM L0000041     0.000001892      3.49      6.51      3.25
SRCPARAM L0000042     0.000001892      3.49      6.51      3.25
SRCPARAM L0000043     0.000001892      3.49      6.51      3.25
SRCPARAM L0000044     0.000001892      3.49      6.51      3.25
SRCPARAM L0000045     0.000001892      3.49      6.51      3.25
SRCPARAM L0000046     0.000001892      3.49      6.51      3.25
SRCPARAM L0000047     0.000001892      3.49      6.51      3.25
SRCPARAM L0000048     0.000001892      3.49      6.51      3.25
SRCPARAM L0000049     0.000001892      3.49      6.51      3.25
SRCPARAM L0000050     0.000001892      3.49      6.51      3.25
SRCPARAM L0000051     0.000001892      3.49      6.51      3.25
```

```
   SRCPARAM L0000052     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000053     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000054     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000055     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000056     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000057     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000058     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000059     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000060     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000061     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000062     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000063     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000064     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000065     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000066     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000067     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000068     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000069     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000070     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000071     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000072     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000073     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000074     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000075     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000076     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000077     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000078     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000079     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000080     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000081     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000082     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000083     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000084     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000085     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000086     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000087     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000088     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000089     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000090     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000091     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000092     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000093     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000094     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000095     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000096     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000097     0.000001892      3.49      6.51      3.25
   SRCPARAM L0000098     0.000001892      3.49      6.51      3.25
** ------------------------------------------------------------------
   URBANSRC ALL
```

```
** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000001     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000002     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000003     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000004     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000004     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000005     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000005     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000006     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000007     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000008     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000009     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000010     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000011     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000012     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000013     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000014     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000015     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0000016     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000017     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000018     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000019     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000020     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000021     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000022     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000023     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000024     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000025     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000026     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000027     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000028     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000029     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000030     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000031     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000032     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000033     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000034     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000035     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000036     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000037     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000038     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000039     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000040     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0000041     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000042     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000043     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000044     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000045     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000046     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000047     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000048     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000049     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000050     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000051     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000052     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000053     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000054     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000055     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000056     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000057     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000058     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000059     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000060     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000061     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000062     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000063     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000064     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000065     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0000066     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000067     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000068     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000069     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000070     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000071     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000072     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000073     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000074     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000075     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000076     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000077     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000078     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000079     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000080     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000081     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000082     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000083     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000084     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000085     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000086     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000087     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000088     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000089     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000090     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT L0000091     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000092     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000092     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000093     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000093     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000094     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000095     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000096     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000097     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0000098     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0000098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "16503 - Independence at Canyon Springs.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V11_trimmed.sfc
   PROFFILE PERI_V11_trimmed.pfl
   SURFDATA 3171 2016
   UAIRDATA 3190 2016
   SITEDATA 60656001 2016
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
** Auto-Generated Plotfiles
   PLOTFILE PERIOD ALL "16503 - Independence at Canyon Springs.AD\PE00GALL.PLT" 31
```

```
   SUMMFILE "16503 - Independence at Canyon Springs.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1789       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1789       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 ***********************************
 *** SETUP Finishes Successfully ***
 ***********************************

 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
```

```
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for   117 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   2492442.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Assumes No FLAGPOLE Receptor Heights.
      * The User Specified a Pollutant Type of: DPM

 **Model Calculates PERIOD Averages Only

 **This Run Includes:    117 Source(s);       1 Source Group(s); and      42
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:    117 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of PERIOD Averages by Receptor
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   442.00 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL1	0	0.37986E-03	473839.9	3755176.3	479.1	5.00	10.36	1.40	YES	HRDOW	NO
VOL2	0	0.37986E-03	473885.2	3755176.9	479.9	5.00	10.36	1.40	YES	HRDOW	NO
VOL3	0	0.37986E-03	473907.0	3755177.2	480.4	5.00	10.36	1.40	YES	HRDOW	NO
VOL4	0	0.37986E-03	473774.7	3755131.0	477.7	5.00	10.36	1.40	YES	HRDOW	NO
VOL5	0	0.37986E-03	473819.6	3755131.0	478.2	5.00	10.36	1.40	YES	HRDOW	NO
VOL6	0	0.37986E-03	473864.8	3755131.0	478.8	5.00	10.36	1.40	YES	HRDOW	NO
VOL7	0	0.37986E-03	473906.8	3755131.2	479.5	5.00	10.36	1.40	YES	HRDOW	NO
VOL8	0	0.37986E-03	473774.3	3755086.3	477.1	5.00	10.36	1.40	YES	HRDOW	NO
VOL9	0	0.37986E-03	473819.3	3755086.3	477.7	5.00	10.36	1.40	YES	HRDOW	NO

```
 VOL10           0   0.37986E-03  473864.5 3755086.3   478.3     5.00    10.36
1.40     YES   HRDOW            NO
 VOL11           0   0.37986E-03  473906.5 3755086.5   478.9     5.00    10.36
1.40     YES   HRDOW            NO
 VOL12           0   0.37986E-03  473775.4 3755041.3   476.7     5.00    10.36
1.40     YES   HRDOW            NO
 VOL13           0   0.37986E-03  473820.4 3755041.2   477.2     5.00    10.36
1.40     YES   HRDOW            NO
 VOL14           0   0.37986E-03  473865.6 3755041.2   477.8     5.00    10.36
1.40     YES   HRDOW            NO
 VOL15           0   0.37986E-03  473907.6 3755041.5   478.4     5.00    10.36
1.40     YES   HRDOW            NO
 VOL16           0   0.37986E-03  473775.1 3754996.4   476.2     5.00    10.36
1.40     YES   HRDOW            NO
 VOL17           0   0.37986E-03  473820.0 3754996.3   476.8     5.00    10.36
1.40     YES   HRDOW            NO
 VOL18           0   0.37986E-03  473865.2 3754996.3   477.4     5.00    10.36
1.40     YES   HRDOW            NO
 VOL19           0   0.37986E-03  473907.2 3754996.6   477.9     5.00    10.36
1.40     YES   HRDOW            NO
 L0000001        0   0.18920E-05  473945.8 3755194.7   481.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0000002        0   0.18920E-05  473946.0 3755180.7   481.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0000003        0   0.18920E-05  473946.2 3755166.7   480.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0000004        0   0.18920E-05  473946.4 3755152.7   480.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000005        0   0.18920E-05  473946.6 3755138.7   480.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000006        0   0.18920E-05  473946.8 3755124.7   480.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0000007        0   0.18920E-05  473947.0 3755110.8   480.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0000008        0   0.18920E-05  473947.2 3755096.8   479.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0000009        0   0.18920E-05  473947.4 3755082.8   479.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000010        0   0.18920E-05  473947.6 3755068.8   479.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000011        0   0.18920E-05  473947.8 3755054.8   479.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0000012        0   0.18920E-05  473948.0 3755040.8   478.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0000013        0   0.18920E-05  473948.2 3755026.8   478.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0000014        0   0.18920E-05  473948.5 3755012.8   478.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000015        0   0.18920E-05  473948.7 3754998.8   478.3     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0000022	0	0.18920E-05	473887.8	3754961.3	477.0	3.49	6.51	3.25	YES	HRDOW	NO
L0000023	0	0.18920E-05	473873.8	3754961.1	476.9	3.49	6.51	3.25	YES	HRDOW	NO
L0000024	0	0.18920E-05	473859.8	3754960.9	476.7	3.49	6.51	3.25	YES	HRDOW	NO
L0000025	0	0.18920E-05	473845.8	3754960.8	476.5	3.49	6.51	3.25	YES	HRDOW	NO
L0000026	0	0.18920E-05	473831.8	3754960.6	476.4	3.49	6.51	3.25	YES	HRDOW	NO
L0000027	0	0.18920E-05	473817.8	3754960.4	476.2	3.49	6.51	3.25	YES	HRDOW	NO
L0000028	0	0.18920E-05	473803.8	3754960.2	476.1	3.49	6.51	3.25	YES	HRDOW	NO
L0000029	0	0.18920E-05	473789.8	3754960.0	475.9	3.49	6.51	3.25	YES	HRDOW	NO
L0000030	0	0.18920E-05	473775.8	3754959.8	475.7	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0000031         0   0.18920E-05  473761.8 3754959.6   475.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000032         0   0.18920E-05  473747.8 3754959.4   475.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000033         0   0.18920E-05  473733.8 3754959.2   475.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0000034         0   0.18920E-05  473719.8 3754959.0   475.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0000035         0   0.18920E-05  473705.8 3754958.8   474.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0000036         0   0.18920E-05  473691.8 3754958.6   474.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0000037         0   0.18920E-05  473678.0 3754956.5   474.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000038         0   0.18920E-05  473664.2 3754954.0   474.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000039         0   0.18920E-05  473650.5 3754951.5   474.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0000040         0   0.18920E-05  473636.7 3754949.1   473.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0000041         0   0.18920E-05  473622.9 3754946.4   473.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000042         0   0.18920E-05  473609.3 3754943.3   473.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000043         0   0.18920E-05  473595.6 3754940.2   473.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000044         0   0.18920E-05  473582.0 3754937.1   473.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0000045         0   0.18920E-05  473568.3 3754934.0   473.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0000046         0   0.18920E-05  473558.2 3754928.5   472.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0000047         0   0.18920E-05  473561.1 3754914.8   472.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0000048         0   0.18920E-05  473563.9 3754901.1   472.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0000049         0   0.18920E-05  473566.7 3754887.4   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000050         0   0.18920E-05  473569.6 3754873.7   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000051         0   0.18920E-05  473572.4 3754860.0   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000052         0   0.18920E-05  473575.1 3754846.3   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000053         0   0.18920E-05  473577.8 3754832.5   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000054         0   0.18920E-05  473580.5 3754818.8   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000055         0   0.18920E-05  473582.3 3754804.9   472.3     3.49     6.51
3.25     YES   HRDOW            NO
```

```
 L0000056         0   0.18920E-05  473582.8 3754791.0   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000057         0   0.18920E-05  473583.3 3754777.0   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000058         0   0.18920E-05  473583.8 3754763.0   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000059         0   0.18920E-05  473584.3 3754749.0   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000060         0   0.18920E-05  473584.9 3754735.0   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000061         0   0.18920E-05  473585.4 3754721.0   472.5     3.49     6.51
3.25     YES   HRDOW            NO
```



```
                                                    *** VOLUME SOURCE DATA ***

              NUMBER EMISSION RATE                    BASE    RELEASE    INIT.
INIT.   URBAN  EMISSION RATE   AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
SZ     SOURCE  SCALAR VARY
     ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)              BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 L0000062         0   0.18920E-05  473585.9 3754707.0   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000063         0   0.18920E-05  473586.4 3754693.0   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000064         0   0.18920E-05  473586.9 3754679.0   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000065         0   0.18920E-05  473587.4 3754665.0   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000066         0   0.18920E-05  473587.9 3754651.0   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000067         0   0.18920E-05  473588.2 3754637.1   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000068         0   0.18920E-05  473587.8 3754623.1   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000069         0   0.18920E-05  473587.3 3754609.1   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000070         0   0.18920E-05  473586.9 3754595.1   472.6     3.49     6.51
3.25     YES   HRDOW            NO
```

```
 L0000071         0   0.18920E-05  473585.0 3754582.6   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000072         0   0.18920E-05  473571.0 3754582.8   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000073         0   0.18920E-05  473557.0 3754582.9   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000074         0   0.18920E-05  473543.0 3754583.1   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000075         0   0.18920E-05  473529.0 3754583.2   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000076         0   0.18920E-05  473515.0 3754583.4   472.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0000077         0   0.18920E-05  473501.0 3754583.5   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000078         0   0.18920E-05  473487.0 3754583.7   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000079         0   0.18920E-05  473473.0 3754583.8   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000080         0   0.18920E-05  473459.0 3754584.0   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000081         0   0.18920E-05  473445.0 3754584.1   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000082         0   0.18920E-05  473431.0 3754584.3   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000083         0   0.18920E-05  473417.0 3754584.4   472.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0000084         0   0.18920E-05  473403.0 3754584.6   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000085         0   0.18920E-05  473389.0 3754584.7   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000086         0   0.18920E-05  473375.0 3754584.9   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000087         0   0.18920E-05  473361.0 3754585.0   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000088         0   0.18920E-05  473347.0 3754585.2   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000089         0   0.18920E-05  473333.0 3754585.3   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000090         0   0.18920E-05  473319.0 3754585.5   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000091         0   0.18920E-05  473305.0 3754585.6   472.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0000092         0   0.18920E-05  473291.0 3754585.8   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000093         0   0.18920E-05  473277.0 3754585.9   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000094         0   0.18920E-05  473263.0 3754586.1   472.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0000095         0   0.18920E-05  473249.0 3754586.2   472.3     3.49     6.51
3.25     YES   HRDOW            NO
```

*** SOURCE IDs DEFINING SOURCE GROUPS
***

SRCGROUP ID	SOURCE IDs
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
	VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
	VOL17 , VOL18 , VOL19 , L0000001 , L0000002 , L0000003 , L0000004 , L0000005 ,
	L0000006 , L0000007 , L0000008 , L0000009 , L0000010 , L0000011 , L0000012 , L0000013 ,
	L0000014 , L0000015 , L0000016 , L0000017 , L0000018 , L0000019 , L0000020 , L0000021 ,
	L0000022 , L0000023 , L0000024 , L0000025 , L0000026 , L0000027 , L0000028 , L0000029 ,
	L0000030 , L0000031 , L0000032 , L0000033 , L0000034 , L0000035 , L0000036 , L0000037 ,
	L0000038 , L0000039 , L0000040 , L0000041 , L0000042 , L0000043 , L0000044 , L0000045 ,
	L0000046 , L0000047 , L0000048 , L0000049 , L0000050 , L0000051 , L0000052 , L0000053 ,
	L0000054 , L0000055 , L0000056 , L0000057 , L0000058 ,

L0000059   , L0000060   , L0000061   ,

             L0000062   , L0000063   , L0000064   , L0000065   , L0000066   ,
L0000067   , L0000068   , L0000069   ,

             L0000070   , L0000071   , L0000072   , L0000073   , L0000074   ,
L0000075   , L0000076   , L0000077   ,

             L0000078   , L0000079   , L0000080   , L0000081   , L0000082   ,
L0000083   , L0000084   , L0000085   ,

             L0000086   , L0000087   , L0000088   , L0000089   , L0000090   ,
L0000091   , L0000092   , L0000093   ,

             L0000094   , L0000095   , L0000096   , L0000097   , L0000098   ,

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

  URBAN ID   URBAN POP   SOURCE IDs
  --------   ---------   ----------

              2492442.   VOL1   , VOL2   , VOL3   , VOL4   ,
VOL5   , VOL6   , VOL7   ,
 VOL8   ,

             VOL9   , VOL10   , VOL11   , VOL12   , VOL13   ,
VOL14   , VOL15   , VOL16   ,

             VOL17   , VOL18   , VOL19   , L0000001   , L0000002   ,
L0000003   , L0000004   , L0000005   ,

             L0000006   , L0000007   , L0000008   , L0000009   , L0000010   ,
L0000011   , L0000012   , L0000013   ,

             L0000014   , L0000015   , L0000016   , L0000017   , L0000018   ,
L0000019   , L0000020   , L0000021   ,

             L0000022   , L0000023   , L0000024   , L0000025   , L0000026   ,
L0000027   , L0000028   , L0000029   ,

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL2   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL3   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL4   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL6   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL8   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL9          ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

```
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  16
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  19
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  20
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  21
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```


```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  23
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  24
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  25
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL19   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000001   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000002   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000003   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0000004     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000005     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000006     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000007 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000008 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000009 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  35
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000010     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -

                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000011   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000012   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  38
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000013     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                   PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000014     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000015   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000016   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  42
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000017     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000018   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000019 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000020 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000021     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000022   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000023     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  49
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000024     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                   PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000025     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000026   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0000027     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  53
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000028     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  54
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000029     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000030   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000031   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  57
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000032     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000033   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000034   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000035   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                               DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                               DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                               DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***       09/17/25
 *** AERMET - VERSION  22112 ***   ***
                        ***       12:36:05

                                   PAGE  61
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000036     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                               DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                               DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

```
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  62
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000037     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000038   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000039   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```



```
                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000040     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

```
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  66
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000041     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000042   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000043   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000044   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000045     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  71
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000046     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                  DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  72
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000047     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                  DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000048   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  74
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000049     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                             DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                             DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  75
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = L0000050   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000051   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000052   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000053   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                             DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                             DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                             DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0000054     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  80
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000055     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  81
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000056     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000057 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000058 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000059 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000060     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000061   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000062   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  88
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000063     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                   PAGE  89
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000064     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000065   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000066   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  92
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000067     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000068 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000069     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  95
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000070     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  96
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000071     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000072   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000073     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE  99
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000074     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000075   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000076   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0000077     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 103
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000078     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000079   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000080   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000081   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 107
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000082     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000083   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000084   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0000085   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000086     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000087 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000088 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000089 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000090   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000091   ; SOURCE TYPE = VOLUME   :
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000092 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000093 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000094   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 120
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000095     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 121
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000096     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                  DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 122
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000097     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                  DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 123
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0000098     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

     (473812.1, 3754629.2,   473.9,   936.0,   0.0);   (473791.2,
3754629.8,   473.9,   936.0,   0.0);
     (473773.0, 3754629.2,   473.9,   936.0,   0.0);   (473752.3,
3754629.4,   473.8,   936.0,   0.0);
     (473732.6, 3754628.8,   473.7,   936.0,   0.0);   (473713.5,
3754630.0,   473.7,   936.0,   0.0);
     (473692.0, 3754629.2,   473.6,   936.0,   0.0);   (473674.0,
3754628.8,   473.5,   936.0,   0.0);
     (473654.1, 3754629.2,   473.4,   936.0,   0.0);   (473637.0,
3754627.3,   473.3,   936.0,   0.0);
     (473890.0, 3754788.7,   475.9,   936.0,   0.0);   (473907.8,
3754851.8,   476.8,   936.0,   0.0);
     (474078.5, 3754918.6,   477.4,   936.0,   0.0);   (473898.7,
3754747.9,   475.0,   936.0,   0.0);
     (473731.8, 3755016.4,   475.2,   936.0,   0.0);   (473586.7,
3754996.1,   474.3,   936.0,   0.0);
     (473986.0, 3755213.1,   481.6,   936.0,   0.0);   (473930.9,
3755321.9,   483.8,   936.0,   0.0);
     (473638.5, 3755363.7,   478.7,   936.0,   0.0);   (474015.8,
3755320.2,   483.8,   936.0,   0.0);
     (474129.1, 3755228.2,   480.7,   936.0,   0.0);   (474145.5,
3754647.1,   474.9,   936.0,   0.0);
     (474271.9, 3754542.9,   475.6,   936.0,   0.0);   (474260.1,
3754679.0,   476.9,   936.0,   0.0);
     (473894.5, 3754564.2,   472.4,   936.0,   0.0);   (473731.4,
3754565.8,   473.1,   936.0,   0.0);
     (473462.9, 3755058.4,   473.8,   936.0,   0.0);   (473384.6,
3754992.0,   473.0,   936.0,   0.0);
     (474432.6, 3755099.2,   484.9,   936.0,   0.0);   (473615.6,
3754560.0,   473.0,   936.0,   0.0);
     (473537.4, 3754542.2,   472.1,   936.0,   0.0);   (473687.4,
3754559.8,   473.2,   936.0,   0.0);
     (473066.2, 3754611.9,   469.7,   936.0,   0.0);   (473151.3,
3754430.8,   468.1,   936.0,   0.0);

(473408.0, 3755203.1,   474.2,   936.0,   0.0);   (473863.0,
3754710.4,   474.4,   936.0,   0.0);
(473769.8, 3755475.1,   482.8,   936.0,   0.0);   (474255.4,
3754933.8,   479.7,   936.0,   0.0);
(473056.2, 3754857.6,   467.9,   936.0,   0.0);   (473440.6,
3754394.9,   471.9,   936.0,   0.0);
(473002.9, 3754448.6,   467.6,   936.0,   0.0);   (474250.6,
3754761.5,   477.7,   936.0,   0.0);

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***
(METERS/SEC)

1.54,   3.09,   5.14,   8.23,   10.80,

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file: PERI_V11_trimmed.sfc
Met Version: 22112
Profile file: PERI_V11_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN

Year: 2016 Year: 2016

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
16	01	01	1	01	-21.3	0.220	-9.000	-9.000	-999.	248.	53.3	0.06	0.53	1.00	3.11	342.	11.6	279.8	5.4
16	01	01	1	02	-23.0	0.238	-9.000	-9.000	-999.	278.	62.2	0.06	0.53	1.00	3.35	343.	11.6	279.6	5.4
16	01	01	1	03	-19.6	0.202	-9.000	-9.000	-999.	218.	44.9	0.06	0.53	1.00	2.87	342.	11.6	279.1	5.4
16	01	01	1	04	-15.2	0.175	-9.000	-9.000	-999.	176.	33.8	0.06	0.53	1.00	2.51	340.	11.6	278.7	5.4
16	01	01	1	05	-4.4	0.093	-9.000	-9.000	-999.	70.	15.7	0.06	0.53	1.00	1.36	335.	11.6	277.5	5.4
16	01	01	1	06	-13.9	0.167	-9.000	-9.000	-999.	164.	30.7	0.06	0.53	1.00	2.41	337.	11.6	278.0	5.4
16	01	01	1	07	-7.6	0.122	-9.000	-9.000	-999.	102.	20.5	0.06	0.53	1.00	1.80	356.	11.6	277.3	5.4
16	01	01	1	08	-25.5	0.388	-9.000	-9.000	-999.	579.	197.5	0.09	0.53	0.53	4.73	74.	10.1	274.3	5.4
16	01	01	1	09	22.4	0.406	0.330	0.005	55.	621.	-258.7	0.09	0.53	0.32	4.70	79.	10.1	277.2	5.4
16	01	01	1	10	55.5	0.399	0.599	0.005	134.	605.	-99.0	0.09	0.53	0.25	4.46	85.	10.1	283.0	5.4
16	01	01	1	11	78.4	0.108	0.975	0.005	409.	229.	-1.4	0.06	0.53	0.22	0.82	331.	11.6	286.7	5.4
16	01	01	1	12	85.7	0.137	1.097	0.005	532.	123.	-2.6	0.04	0.53	0.21	1.30	34.	11.6	288.6	5.4

```
 16 01 01   1 13   85.3  0.107  1.147  0.005  611.   84.     -1.2  0.04   0.53
0.21    0.89   48.   11.6  290.2    5.4
 16 01 01   1 14   61.6  0.118  1.057  0.005  662.   97.     -2.3  0.06   0.53
0.22    0.96    9.   11.6  290.5    5.4
 16 01 01   1 15   45.7  0.115  1.038  0.005  844.   93.     -2.9  0.06   0.53
0.26    0.99  352.   11.6  290.7    5.4
 16 01 01   1 16   14.9  0.098  0.732  0.005  908.   73.     -5.4  0.04   0.53
0.35    1.03   41.   11.6  289.9    5.4
 16 01 01   1 17  -13.7  0.171 -9.000 -9.000 -999.  169.     32.1  0.04   0.53
0.63    2.63   59.   11.6  287.2    5.4
 16 01 01   1 18  -17.5  0.186 -9.000 -9.000 -999.  193.     38.2  0.04   0.53
1.00    2.86   43.   11.6  284.7    5.4
 16 01 01   1 19  -18.1  0.193 -9.000 -9.000 -999.  204.     41.1  0.06   0.53
1.00    2.70   15.   11.6  283.9    5.4
 16 01 01   1 20  -11.3  0.151 -9.000 -9.000 -999.  141.     26.4  0.06   0.53
1.00    2.15   10.   11.6  283.3    5.4
 16 01 01   1 21   -4.4  0.094 -9.000 -9.000 -999.   69.     16.1  0.06   0.53
1.00    1.35   17.   11.6  283.0    5.4
 16 01 01   1 22   -3.0  0.077 -9.000 -9.000 -999.   52.     13.5  0.04   0.53
1.00    1.16   36.   11.6  282.6    5.4
 16 01 01   1 23   -2.4  0.074 -9.000 -9.000 -999.   48.     14.3  0.06   0.53
1.00    0.95  360.   11.6  281.7    5.4
 16 01 01   1 24   -1.7  0.068 -9.000 -9.000 -999.   43.     15.7  0.06   0.53
1.00    0.74  334.   11.6  280.6    5.4


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    5.4 0 -999.  -99.00   279.8   99.0  -99.00  -99.00
 16 01 01 01   11.6 1  342.    3.11  -999.0   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 24142  ***   *** C:\Users\adadabhoy\Desktop\AERMOD\16503 -
Independence at Canyon Spr ***        09/17/25
 *** AERMET - VERSION  22112 ***   ***
                       ***        12:36:05

                                  PAGE 127
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                               *** THE PERIOD ( 43848 HRS) AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL      ***
                                  INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , L0000001    , L0000002    ,
                 L0000003    , L0000004    , L0000005    , L0000006    , L0000007
 , L0000008    , L0000009    ,  . . .      ,
```

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF DPM IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)	Y-COORD (M)	CONC
473812.06	3754629.25	0.00266	473791.16	3754629.84	0.00255
473773.03	3754629.25	0.00244	473752.32	3754629.45	0.00235
473732.61	3754628.85	0.00226	473713.49	3754630.04	0.00221
473692.00	3754629.25	0.00217	473674.05	3754628.85	0.00216
473654.14	3754629.25	0.00222	473636.99	3754627.28	0.00235
473890.03	3754788.70	0.00984	473907.78	3754851.78	0.01890
474078.50	3754918.63	0.01011	473898.72	3754747.91	0.00718
473731.78	3755016.45	0.04174	473586.74	3754996.06	0.00524
473986.03	3755213.07	0.01319	473930.93	3755321.94	0.00765
473638.53	3755363.71	0.00275	474015.80	3755320.17	0.00451
474129.12	3755228.18	0.00291	474145.48	3754647.08	0.00401
474271.93	3754542.90	0.00228	474260.10	3754678.96	0.00282
473894.52	3754564.25	0.00236	473731.40	3754565.82	0.00177
473462.89	3755058.37	0.00183	473384.56	3754991.96	0.00126
474432.59	3755099.23	0.00071	473615.58	3754559.98	0.00210
473537.37	3754542.22	0.00198	473687.38	3754559.81	0.00168
473066.18	3754611.92	0.00051	473151.29	3754430.78	0.00054
473408.00	3755203.13	0.00115	473862.98	3754710.43	0.00491
473769.83	3755475.09	0.00272	474255.42	3754933.83	0.00215
473056.25	3754857.61	0.00044	473440.57		

*** THE SUMMARY OF MAXIMUM PERIOD (43848 HRS) RESULTS ***

** CONC OF DPM IN MICROGRAMS/M**3 **

GROUP ID	NETWORK	AVERAGE CONC	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID
ALL	1ST HIGHEST VALUE IS	0.04174	AT (473731.78, 3755016.45, 475.18, 935.96, 0.00)	DC	
	2ND HIGHEST VALUE IS	0.01890	AT (473907.78, 3754851.78, 476.76, 935.96, 0.00)	DC	
	3RD HIGHEST VALUE IS	0.01319	AT (473986.03, 3755213.07, 481.58, 935.96, 0.00)	DC	
	4TH HIGHEST VALUE IS	0.01011	AT (474078.50, 3754918.63, 477.41, 935.96, 0.00)	DC	
	5TH HIGHEST VALUE IS	0.00984	AT (473890.03, 3754788.70, 475.94, 935.96, 0.00)	DC	
	6TH HIGHEST VALUE IS	0.00765	AT (473930.93, 3755321.94, 483.80, 935.96, 0.00)	DC	
	7TH HIGHEST VALUE IS	0.00718	AT (473898.72, 3754747.91, 474.97, 935.96, 0.00)	DC	
	8TH HIGHEST VALUE IS	0.00524	AT (473586.74, 3754996.06, 474.27, 935.96, 0.00)	DC	
	9TH HIGHEST VALUE IS	0.00491	AT (473862.98, 3754710.43, 474.44, 935.96, 0.00)	DC	
	10TH HIGHEST VALUE IS	0.00451	AT (474015.80, 3755320.17, 483.80, 935.96, 0.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

 *** Message Summary : AERMOD Model Execution ***

  --------- Summary of Total Messages --------

 A Total of   0 Fatal Error Message(s)
 A Total of   2 Warning Message(s)
 A Total of   598 Informational Message(s)

 A Total of   43848 Hours Were Processed

 A Total of   227 Calm Hours Identified

 A Total of   371 Missing Hours Identified (0.85 Percent)

    ******** FATAL ERROR MESSAGES ********
               *** NONE ***

    ********   WARNING MESSAGES   ********
 ME W186   1789   MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   1789   MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

    ****
    *** AERMOD Finishes Successfully ***
    ****

This page intentionally left blank

APPENDIX 2.4:

RISK CALCULATIONS

Construction Risk

Receptor No.	Age Bin	DPM Conc. ($\mu g/m^3$)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk								
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES
1	0 to 2	0.00266	250	1.82	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.0E-06	0.54	5.0E+00	1.4E-03	5.3E-04						
												Total	0.54			5.3E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
2 (MEISC)	4 to 13	0.01890	180	1.82	572	1	70	1.00	3	3.0E-04	1.1E+00	5.3E-06	0.44	5.0E+00	1.4E-03	3.8E-03						
												Total	0.44			3.8E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
3	0 to 2	0.00228	250	1.82	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.7E-06	0.47	5.0E+00	1.4E-03	4.6E-04						
												Total	0.47			4.6E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4 (MEIW)	16 to 41	0.04174	250	1.82	230	1	70	1.00	1	3.0E-04	1.1E+00	6.6E-06	0.18	5.0E+00	1.4E-03	8.3E-03						
												Total	0.18			8.3E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
5 (MEIW)	16 to 41	0.01319	250	1.82	230	1	70	1.00	1	3.0E-04	1.1E+00	2.1E-06	0.06	5.0E+00	1.4E-03	2.6E-03						
												Total	0.06			2.6E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00

This page intentionally left blank

APPENDIX 2.5:

MODELED RECEPTORS



This page intentionally left blank