Point ID: 600-43-68

1929 Elevation: **1532.700** 1988 Elevation: **1535.160**

Date Leveled: 1971 Date Leveled: 0

Reference: U.S.C&G. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A Standard U.S. C& G.S. Brass Disk stamped " Z 1143 1961 " in a concrete post projecting 0.4 feet above ground, 0.35 miles southeast along the A.T.S.F. rail road from Van Buren Blvd, 15 feet southeast of milepost 11, 183 feet souteast of a switch stand, 70 feet soutwest of the centerline of the southwest lanes of Hwy 395, 23 feet northeast of the northeast rail, 4 feet south of a telephone pole 2 1/2 feet north of a witness post, and level with the track.

Bench Mark Description:

Point ID: 600-44-68

1929 Elevation: **1543.852** 1988 Elevation: **1546.349**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standrad U.S.C.&G.S. Brass Disk stamped " A 1144 1961 " in the top of the southeast end of the southwest concrete headwall of culvert D 417-84 under Hwy 395, 0.35 miles south east along the A.T.S.F. railroad from the station at March Field, 120 feet northeast of the first pole northwest of milepost 10, 60 feet northeast of the northeast rail, 31 1/2 feet soutwest of the centerline of the south west lanes of Hwy 395, and level with the highway.

Bench Mark Description:

Point ID: 600-45-68

1929 Elevation: **1543.530** 1988 Elevation: **1546.020**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.&G.S. Brass Disk stamped " 600-45-68 set in a concrete post 307 feet soutwest of the Cactus Avenue overpass, 122 feet northwest of the southbound lanes of Hwy 395, 29 feet northwest of the main line of the rail way, 4 feet north of a railroad switch, 2 feet east of a marker post. Note: Reported destroyed by reconstruction of Hwy.

Bench Mark Description:

Point ID: 600-46-68

1929 Elevation: **1533.642** 1988 Elevation: **1536.126**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C&G.S. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard County Brass Disk stamped " 600-46-68 " in a concrete post 0.15 miles northeast of the intersection of the A.T.&S.F. railroad and Alessandro Blvd., 5 telephone poles northeast of Alessandro Blvd., 84 feet northwest of the southbound lanes of Hwy 395, 45 feet southeast of the railway, 5 feet northwest of the telegraph pole , 2 feet southeast of a monument post marker. Recovered by City Field Crew April 1997.

Point ID: 600-47-68

1929 Elevation: **1536.119** 1988 Elevation: **1538.599**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A Standard U.S.C.&G.S. Brass Disk stamped " Z-749 1949 " in a concrete post 0.65 miles northwest along the A.T.&S.F. railroad from its intersection with Alessandro Blvd., set between the track and Hwy 395, 64.5 feet southwest of the southwest edge of the highway, 43.6 feet northeast of the northeast rail.

Recovered by City Field Crew April 1997. 0.15 N'ly of Cottonwood Avenue.

Bench Mark Description:

Point ID: 600-48-68

1929 Elevation: **1538.160** 1988 Elevation: **1540.634**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C& G.S. brass disk in a concrete post, 1.45 miles north along the A.T.&S.F. railroad from the crossing at Alessandro Blvd., 98 feet nortwest of the crossing of Hwy 78, 136 feet south-southeast and across the tracks from milepost 7, 33 feet northeast of the centerline of the highway, 18 feet south west of the southwest rail, 25 feet southeast of a power pole, 1.3 feet north west of a witness post, and 0.5 feet above the ground. Stamped " R 298 1935 "

Bench Mark Description:

Point ID: 600-49-68

1929 Elevation: **1451.887** 1988 Elevation: **1454.354**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk set vertically in the southwest face of a rock cut, 2.45 miles northwest along the A.T.&S.F. railroad from the Alessandro Blvd crossing, 76 feet southeast form milepost 6, 1.9 feet above the ground and about 1 foot higher than the track. The disk is stamped "D-1144 1961" NOTE: Recovered April 1997 by City Field Crew, A P.K. Nail in the drill hole of the U.S.C. @ G.S. Disk. Verified by levels from 600-47-68.

Bench Mark Description:

Point ID: 600-50-68

1929 Elevation: **1369.902** 1988 Elevation: **1372.380**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk in a concrete headwall, 3.35 mile northeast along the A.T.&S.F. railroad from the crossing at Alessandro Blvd., and 6 1/2 poles east-southeast of milepost 5, in the top of the east end of the north concrete headwall of concrete box culvert 5.2, 7 1/2 feet north of the north rail and about 0.5 feet lower than the track. The disk is stamped " Q 298 1935 "

Point ID: 600-51-68

1929 Elevation: **1264.115** 1988 Elevation: **1266.568**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A Riverside County brass disk set in a concrete post, 0.7 miles southeast along the A.T.&S.F. railroad from its crossing with Mt. Vernon Avenue, 7 poles southeast of milepost marker # 4, 13 feet southeast of a railroad post marked # W #, 12 feet northeast of the railroad, 2 feet northwest of a marker post. \ The disk is stamped # 600-51-68 # Reported Destroyed by Joe Beeler 2/25/77.

Bench Mark Description:

Point ID: 600-52-68

1929 Elevation: **1170.890** 1988 Elevation: **1173.340**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A U.S.C.& G.S. Brass Disk in a concrete headwall of a pipe culvert, 285 feet west of the A.T.&S.F. Railroad crossing with Mt. Vernon Avenue, 13 feet south of the south rail, 4 feet lower than the track, in the west end of south concrete headwall of pipe culvert 3.4 . The disk is stamped " F 1144 1961 "

Bench Mark Description:

Point ID: 600-53-68

1929 Elevation: 1077.842 1988 Elevation: 1080.310

Date Leveled: 1970 Date Leveled:

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.& G.S. Brass Disk set vertically in the west wall of a patio at Highland Elementary School, 0.2 miles northwest along the A.T.&S.F. railroad orm the crossing at Blaine Street, 118 feet east of the east rail, 117 feet northwest of the southwest corner of the school building, 2 feet above the ground and about 4 feet higher than the track. Disk is stamped " G 1144 1961 "

Bench Mark Description:

Point ID: 600-54-68

1929 Elevation: **967.869** 1988 Elevation: **970.306**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.& G.S. Brass Disk stamped " N298 " in a concrete post, 93.5 feet southwest of the A.T.&S.F. railroad crossing at Marlborough Avenue, 33.5 feet northwest of the center of the crossing of the Southern Pacific Railroad, 30 feet west of the west rail of the A.T.&S.F. track, 9 feet northwest of a power pole and level with the tracks.

Note: Unable to locate, 1996, Surveyor, City of Riverside

Point ID: 600-55-68

1929 Elevation: **958.896** 1988 Elevation: **961.330**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.& G.S. Brass Disk stamped " T T 449 1949 " set in a concrete post, 104 feet south from the A.T.&S.F. railroad crossing with Palmyrita Avenue 8 feet east of mile post 1, 18 feet east of the east rail, 8 feet west of a telephone pole, 2 1/2 feet north of a witness post and about level with track. Note: Use TBM's per FB 1029/16-17

Bench Mark Description:

Point ID: 600-56-68

1929 Elevation: **948.860** 1988 Elevation: **951.289**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. Brass Disk stamped " Z 38 RESET 1946 " set in the top of the concrete foundation of the former Highgrove railway station, 205 feet south along the A.T.&S.F. railroad tracks from the Center Street Crossing. Recovered 1996 in good condition. The building is now removed and the point remains in the concrete foundation flush with the ground.

Bench Mark Description:

Point ID: 600-57-68

1929 Elevation: **945.333** 1988 Elevation: **947.761**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.&G.S. Brass Disk stamped " C 171 1934 " set in a concrete post about 0.1 mile north along the A.T.& S.F. railroad tracks from the Center Street crossing, in a wide clear strip between the main track, 18.1 feet east of the east rail of the side track, about level with the track and 0.4 feet above the ground

Bench Mark Description:

Point ID: 601-01-68

1929 Elevation: **933.410** 1988 Elevation: **935.835**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.& G.S. Brass disk stamped " R-449 1949 " set in the top of the north end of the west headwall of the Riverside Water Company Canal headwall under the A.T.& S.F. Railroad tracks about 0.55 miles north of the Center Street crossing, between the Edison Plant and the Iowa Ave on/off ramps to the 215 freeway, 2 1/2 poles south of milepost 6, 1.3 feet north of a 1.5 inch iron pipe projecting 1.5 feet above the headwall, and 5 feet lower than the track

Point ID: 601-02-68

1929 Elevation: **945.333** 1988 Elevation: **947.761**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

See 600-57-68; These are the same points, same disk, same stamping.

This point is referenced with a TBM. Assigned Pt ID. J8-C2 to TBM Value.

Bench Mark Description:

Point ID: 601-03-68

1929 Elevation: **948.860** 1988 Elevation: **951.289**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&.G. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

See 600-56-68, This is the same point, same location, same disk, same stamping.

Bench Mark Description:

Point ID: 601-04-68

1929 Elevation: **956.045** 1988 Elevation: **958.476**

Date Leveled: 1970 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A bronze disk in a concrete post, 400 feet north along the A.T.&S.F. railroad tracks from the crossing at Citrus Avenue, 25 feet east of the east rail, 22 feet south of a telephone pole, 1 foot lower than the track with a guard post 2 feet west of the monument.

Bench Mark Description:

Point ID: 601-05-68

1929 Elevation: **958.896** 1988 Elevation: **961.328**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A stanard U.S.C.&.G.S. brass disk stamped " TT-449 1949 " in a cocnrete post 104 feet south along the A.T.& S.F. railroad from the Palmyrita Avenue crossing, 18 feet east of the east rail, 8 feet west of a telephone pole, 2.5 feet west of witness post, 6" above ground and level with the tracks.

Note: Unable to locate 1996 City Survey Office.

Point ID: 601-06-68

1929 Elevation: **898.646** 1988 Elevation: **901.079**

Date Leveled: 1970 Date Leveled: (

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard City of Riverside Brass Disk stamped " 600-6-68 " set in a concrete post 0.2 miles south along the A.T.&S.F. Railroad tracks from the Palmyrita Avenue crossing, 20 feet northwest of the northwest rail, 66.5 feet northeast of power pole # 25151-J, 50 feet northeast of a concrete control box. Point destroyed, 1996, Found base of concrete post 2 feet deep; by: City Survey Office.

Bench Mark Description:

Point ID: 601-07-68

1929 Elevation: **881.881** 1988 Elevation: **884.370**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "V-1142 1961 " set in a concrete post 27 feet northeasterly along the A.T.&S.F railroad tracks from the centerline of Thornton Street, 241 feet northeast of signal 82, 30 feet southeast of telephone pole # JSMS 1, 2 feet west of fence corner post, 1.5 feet north of a witness post, 6 inches above the ground and 2 feet lower than the tracks.

Bench Mark Description:

Point ID: 601-08-68

1929 Elevation: **879.883** 1988 Elevation: **882.360**

Date Leveled: 1970 Date Leveled:

Reference: C.D.H. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A C.S.D.H. bronze disk stamped "B.M. 66-B-61" in the top of the southwest end of the southeast concrete headwall of a 20 X 8 foot box culvert under a road 47 yards soutwest of the southwest edge of U.S. Hwy 60 overcrossing of the A.T.& S.F. Railroad, 45 feet northwest of the northwest rail, 22 feet southeast of the centerline of E.La Cadena Drive and level with the ground.

Bench Mark Description:

Point ID: 601-09-68

1929 Elevation: **880.471** 1988 Elevation: **882.700**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A City of Riverside Brass Disk stamped "601-9-68" set in a concrete post, 600 feet northeast of the intersection of First Street and E. La Cadena Drive, behind the property at 2936 E.La Cadena Drive, 201.5 feet southwest of the southwest side of a Control Signal Tower, 15.7 feet northwest of the northwest rail of the A.T.& S.F Railway, 6 feet northeast of the Riverside junction sign, 1.5 feet lower than the track and 1 foot northeast of a marker post.

Point ID: 601-10-68

1929 Elevation: **877.295** 1988 Elevation: **879.740**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "W-38 RESET 1956 " in a concrete post 27 feet east of the south corner of the A.T.& S.F. Railroad Station, 35 feet south of the center of the freight depot door, 17 feet northwest of the northwest rail, 29 feet northeast of a light pole, 24 feet northeast of a large palm tree, 5 feet northwest of the edge of the sidewalk, flush with the ground and level with the track.

Bench Mark Description:

Point ID: 601-11-68

1929 Elevation: **874.142** 1988 Elevation: **876.584**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.& G.S. brass disk stamped "W-1142 1961 " set in the top of the northwest end of the northeast concrete abutment of bridge 56.90 over the Riverside Water Company upper canal, 133 yards southwest along the Union Pacific Railroad tracks from the Fourteenth Street crossing, and 2 feet lower than the track.

Bench Mark Description:

Point ID: 601-12-68

1929 Elevation: **878.466** 1988 Elevation: **880.910**

Date Leveled: 1970 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A City of Riverside bronze disk stamped "601-12-68" in a concrete post near the end of Commerce Street at the Tequesquite Arroyo, 90 feet east of the Riverside Water Company upper canal, 32 feet northwest of the northwest rail, 89 feet south of telephone pole 573185-H, 4 feet northwest of an A.T.&S.F. private property sign, and 3 feet southeast of a 3 foot wooden guard post.

Bench Mark Description:

Point ID: 601-13-68

1929 Elevation: **893.542** 1988 Elevation: **895.990**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A City of Riverside Bronze Disk stamped " 601-13-68 " set in a concrete post 885 feet southwest along the A.T.&S.F. railroad tracks from the Ivy Street crossing, 13 feet southeast of the southeast rail, across the track from Power Pole 16260-J, 1.5 feet south of a wooden guard post, and 1 foot below the tracks

Point ID: 601-14-68

1929 Elevation: **876.937** 1988 Elevation: **879.386**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.&G.S. brass disk stamped " T-38 1924 " in a concrete post, 800 feet southwest along the A.T.&S.F. railroad tracks from the Central Avenue crossing, 39.3 feet southeast of the southeast rail, directly across the track from milepost 12, in the top of a large granite boulder on the west side of a small hill covered with boulders, and 6 feet higher than the tracks. Unable to Locate: 5/95 City Survey Office, see LL 15/81 for TBM

Bench Mark Description:

Point ID: 601-15-68

1929 Elevation: **866.908** 1988 Elevation: **869.360**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A City of Riverside bronze disk stamped " 601-15-68 " in a concrete post, 387 feet southwest along the A.T.&S.F. railroad tracks from the crossing at Arlington Avenue , 29 feet northwest of the northwest rail, 56.8 feet northeast of the third telegraph pole southwest of Alrington Avenue, 2 feet below the track ann 1 foot south of a wooden guard post.

Reported Destroyed: 5/79 Init: B.A.

Bench Mark Description:

Point ID: 601-16-68

1929 Elevation: **866.370** 1988 Elevation: **868.840**

Date Leveled: 1970 Date Leveled: (

Reference: C.S.D.H. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A C.S.D.H. Brass Disk in a well monument stamped "25.00 R/W LINE C/L Washington" about 550 feet northwest along the centerline of Washington Street from it's crossing with the A.T.&S.F. railroad tracks, 182 feet northwest of Indiana Avenue, 25 feet southeast of the southeast right of way line of the Riverside Frwy

Bench Mark Description:

Point ID: 601-17-68

1929 Elevation: **861.455** 1988 Elevation: **863.909**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A City of Riverside bronze disk stamped "601-17-68" set in a concrete post 91.5 feet southwest along the A.T.&S.F. railroad tracks from the Madison Street crossing, 22 feet souteast of the southeast rail of the main line, 15 feet north west of the northwest rail of a spur line, 2 feet below the main track, and 2.5 eet south of a wooden guard post.

Point ID: 601-18-68

1929 Elevation: **852.121** 1988 Elevation: **854.576**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped " Q-38 1924 " in top of the west headwall of culvert B15, 120 feet soutwest along the A.T.&S.F. railroad tracks from the Jefferson Street crossing, 20 feet northwest of the track, and 4 feet lower than the track.

Bench Mark Description:

Point ID: 601-19-68

1929 Elevation: **837.656** 1988 Elevation: **840.090**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point

Description:
Brass Disk stamped " F5-C " in a monument well at the intersection of

Jefferson Street and Indiana Avenue. SEE F5-C1

Bench Mark Description:

Point ID: 601-20-68

1929 Elevation: **835.400** 1988 Elevation: **837.791**

Date Leveled: 1970 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A City of Riverside brass disk stamped " 601-20-68 " set in a concrete post in the southerly corner of the intersection of Adams Street and Indiana Avenue, at the back of sidewalk, 47.5 feet from the centerline of Indiana Avenue, 58 feet from the centerline of Adams Avenue.

(Re-Leveled as part of the Auto Center Renovation Project.)

Reported Destroyed by City Survey Crew (Oct 99)

Bench Mark Description:

Point ID: 601-21-68

1929 Elevation: **810.933** 1988 Elevation: **813.370**

Date Leveled: 1970 Date Leveled: 0

Reference: FB735/7 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

California Division of Highways Brass Disk stamped " C/L MONROE " in a monument well 40 feet northerly along the centerline of Monroe Street from it's intersection with Indiana Avenue. SEE F4-A1, they are the same point.

Point ID: 601-22-68

1929 Elevation: **821.737** 1988 Elevation: **824.170**

Date Leveled: 1970 Date Leveled: 0

Reference: C.S.D.H. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard C.S.D.H. brass disk stamped "89+20.08 P.O.T. C/L CONN. RD. " in a monument well at the intersection of Diana Street and Jackson Street.

Bench Mark Description:

Point ID: 601-23-68

1929 Elevation: **819.887** 1988 Elevation: **822.344**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard U.S.C.&G.S. brass disk stamped " N-38 1924 " in a concrete post under

City of Riverside monument cap, 41.5 feet southwest along the A.T.& S.F.

railroad tracks from the Van Buren Blvd. crossing, 29.2 feet northwest of the northwest rail.

See FB 1021/5 for transfer

Bench Mark Description:

Point ID: 601-24-68

1929 Elevation: **780.012** 1988 Elevation: **782.469**

Date Leveled: 1970 Date Leveled: 0

Reference: C.S.D.H. Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard C.S.D.H. brass disk stamped " CENTERLINE HARRISON STREET CUL-

DE-SAC " in a monument well 137.5 feet northwest of Indiana Avenue.

Bench Mark Description:

Point ID: 601-25-68

1929 Elevation: **756.665** 1988 Elevation: **759.120**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard City of Riverside brass disk stamped " 601-25-68 " in a concrete post at the intersection of Tyler Street and the Riverside Freeway, 1 foot northeast of the northwest corner of the bridge abutment # B-027-3, and 47 feet southwest of the centerline of Tyler Street

Point ID: 601-26-68

1929 Elevation: **742.243** 1988 Elevation: **744.697**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard City of Riverside brass disk stamped " 601-26-68 " set in a concrete post at the back of sidewalk of the easterly corner of Magnolia Avenue and Tyler Street , 65.5 feet souteast of the centerline of Magnolia Avenue, 52.0 feet northeast of the centerline of Tyler Street in the asphalt parking lot of a gasoline station.

Note: Listed as Destroyed JWS, Cityof Riverside see LL33/41 for transfer

Bench Mark Description:

Point ID: 601-27-68

1929 Elevation: **717.161** 1988 Elevation: **719.615**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard City of Riverside brass disk stamped " 601-27-68 " in a concrete post 86 feet southwest along Magnolia Avenue from the Polk Street intersection 9 feet southeast of the centerline of Magnolia Avenue, 14.5 feet southeast of the southeast rail of the Pacific Electric Railway with wooden guard post 2 feet south and north of the monument. NOTE: Point listed by City of Riverside as having shifted. Do Not ISSUE.

Bench Mark Description:

Point ID: 601-28-68

1929 Elevation: **712.016** 1988 Elevation: **714.471**

Date Leveled: 1970 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

A standard City of Riverside brass disk stamped " 601-28-68 " in a concrete post 92 feet northeast along Magnolia Avenue from La Sierra Avenue, 10.5 feet southeast of the centerline of Magnolia Avenue 9.5 feet south of a metal power pole.

NOTE: Listed as DESTROYED by City of RIverside.

Bench Mark Description:

Point ID: 601-29-68

1929 Elevation: **722.010** 1988 Elevation: **724.480**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "K-38 1924" set in the top of a concrete headwall, 22.5 feet southwest along the A.T.&S.F. Railroad tracks from the centerline of Fillmore Street, 8.5 feet southwest of mile post 19, in the north culvert headwall stamped 1921 and 2 feet below the track.

Point ID: 601-30-69

1929 Elevation: **697.682** 1988 Elevation: **700.150**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&.G.S. brass disk stamped " J 38 1924 " in the top of the old northerly concrete culvert headwall, now a jucntion with a new storm RCP to the concrete flood control channel. Mark is now flush with the ground at the base of the track ballast northerly across the tracks from the southerly headwall and approximately midway along the A.T.&S.F. railroad tracks between Pierce and Buchannan Streets. Look for local ties noted on northerly rails.

Bench Mark Description:

Point ID: 601-31-69

1929 Elevation: **688.098** 1988 Elevation: **690.555**

Date Leveled: 1975 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard County of Riverside brass disk stamped " 601-31-69 RESET 1975" in a 9 inch concrete post, 14.5 feet northerly of the northerly track of the A.T. & S.F. Railroad, 31.5 feet south of the centerline of the westbound lane an 47 feet north of the eastbound lane of Magnolia Avenue.

Bench Mark Description:

Point ID: 601-32-69

1929 Elevation: **676.016** 1988 Elevation: **678.472**

Date Leveled: 1970 Date Leveled:

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "G 38 1924" in the top of a large boulder, 0.65 mile west along the A.T.& S.F. railway from the Magnolia Avenue crossing, about 500 feet east of a road crossing, 50 feet south of the centerline of the track.

Bench Mark Description:

Point ID: 602-01-69

1929 Elevation: **861.622** 1988 Elevation: **864.067**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "X 1142 1961" set vertically in the northwest face of a deep cut through Pachappa Hill, 255 feet northeast of the Pachappa Hill bridge # 55.86, 8 feet southeast of the southeast rail and 1 foot higher than the track.

Point ID: 602-02-69

1929 Elevation: **843.578** 1988 Elevation: **846.024**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard City of Riverside brass disk stamped "602-2-69" set in a concrete post 677 feet westerly along the U.P. Railroad tracks from the Riverside Avenue crossing, 11.8 feet northwest of power pole # 25503-J, 1 foot south of a wooden guard post, 2 feet lower than the tracks, near the westerly end of paved parking area between the alley parrallel to Merrill Avenue and the railroad R/W. Recovered in good condition by the City of Riverside in 1996.

Bench Mark Description:

Point ID: 602-03-69

1929 Elevation: **824.447** 1988 Elevation: **826.891**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&.G.S. brass disk stamped "Y-1142 1961 " in a concrete post 68 feet southeast and across the U.P. railroad tracks from the third pole from mile post 55, 35 south of the south rail, 23.5 feet north of the centerline of Dewey Avenue, 28 feet southeast of a whistle post, 6 feet north of a railroad property marker post, 3 feet north of a fence, 1.5 feet east of a witness post, 1.5 feet higher than the track and 0.4 feet above ground.

Bench Mark Description:

Point ID: 602-04-69

1929 Elevation: **802.991** 1988 Elevation: **805.434**

Date Leveled: 1970 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard City of Riverside brass disk stamped " 602-4-69 " in a concrete post 81.6 feet north of the centerline of Dewey Avenue, 4.5 feet west of the centerline of Arch Way produced, 58 feet northwest of power pole # 464609-H, 33.7 feet north of the north rail of the U.P. railroad, 2.5 feet south of a 5 foot cinderblock wall, 2,5 feet northwest of a wooden guard post and 2 feet lower than the track.

Bench Mark Description:

Point ID: 602-05-69

1929 Elevation: **785.382** 1988 Elevation: **787.823**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.& G.S. brass disk stamped " Z-1142 1961 " in the west end of a concrete headwall for culvert 54.03 under the U.P. railroad tracks, 39 feet southeast and across the tracks form the first pole east of mile post 54, 51 feet southeast and across the track from the "STREETER" station sign, 10 feet south of the south rail, 32 feet north of the centerline of Dewey Avenue, and about 4.5 feet lower than the track

Point ID: 602-06-69

1929 Elevation: **781.790** 1988 Elevation: **784.229**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard City of Riverside brass disk stamped " 602-6-69 " in a concrete post, 84 feet southwest and across the U.P. railroad tracks from the twelfth pole westerly of the Streeter Avenue crossing, about 200 feet north of the hill in Nichols Parks, 11 feet southerly of the south rail, 29.5 feet northerly of a chain link fence, 1.5 feet northwest of a wooden guard post and 2 feet lower than the track. NOTE: Reported found destroyed in 1983 by City Riverside- E.G.

Bench Mark Description:

Point ID: 602-07-69

1929 Elevation: **777.827** 1988 Elevation: **780.263**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "H-1144 1961" in the top of the northwest end of the northeast concrete headwall of culvert 53.00 under the U.P. railroad, 60 feet northwest of the Jurupa Avenue crossing, 64 feet northwest of a signal, 9.5 feet northeast of the northeast rail and 2.5 feet lower than the track. NOTE: Recovered a point stamped "H-1144 RESET 1992 in same loaction no data available from NGS.

Bench Mark Description:

Point ID: 602-08-69

1929 Elevation: **760.510** 1988 Elevation: **762.943**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard City of Riverside brass disk stamped " 602-8-69 " in a concrete post 500 feet easterly along the U.P. railroad tracks from the Santa Ana River bridge, about 1900 feet westerly of the Jurupa Avenue crossing, 12.5 feet northeasterly of the fourth pole easterly of the bridge, 24.5 feet southwest of the southwest rail, 12 feet west of the west corner of a control box, 2 feet easterly of a guard post and 1 foot lower than the track.

Bench Mark Description:

Point ID: 602-09-69

1929 Elevation: **775.956** 1988 Elevation: **778.384**

Date Leveled: 1970 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A City of Riverside Brass Disk in a concrete post, 6,124 feet westerly along the Union Pacific Railroad tracks from the crossing at Jurupa Avenue, 84.5 feet west form the fourth pole # U1J, westerly of mile post 52, 15.5 feet south of the south rail, 2.5 feet southerly of a wooden guard post, 2 feet lower than the track and .3 feet above the ground.

Point ID: 602-10-69

1929 Elevation: **763.178** 1988 Elevation: **765.605**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "N 39 1924 " 2 feet northwest of the southeast end of the southeast wingwall to concrete culvert 51.61 under the U.P. railroad tracks, 1.9 miles west of the Jurupa Avenue crossing, 5 1/2 poles east of mile post 51, 7 feet south of the south rail, and 1 foot lower than the track.

Bench Mark Description:

Point ID: 602-11-69

1929 Elevation: **719.431** 1988 Elevation: **721.853**

Date Leveled: 1970 Date Leveled: 0

Reference: U.S.C.&G.S Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "602-11-69" in a concrete headwall 0.3 miles easterly along the U.P. railroad tracks from the Limonite Avenue crossing, 21 feet east of the third pole southeast of mile post 50 in the top of of the northwest end of the southwest concrete headwall of culvert 50-08, 14 feet southwest of the southwest rail, 71 feet northeast of the centerline of the northeast lanes of Van Buren Blvd, and 6 feet lower than the track DESTROYED

Bench Mark Description:

Point ID: 602-11A-6

1929 Elevation: **719.350** 1988 Elevation: **721.775**

Date Leveled: 1975 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard County of Riverside brass disk stamped " 602-11-69 " in a concrete post, 0.6 miles southeasterly along the U.P. railroad tracks from the Limonite Avenue crossing, 74 feet east of the northbound lanes of Van Buren Blvd, 12 feet west of the railroad track, 8 feet north of a railroad switch box, 1 foot south of a marker post, 6 inches above the ground and 1 foot lower than the track. Elevation per R. Stone, 4/3/1975, NOTE: Difference between other description.

Point ID: AB5563

1929 Elevation: 0 1988 Elevation: 1540.320 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

RIVERSIDE COUNTY DISK STAMPED "BM 600-64 SET 1989" in a Concrete Monument Along teh RCTC Railroad Tracks, 0.2 miles northwest from Van Buren Blvd. on the east side of the tracks 115 feet northeast of the RR Derail Sign, 46 feet southeast of the RR RED SIGN, and 5 feet west of the I-215 R/W fence.

Bench Mark Description:

Point ID: AB5564

1929 Elevation: 0 1988 Elevation: 1546.750 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

MWD DISK STAMPED "MP 101 1994" IN A CONCRETE HEADWALL

From Cacatus and Arnold Blvd proceed south $0.4~\rm miles$ to Avenue A, then east on Ave A $0.15~\rm mi$ to a dirt road leading to the RCTC RR tracks, then $0.4~\rm mi$ south along the RR tracks to a a headwall on the west side of the tracks. Monument is in teh center of a 1 foot wide by 16 foot long headwall.

Bench Mark Description:

Point ID: AB5567

1929 Elevation: 0 1988 Elevation: 1574.170 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

MWD DISK STAMPED "MP 104 1994" IN THE BRIDGE ABUTMENT

Northwest corner of the RR Bridge Abutment for Cactus Ave. 3.5 feet east of

west end, 3 feet above the road.

Bench Mark Description:

Point ID: AB5569

1929 Elevation: 0 1988 Elevation: 1598.410
Date Leveled: 0 Date Leveled: 1996
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAMPED " MP 106" in concrete catch basin deck SOuth side of Aleesandro Blvd, 50 feet east of Alexander in a Catch Basin Deck

Point ID: AB5570

1929 Elevation: 0 1988 Elevation: 1623.910
Date Leveled: 0 Date Leveled: 1996
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAPMED " MP 107 1994" IN A CATCH BASIN DECK

South side of Alessandro 270 feet east of Barton Road in a Catch Basin Deck

Bench Mark Description:

Point ID: AB5571

1929 Elevation: 0 1988 Elevation: 894.020 Date Leveled: 0 Date Leveled: 1986 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

MWD DISK STAMPED "MP 115 1994"

IN THE DECK OF A CATCH BASIN AT THE NORTH EAST CORNER OF ARLINGTON AVE

AND HORACE STREET, 90 FEET EAST OF HORACE AND FACING ARLINTON

Bench Mark Description:

Point ID: AB5572

1929 Elevation: 0 1988 Elevation: 1019.350 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAMPED " MP 114 1994" IN THE DECK OF CATCH BASIN

On teh north side of Alrington Ave, 90 feet east of Hawarden Drive

Bench Mark Description:

Point ID: AB5573

1929 Elevation: 0 1988 Elevation: 1084.850 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAMPED " MP 113 1994" IN THE DECK OF A CATCH BASIN On the north side of Arlington Ave, 500 feet east of Royal Place in the top of a Catch Basin Deck

Point ID: AB5574

1988 Elevation: **1137.630** 1929 Elevation: 0 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point

Description:

AN MWD DISK STAMPED "MP 112 1994"

Northwest Corner of Alessandro and Chicago/Arlington Avenue

in teh top iof a concrete vault structure.

Bench Mark Description:

Point ID: AB5575

1929 Elevation: 0 1988 Elevation: **1246.440** Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point

Description:

AN MWD DISK STAMPED "MP 111 1994" in teh deck of a concrete catch basin. Northeast curb of Alesandro Blvd, 500 feet north of Century Avenue in the eck of a concrete catch basin.

Bench Mark Description:

Point ID: AB5576

1929 Elevation: 0 1988 Elevation: **1351.370** Date Leveled: Date Leveled: 0 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAMPED "MP 110 1994" in teh deck of a Catch Basin

North curb of Alesandro Blvd, 500 feet east of Via Vista Drive on the deck of a

catch basin.

Bench Mark Description:

Point ID: AB5577

1988 Elevation: **1605.700** 1929 Elevation: 0 Date Leveled: Date Leveled: 1996 0 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

MWD DISK STAMPED " MP 109 1994" in an under sidewalk drain deck

ALong the north curb of Aleesandro Blvd, 150 feet east of Cannon Road in the

deck of an undersidewalk drain outlet.

Point ID: AB5578

1929 Elevation: 0 1988 Elevation: 1611.310
Date Leveled: 0 Date Leveled: 1996
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

MWD DISK STAMPED " MP 108 1994" in a concrete Catch Basin Deck North side of Alessandro Blvd 300 feet NW of Trautwein Blvd. in a Catch Basin Deck, 36 feet south of a stucco wall.

Bench Mark Description:

Point ID: AB5585

1929 Elevation: 0 1988 Elevation: 1614.600
Date Leveled: 0 Date Leveled: 1996
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

AN MWD DISK STAMPED "BM LMF-1" IN A CONCRETE POST DN 0.6'
At Mills Filtration Plan on Alessandro Blvd, enter gate and proceed to first road on left to another dirt road on left, go southerly on dirt road 400 feet

road on left to another dirt road on left. go southerly on dirt road 400 feet to mark. 3 feet north of power pole PS555, 75 feet southeast of a rock outcrop.

Point ID: AD9486

1929 Elevation: 0 1988 Elevation: 1407.350 Date Leveled: 0 Date Leveled: 1997 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1997

1st Order Point Description:

MWD DISK STAMPED " 6+50 LT." IN THE PARAPET WALL OF THE SPLILLWAY At the Lake Mathews Dam Spillway under La Sierra Ave, in the north end of a parapet wall at teh spillway structure, 26 feet east of the centerline of La Sierra Ave, 35 feet north of the centerline of teh spillway, and 1 foot above road.

Bench Mark Description:

Point ID: AD9487

1929 Elevation: 0 1988 Elevation: 1412.840 Date Leveled: 0 Date Leveled: 1997 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1997

1st Order Point Description:

MWD DISK STAMPED " LM 52 1995" IN A CONCRETE POST

Along La Sieera Ave past Gate 22 to a Dirt Road, known as Eagle Valley Road, 180 feet north west of La Sierra Ave, 5 feet north of Power Pole 16593818E, a concrete post 0.5 feet below the road berm .

Bench Mark Description:

Point ID: AD9488

1929 Elevation: 0 1988 Elevation: 1415.380 Date Leveled: 0 Date Leveled: 1997 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1997

1st Order Point Description:

MWD DISC STAMPED " W C 335 O S LAW" IN A CONCRETE POST

At the Lake Mathews viewing area, 70 feet NE of Gate No. 23 at a jucntion of chain link fence and barb wire fence, 57 feet SE of La Sierra and 3 feet West of the north fence, 4 feet NE of an angle point in the fences, in a concrete post 2.5 feet above the road.

Bench Mark Description:

Point ID: AD9491

1929 Elevation: 0 1988 Elevation: 1458.880 Date Leveled: 0 Date Leveled: 1997 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1997

1st Order Point Description:

MWD DISK STAMPED " LF 115 1995" ON A LARGE BOULDER

Off Patrol Road at Gate 20, 0.9 Miles south along La Sierra from El Sobrante Gate 20 (MWD Keys required) then 0.2 miles west along Patrol road to a large boulder 6 feet below the road, 26 feet south of the dirt road, 20 feet southeast of a Yellow traffic sign warning "Two Way Traffic"

Point ID: C-520

1929 Elevation: **778.951** 1988 Elevation: **781.402**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

A standard disk stamped " C 520 1958 " in the west west end of the headwall of the culvert, 71 feet northeast of the centerline of Magnolia Avenue and Monroe Street, 23.3 feet east of the centerline of Monroe Street, about 18 inches higher than the street.

NOTE: Disk noted as removed: 10/20/76; Headwall destroyed: 2/15/77

Point ID: D3-A2

1929 Elevation: **879.668** 1988 Elevation: **882.135**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag at northerly corner of a concrete slab at the southerly corner

of La Sierra Avenue and the westerly intersection of Dufferin Avenue

Bench Mark Description:

Point ID: D3-B2

1929 Elevation: **857.204** 1988 Elevation: **859.671**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in top of a 2 foot high concrete wall, 1 foot from the westerly end, 12 feet northerly of the centerline of Dufferin Avenue and

25 feet easterly of Lyon Avenue.

Bench Mark Description:

Point ID: D3-C2

1929 Elevation: **821.880** 1988 Elevation: **824.345**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in top of a 1.5 foot high concrete wall, 6 feet from the westerly end, 14 feet northerly of the centerline of Victoria Avenue, and 25 feet easterly of the centerline of Lyon Avenue.

Bench Mark Description:

Point ID: D3-D2

1929 Elevation: **797.286** 1988 Elevation: **799.749**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in northerly cement bank of the Riverside Water Company Canal on the easterly side of Fillmore Street.

Reported Destroyed 11/18/87

Point ID: D3-E3

1929 Elevation: **791.284** 1988 Elevation: **793.747**

Date Leveled: 1987 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in comcrete base of a street light, 2 feet northwesterly of the northerly curb return at Fillmore Street and Arizona Avenue Formerly D3-D RESET

Point ID: **D4-A2**

1929 Elevation: **979.532** 1988 Elevation: **982.001**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag at the northwesterly end of a concrete slab on the southwesterly side of McAllister Street across from a house at 2105 McAllister St.

Bench Mark Description:

Point ID: D4-B2

1929 Elevation: **943.700** 1988 Elevation: **946.168**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Capped Brass Disk at Dufferin Avenue near Praed Street

Bench Mark Description:

Point ID: **D4-C3**

1929 Elevation: **938.625** 1988 Elevation: **941.093**

Date Leveled: 1998 Date Leveled:

Reference: LL46/3 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

1/2" Iron Rod down 0.1' at the centerline intersection of Dufferin Avenue

and Stewart Street.

(Leveled as part of the Cleveland Water Line Project)

Bench Mark Description:

Point ID: **D4-D3**

1929 Elevation: **883.004** 1988 Elevation: **885.470**

Date Leveled: 1998 Date Leveled: 0

Reference: LL46/3 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the westerly end of a concrete headwall over a 12" concrete drain pipe at the northwesterly corner of

Cleveland Avenue and Stewart Street.

(Leveled as part of the Cleveland Water Line Project.)

Point ID: **D4-E3**

1929 Elevation: **881.115** 1988 Elevation: **883.580**

Date Leveled: 1998 Date Leveled: 0

Reference: LL46/3 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly end of a concrete slab for the base of the most northerly water tank at the southwesterly corner of Mc Allister Street and Cleveland Avenue, 30' S'ly of the centerline of Cleveland; 26' W'ly of the centerline of McAllister.

(Leveled as part of the Cleveland Water Line Project)

Bench Mark Description:

Point ID: **D4-F3**

1929 Elevation: **859.371** 1988 Elevation: **861.835**

Date Leveled: 1998 Date Leveled: 0

Reference: LL46/3 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly wing of a catch basin along the easterly side of McAllister Street at the southeasterly corner of Victoria Avenue and Mc Allister Street.

(Leveled as part of the Cleveland Water Line Project)

Bench Mark Description:

Point ID: **D4-G3**

1929 Elevation: **925.081** 1988 Elevation: **927.548**

Date Leveled: 1998 Date Leveled:

Reference: LL46/3 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the southeasterly corner of a 15' X 18' concrete slab at the northwesterly corner of Dufferin Avenue and Mc Allister Street; 60' N'ly of the centerline of Dufferin; 27' westerly of the centerline of Mc Allister.

(Leveled as part of the Cleveland Water Line Project)

Point ID: DX2725

1929 Elevation: 0 1988 Elevation: 1535.160
Date Leveled: 0 Date Leveled: 1996
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1996

1st Order Point Description:

A Standard U.S. C& G.S. Brass Disk stamped " Z 1143 1961 " in a concrete post projecting 0.4 feet above ground, 0.35 miles southeast along the A.T.S.F. rail road from Van Buren Blvd, 15 feet southeast of milepost 11, 183 feet souteast of a switch stand, 70 feet soutwest of the centerline of the southwest lanes of Hwy 395, 23 feet northeast of the northeast rail, 4 feet south of a telephone pole 2 1/2 feet north of a witness post, and level with the track.

Bench Mark Description:

Point ID: DX2742

1929 Elevation: 0 1988 Elevation: 1372.380 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard U.S.C.&G.S. brass disk in a concrete headwall, 3.35 mile northeast along the A.T.&S.F. railroad from the crossing at Alessandro Blvd., and 6 1/2 poles east-southeast of milepost 5, in the top of the east end of the north concrete headwall of concrete box culvert 5.2, 7 1/2 feet north of the north rail and about 0.5 feet lower than the track. The disk is stamped " Q 298 1935 "

Bench Mark Description:

Point ID: DX2747

1929 Elevation: 0 1988 Elevation: 1080.310 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard U.S.C.& G.S. Brass Disk set vertically in the west wall of a patio at Highland Elementary School, 0.2 miles northwest along the A.T.&S.F. railroad orm the crossing at Blaine Street, 118 feet east of the east rail, 117 feet northwest of the southwest corner of the school building, 2 feet above the ground and about 4 feet higher than the track. Disk is stamped " G 1144 1961 "

Bench Mark Description:

Point ID: DX2749

1929 Elevation: 0 1988 Elevation: 884.378

Date Leveled: 0 Date Leveled: 1993

Reference: Reference: NGS

Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A standard U.S.C.&G.S. brass disk stamped "V-1142 1961 " set in a concrete post 27 feet northeasterly along the A.T.&S.F railroad tracks from the centerline of Thornton Street, 241 feet northeast of signal 82, 30 feet southeast of telephone pole # JSMS 1, Under a Chain Link Fence, 2 feet lower than the track

Point ID: DX2750

1929 Elevation: 0 1988 Elevation: 882.370 Date Leveled: 0 Date Leveled: 1991 Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A C.S.D.H. bronze disk stamped "B.M. 66-B-61" in the top of the southwest end of the southeast concrete headwall of a 20 X 8 foot box culvert under a road 47 yards soutwest of the southwest edge of U.S. Hwy 60 overcrossing of the A.T.& S.F. Railroad, 45 feet northwest of the northwest rail, 22 feet southeast of the centerline of E.La Cadena Drive and level with the ground.

Bench Mark Description:

Point ID: DX2754

1929 Elevation: 0 1988 Elevation: 882.701
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A City of Riverside Brass Disk stamped "601-9-68" set in a concrete post, 600 feet northeast of the intersection of First Street and E. La Cadena Drive, behind the property at 2936 E.La Cadena Drive, 201.5 feet southwest of the southwest side of a Control Signal Tower, 15.7 feet northwest of the northwest rail of the A.T.& S.F Railway, 6 feet northeast of the Riverside junction sign, 1.5 feet lower than the track and 1 foot northeast of a marker post.

Bench Mark Description:

Point ID: DX2755

1929 Elevation: 0 1988 Elevation: 883.450 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

AN NGS DISK STAMPED "JUNCTION 2 1930"

Along the BNSF Railroad, 400 Feet NW from the intersection of First Street and La Cadena Ave. In a concrete post.

Bench Mark Description:

Point ID: DX2756

1929 Elevation: 0 1988 Elevation: 860.090
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard U.S.C.& G.S. brass disk cemented in a drill hole at the entrance to the Riverside Municipal Museum Building. About 4 feet higher than the street it is 41.6 feet south of a concrete lamp post, 16.5 feet east of the center of the entrance into the building, 3.3 feet west of the most easterly one of 6 columns, 3.3 feet east of the second column from the east and 0.6 feet south of the north edge of the archway.

Point ID: DX2759

1988 Elevation: **850.690** 1929 Elevation: 0 Date Leveled: Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

AN NGS DISK STAMPED "Y 1 1906" IN TEH NORTHEAST FACE OF THE RIVERSIDE COUNTY

COURTHOUSE

Southeast along Tenth Street from Main Street, 52 Feet southeast from the Tenth Street entrance, 8 Feet Northwest of teh northwest edge of the concrete steps leading to the basement.

Bench Mark Description:

Point ID: DX2760

1929 Elevation: 0 1988 Elevation: **854.300** Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

In the face of the Loring Opera House, 66 Feet southeast of an alley

18 feet north east of the curb. Access is through a brass pipe. 4.5 feet above

the sidwewalk.

Bench Mark Description:

Point ID: DX2766

1929 Elevation: 0 1988 Elevation: **879.740** Date Leveled: Date Leveled: 1991 Ω Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

An NGS DISK STAMPED " W 38 RESET 1956" in concrete post.

Along teh BNSF Railroad Tracks, 27 Feet east of the ATSF Depot, 35 Feet south of teh Depot Freight Door, 17 Feet northwest of teh north west rail, 29 feet northeast of a light pole, 24 feet northeast of a large palm tree

5 feet northwest of teh north west edge of a sidewalk.

Bench Mark Description:

Point ID: DX2769

1988 Elevation: **877.940** 1929 Elevation: 0 Date Leveled: Date Leveled: 1991 0 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard disk stamped " 601-11-68 Reset 1974"

102 feet S.W. of teh extened centerline of Cottage Street

11.2 feet northwest of the northwest rail. 4 feet west of a telephone pole 1 foot SW of a Witness Post.

Point ID: DX2771

1929 Elevation: 0 1988 Elevation: 700.150
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1971

1st Order Point Description:

A standard U.S.C.&.G.S. brass disk stamped " J 38 1924 " in the top of the old northerly concrete culvert headwall, now a jucntion with a new storm RCP to the concrete flood control channel. Mark is now flush with the ground at the base of the track ballast northerly across the tracks from the southerly headwall and approximately midway along the A.T.&S.F. railroad tracks between Pierce and Buchannan Streets. Look for local ties noted on northerly rails.

Bench Mark Description:

Point ID: DX2772

1929 Elevation: 0 1988 Elevation: 724.480 Date Leveled: 0 Date Leveled: 1991 Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

Along teh BNSF Railroad, 0.5 mi east of Pierce Street. 9 feet north of the north rail, 42 feet south a a chain link fence, 1 foot below railroad grade In a culvert headwall.

Bench Mark Description:

Point ID: DX2777

1929 Elevation: 0 1988 Elevation: 759.120
Date Leveled: 0 Date Leveled: 1970
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard City of Riverside brass disk stamped " 601-25-68 " in a concrete post at the intersection of Tyler Street and the Riverside Freeway, 1 foot northeast of the northwest corner of the bridge abutment # B-027-3, and 47 feet southwest of the centerline of Tyler Street

Bench Mark Description:

Point ID: DX2781

1929 Elevation: 0 1988 Elevation: 790.820
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

At Magnolia Avenue and Roosevelt Street at the Arlington Branch of the Riverside Public Library, on the east side of the main entrance and about 1 foot above the ground. A standard disk stamped " O 38 1924 ".

Point ID: DX2783

1929 Elevation: 0 1988 Elevation: 822.310
Date Leveled: 0 Date Leveled: 1993
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Point Destroyed

Description:

A standard U.S.C.&G.S. brass disk stamped " N-38 1924 " in a concrete post under City of Riverside monument cap, 41.5 feet southwest along the A.T.& S.F.

railroad tracks from the Van Buren Blvd. crossing, 29.2 feet northwest of the

northwest rail.

See FB 1021/5 for transfer

Bench Mark Description:

Point ID: DX2785

1929 Elevation: 0 1988 Elevation: 824.170 Date Leveled: 0 Date Leveled: 1991 Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point

Description:

A standard C.S.D.H. brass disk stamped "89+20.08 P.O.T. C/L CONN. RD. " in a monument well at the intersection of Diana Street and Jackson Street.

Bench Mark Description:

Point ID: DX2787

1929 Elevation: 0 1988 Elevation: 813.370 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

California Division of Highways Brass Disk stamped "C/L MONROE" in well at 40 feet northerly along the centerline of Monroe Street from the intersection of Monroe Street and Indiana Avenue NOTE: Also known as 601-21-68

Bench Mark Description:

Point ID: DX2791

1929 Elevation: 0 1988 Elevation: 840.090 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

Brass Disk stamped " F5-C " in a monument well at the intersection of Jefferson Street and Indiana Avenue. SEE F5-C1

Point ID: DX2795

1929 Elevation: 0 1988 Elevation: 868.840 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1971

1st Order Point Description:

A C.S.D.H. Brass Disk in a well monument stamped "25.00 R/W LINE C/L Washington" about 550 feet northwest along the centerline of Washington Street from it's crossing with the A.T.&S.F. railroad tracks, 182 feet northwest of Indiana Avenue, 25 feet southeast of the southeast right of way line of the Riverside Frwy

Bench Mark Description:

Point ID: DX3387

1929 Elevation: 0 1988 Elevation: 1301.720 Date Leveled: 0 Date Leveled: 1997 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1997

1st Order Point Point Destroyed

Description:

MWD DISK STAMPED "41R-1931" IN A CONCRETE POST

ON EL SOBRANTE RD, WEST OF MC ALLISTER, 48 FEET SOUTH O FTHE EDISON SUBSTATION FENCE AND 24 FEET NORTH OF El SOBRANTE RD CENTERLINE, A DISK IN

A CONCRETE POST WITHA CONCRETE COLLAR.

Bench Mark Description:

Point ID: DX3488

1929 Elevation: 0 1988 Elevation: 905.230 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

Stamped "D 1307 1978" North end of the east supporting wall for the bridge

over the BNSF Tracks at Ivy Street

Bench Mark Description:

Point ID: DX3490

1929 Elevation: 0 1988 Elevation: 861.970 Date Leveled: 0 Date Leveled: 1991 Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

Stamped "C 1307 1978 601-15-68 RESET 1978" A Disk set vertically in the South Bridge Abutment of the 91 Freeway Bridge over Arlington Ave 48 Feet west of the Southeast Corner 3.8 feet above the sidewalk.

Point ID: DX3491

1929 Elevation: 0 1988 Elevation: 833.800 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A Steel Rod and Cap in a PVC Well with screw cap, 3.6 feet northwest of the flagpole in a narrow strip of grass between the flagpole and a sidewalk in front of the Admin Office for Hawthorne Elem School on Indiana Avenue

Bench Mark Description:

Point ID: DX3590

1929 Elevation: 0 1988 Elevation: 974.310 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point

Description:

BRASS DISK STAMPED " H 1307 1978" IN ROCK OUTCROPPING

At Marlborough and the RCTC and SP RR crossing east of Rustin, 81 Feet North of Marlborough, 38 feet west of the west rail,

on a Granite Rock Outcropping.

Bench Mark Description:

Point ID: DX3667

1929 Elevation: 0 1988 Elevation: 841.540 Date Leveled: 0 Date Leveled: 1996 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1996

1st Order Point

Description:

A NGS DISK STAMPED " Y 1420 1988"

IN THE FACE OF THE 91 FREEWAY ABUTMENT AT JEFFERESON STREET SOUTHWEST ABUTMENT, SOUTH EAST END, 3 FEET ABOVE SIDEWALK

Bench Mark Description:

Point ID: DX3668

1929 Elevation: 0 1988 Elevation: 741.400
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Point Destroyed

Description:

NGS DISK STMAPED" X 1420 1988

IN THE CENTER PIER, NORTHWEST SIDE OF BNSF AT LA SIERRA AVE- 1 FOOT ABOVE GROUND

Point ID: DX5453

1929 Elevation: 0 1988 Elevation: 1486.350 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED " BM 444"

0.5 MILES NORTHWEST ALONG EL SOBRANTE FROM CAJALCO RD. TO THE ENTRANCE OF WMWD FILTRATION PLANT, PT IS 140 FEET SOUTH OF EL SOBRANTE RD, 127 FEET WEST OF THE ENTRANCE ROAD, ON AN 8 FOOT DIAMETER BOULDER, 3 FEET ABOVE THE GROUND

Bench Mark Description:

Point ID: DX5460

1929 Elevation: 0 1988 Elevation: 1367.140 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED " EAST CONTROL RESET 1981"

At the Lake Mathews Airstrip 44 Feet NW of the Hanger, 16 feet south of the runway, in a concrete post with a 14 inch \times 14 inch collar.

Bench Mark Description:

Point ID: DX5461

1929 Elevation: 0 1988 Elevation: 1305.310
Date Leveled: 0 Date Leveled: 1993
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

AN MWD DISC STAMPED "ML 88 1971" in Concrete Post

Along Mc Allister 275 Feet north of El Sobrante, 22 feet west of Mc Allister, 2 South of a redwood marker post, 3" above the ground

Bench Mark Description:

Point ID: DX5462

1929 Elevation: 0 1988 Elevation: 1296.340 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED "BM 453 1993" IN A COCNRETE POST

0.5 Miles north along Mc Allister Street from El Sobrante Road to a curve, 24 feet west of the street, 5 feet north of power pole 4053781E

an MWD Disk in an 8 inch cocnrete post.

Point ID: DX5463

1929 Elevation: 0 1988 Elevation: 1219.220 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED "BM 454 1992" IN CONCRETE WATER STRUCTURE

1.2 Miles north along MC Aliister from El Sobrante to the Upper Feeder Crossing,

88 Feet West of McAllister, 15 Feet north of the feeder patrol road in a

MWD concrete structure marked Station 112+95

Bench Mark Description:

Point ID: DX5464

1929 Elevation: 0 1988 Elevation: 1072.950 Date Leveled: 0 Date Leveled: 1992 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A 3 1/4" Alum Disk In a Catch Basin at the NW Corner of McAllister and Orange

Haven Lane.

Bench Mark Description:

Point ID: DX5465

1929 Elevation: 0 1988 Elevation: 933.550
Date Leveled: 0 Date Leveled: 1992
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A 3 1/4 IN Alum Disk in an 8 inch diameter concrete post at the S.E. Corner of

Dufferin Ave and McAllister Street - MWD Disk

Bench Mark Description:

Point ID: DX5466

1929 Elevation: 0 1988 Elevation: 926.470
Date Leveled: 0 Date Leveled: 1992
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A MWD A3 1/4 INCH ALUM DISK IN AN 8 INCH CONCRETE POST AT THE NW CORNER OF DUFFFERIN AVENUE AND HARRISON STREET

Point ID: DX5467

1929 Elevation: 0 1988 Elevation: 890.350 Date Leveled: 0 Date Leveled: 1992 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A MWD ALUM DISK SET IN AN 8 INCH CONCRETE POST AT THE S.E.

CORNER OF CLEVELAND AVENUE AND MYERES STREET

Bench Mark Description:

Point ID: DX5468

1929 Elevation: 0 1988 Elevation: 906.880

Date Leveled: 0 Date Leveled: 1992

Reference: Reference: NGS

Adjustment Year: 0 Adjustment Year: 1993

1st Order Point

Description:

AN MWD DISK IN 8 INCH CONC POST - S.W. CORNER CLEVLAND AND GIBSON

Bench Mark Description:

Point ID: DX5469

1929 Elevation: 0 1988 Elevation: 858.600 Date Leveled: 0 Date Leveled: 1992 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

A Standard MWD 3 3/4 IN Alum Disk at the south edge of a 3 foot diameter MWD Manhole 41 feet south of the centerline of Lincoln Ave, 118 feet east of the intersection of Lincoln and Abraham

Bench Mark Description:

Point ID: DX5470

1929 Elevation: 0 1988 Elevation: 1375.720 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISC STAMPED BM 450 6-26-92" IN A CONCRETE POST

0.5 Mmiles northwest of the airplane hanger, at a fork in the patrol road leading to the dike, 25 feet south of the patrol road and east of the fork.

Point ID: DX5472

1929 Elevation: 0 1988 Elevation: 1236.250 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

AN MWD DISC STAMPED "BM 452" IN A CONCRETE WATER LINE STRUCTURE

ALONG EL SOBRANTE 600 FEET EAST OF LAS SIERRA, 180 FEET NORTH OF EL SOBRANTE,

18 FEET WEST OF A MWDSC PATROL ROAD, ON A 5 X 14 FOOT CONCRETE STRUCTURE

2 FEET ABOVE THE GROUND, STATION 40+04 PAINTED ON THE STRUCTURE

Bench Mark Description:

Point ID: DX5477

1929 Elevation: 0 1988 Elevation: 723.270 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED " UF 619 1992"

In a head wall 90 feet NE of Van Buren, 1090 Feet northwest from Clay Street

Bench Mark Description:

Point ID: DX5478

1929 Elevation: 0 1988 Elevation: 695.620 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED "UF 618 1992"

In the top of the abutment, east side of the southbound lanes of Van Buren at the bike path and Santa Ana River.

Bench Mark Description:

Point ID: DX5479

1929 Elevation: 0 1988 Elevation: 743.770 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED " UF 617 1992"

In a Street Signal Base, 27 Feet SW of Van Buren, 29 Feet NW of Central Ave

Point ID: DX5480

1929 Elevation: 0 1988 Elevation: 739.670 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED " UF 616 1992"

In a Catch Basin Deck, east side of Van Buren, 600 feet north of Arlington Ave

Bench Mark Description:

Point ID: DX5481

1929 Elevation: 0 1988 Elevation: 741.060
Date Leveled: 0 Date Leveled: 1993
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

AN MWD DISK STAMPED "UF 615 1992"

In the deck of a catch basin, east side of Van Buren

200 feet north of Philbin.

Bench Mark Description:

Point ID: DX5482

1929 Elevation: 0 1988 Elevation: 746.090 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED "UF 614 1992"

IN A CTAHBASIN DECK 300 FEET NORTH OF CHALLEN ON THE EAST SIDE OF VAN BUREN.

Bench Mark Description:

Point ID: DX5483

1929 Elevation: 0 1988 Elevation: 773.930 Date Leveled: 0 Date Leveled: 1993 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

MWD DISK STAMPED "UF 613 1992"

At the east corner of Van Buren and Garfield, 51.5 feet NE of Van Buren 21.5 Feet SE of Garfield, in a Traffic Signal Pole. A 3.25 Alum Disk

Point ID: E1-A2

1929 Elevation: **857.147** 1988 Elevation: **859.596**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped E1-A in concrete in top of a large rock at the Northwesterly end of Buchanan Street, 100 feet westerly and 40 southerly of a house at 4613 Buchanan St.

Bench Mark Description:

Point ID: E1-B2

1929 Elevation: **737.632** 1988 Elevation: **740.084**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the Swiss Dairy concrete loading dock on the northeasterly side of Buchanan Street, northwesterly side of Riverside Freeway, 12 feet southeasterly of the northwesterly corner of the loading dock.

Point ID: E2-B2

1929 Elevation: **726.776** 1988 Elevation: **729.226**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped E2-B in concrete in center of a traffic island at the North-

west corner of Pierce Street and Ambs Drive

Bench Mark Description:

Point ID: **E2-D2**

1929 Elevation: **738.968** 1988 Elevation: **741.427**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. nail in top of curb, center of southeast curb rerturn of Indiana Avenue and

Fillmore Street

Destroyed 9/94 (msb)

Bench Mark Description:

Point ID: E2-F3

1929 Elevation: **704.344** 1988 Elevation: **706.797**

Date Leveled: 1983 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in center of most southerly curb return of La

Sierra Avenue and Cochran Avenue

Bench Mark Description:

Point ID: **E2-G3**

1929 Elevation: **711.232** 1988 Elevation: **713.687**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the northwesterly curb return of La Sierra

Avenue and Magnolia Avenue

Point ID: E2-H3

1929 Elevation: **697.978** 1988 Elevation: **700.428**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the most northerly curb

return of Collett Avenue and Golden Avenue

Bench Mark Description:

Point ID: **E2-I3**

1929 Elevation: **701.963** 1988 Elevation: **704.419**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly median curb of Magnolia

Avenue, 30 feet easterly of the easterly face of the Freeway Overpass structure

Bench Mark Description:

Point ID: **E2-J3**

1929 Elevation: **694.500** 1988 Elevation: **696.956**

Date Leveled: 1983 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northwesterly curb return of Magnolia

Avenue and Pierce Street

Bench Mark Description:

Point ID: E2-K3

1929 Elevation: **708.065** 1988 Elevation: **710.520**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the top of the southerly median curb of Magnolia Avenue, 45 feet easterly of the centerline of Fillmore Street

Point ID: E2-L3

1929 Elevation: **734.222** 1988 Elevation: **736.670**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on westerly top of curb, Pierce Street, 50 feet

northerly of the centerline of Raley Drive

Bench Mark Description:

Point ID: E2-M3

1929 Elevation: **694.231** 1988 Elevation: **696.683**

Date Leveled: 1983 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in northerly catch basin wing, westerly curb

Pierce Street, 1300 feet +/- southerly of Ambs Drive

Bench Mark Description:

Point ID: E2-N3

1929 Elevation: **690.405** 1988 Elevation: **692.859**

Date Leveled: 1983 Date Leveled: 0

Reference: LL12 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail on the northerly end of the R.C.F.C. & W.C.D. channel headwall on the easterly side of Pierce Street, 300 feet northerly of the 91 Freeway.

Bench Mark Description:

Point ID: **E2-03**

1929 Elevation: **712.329** 1988 Elevation: **714.784**

Date Leveled: 1983 Date Leveled: 0

Reference: LL12 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly median curb of Magnolia Avenue 75 feet westerly of Skylark Drive

Point ID: **E2-P2**

1929 Elevation: **738.410** 1988 Elevation: **740.869**

Date Leveled: 1994 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Chiseled square on the top of curb at the westerly end of a catch basin fronting the southerly curb of Indiana Avenue at the southeast corner of Indiana Avenue and Fillmore Street. (transfer of E2-D2)

Bench Mark Description:

Point ID: E2-Q3

1929 Elevation: **687.481** 1988 Elevation: **689.937**

Date Leveled: 1981 Date Leveled: 0

Reference: FB1029/66 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Concrete Nail in the northwest end of the headwall on the northeast side of the Buchanan Street crossing of the Flood Control Channel 350 feet northwest of the intersection of Magnolia Avenue and Buchanan Street.

Recovered in 1996 by City Field Crew. Set Chisled Square around nail hole.

Adjusted and Entered with new levels per LL 41/146A: May 1997

Bench Mark Description:

Point ID: E2-R3

1929 Elevation: **686.946** 1988 Elevation: **689.402**

Date Leveled: 1996 Date Leveled:

Reference: LL42/123 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Chisled Square on the southeast corner of Buchanan Well No. 1 at the

northwest corner of Magnolia Avenue and Buchanan Street.

Adjusted and Leveled: May 1997

Point ID: E3-D2

1929 Elevation: **829.204** 1988 Elevation: **831.668**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and tag in culvert headwall on northerly side of Victoria Avenue, 50

feet westerly of Cross Street

Bench Mark Description:

Point ID: E3-E2

1929 Elevation: **808.504** 1988 Elevation: **810.964**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the southeast curb return of Tyler Street

and Balmoral Court

Bench Mark Description:

Point ID: E3-G3

1929 Elevation: **719.017** 1988 Elevation: **721.471**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the most westerly corner of a water vault in the Magolia Avenue median, 52 feet northeasterly of the centerline of Polk

Street

Bench Mark Description:

Point ID: E3-H3

1929 Elevation: **713.644** 1988 Elevation: **716.098**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly median curb of Magnolia

Avenue, 200 feet easterly of the centerline of Burge Street.

Point ID: E3-I3

1929 Elevation: **730.718** 1988 Elevation: **733.172**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009
3rd Order Point Point Description:

Reference:
Adjustment Year: 2009
Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the most easterly curb return of

Magnolia Avenue and Banbury Drive

Point ID: E4-A3

1929 Elevation: **845.010** 1988 Elevation: **847.470**

Date Leveled: 0 Date Leveled: 0

Reference: FB973/48 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the top of curb, easterly curb return of

Myers Street and Lincoln Avenue

Bench Mark Description:

Point ID: **E4-B2**

1929 Elevation: **881.950** 1988 Elevation: **884.412**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/43 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "E4-B" in capped well at the intersection of Victoria Avenue

and Van Buren Blvd.

Bench Mark Description:

Point ID: **E4-C2**

1929 Elevation: **1002.207** 1988 Elevation: **1004.677**

Date Leveled: 1971 Date Leveled: (

Reference: FB656/66 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the headwall of a drain flume of the Gage Canal at the south-

westerly side of Meyers Street at the Gage Canal

Bench Mark Description:

Point ID: **E4-D2**

1929 Elevation: 1000.865 1988 Elevation: 1003.335

Date Leveled: 1971 Date Leveled: 0

Reference: FB656/66 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the water gate of the Gage Canal at the southwesterly side of

Harrison Street and the the Gage Canal

Point ID: **E4-E2**

1929 Elevation: 1001.699 1988 Elevation: 1004.169

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/78 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the southerly end of the Gage Canal headwall at the southwesterly

side of John Street.

Bench Mark Description:

Point ID: E4-F2

1929 Elevation: **929.736** 1988 Elevation: **932.203**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/52 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and tag in a concrete block retaining wall at the southerly corner

of Dufferin Avenue and Mc Allister Street

REPORTED DESTROYED BY CITY CREW - 6/98

Bench Mark Description:

Point ID: **E4-G2**

1929 Elevation: **856.399** 1988 Elevation: **858.862**

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

1/2 " Iron Pipe in monument well at the intersection of Victoria Avenue and

Harrison Street

Bench Mark Description:

Point ID: **E4-H2**

1929 Elevation: **860.719** 1988 Elevation: **863.183**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/63 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

P.K. Nail and tag 5 feet easterly of the westerly end of the top of curb on the northerly curb of Victoria Avenue, 55 feet easterly of Mc Allister Street

Point ID: **E4-I2**

1929 Elevation: **871.412** 1988 Elevation: **873.874**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/77 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the northeasterly corner of a concrete cross gutter on the

northerly side of Victoria Avenue, 300 feet westerly of Jackson Street

Bench Mark Description:

Point ID: **E4-J3**

1929 Elevation: **858.202** 1988 Elevation: **860.662**

Date Leveled: 0 Date Leveled: 0

Reference: FB973/49 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of the most southerly curb

return at Lincoln Avenue and Van Buren Blvd.

Point ID: E5-A3

1929 Elevation: **860.649** 1988 Elevation: **863.109**

Date Leveled: 1988 Date Leveled: 0

Reference: FB973/50 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of the southerly curb return

at Lincoln Avenue and Gibson Street

Bench Mark Description:

Point ID: E5-B2

1929 Elevation: 1004.871 1988 Elevation: 1007.340

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the northerly end of the easterly headwall of the Gage Canal bridge

at Jackson Street

Bench Mark Description:

Point ID: E5-C2

1929 Elevation: **1006.666** 1988 Elevation: **1009.135**

Date Leveled: 1971 Date Leveled: (

Reference: FB656/51 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the southerly end of a flume drain headwall on the northeasterly

side of Monroe Street at the Gage Canal

Bench Mark Description:

Point ID: E5-D2

1929 Elevation: 1005.913 1988 Elevation: 1008.382

Date Leveled: 1971 Date Leveled: 0

Reference: FB656/55 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

P.K. Nail in the easterly headwall of the Gage Canal bridge at Gratton Street

Point ID: E5-F2

1929 Elevation: **933.337** 1988 Elevation: **935.802**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/3 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the culvert headwall at the southerly corner of Monroe

Street and Dufferin Avenue.

Bench Mark Description:

Point ID: E5-G3

1929 Elevation: **875.663** 1988 Elevation: **878.123**

Date Leveled: 1988 Date Leveled: 0

Reference: FB973/51 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the top of curb of the easterly curb return at Lincoln Avenue and

Jackson Street

Bench Mark Description:

Point ID: E5-H3

1929 Elevation: **855.596** 1988 Elevation: **858.055**

Date Leveled: 1988 Date Leveled:

Reference: FB973/52 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of the most westerly curb

return at Lincoln Avenue and Irving Street

Bench Mark Description:

Point ID: E5-I3

1929 Elevation: **855.989** 1988 Elevation: **858.449**

Date Leveled: 2000 Date Leveled: 0

Reference: LL46/113 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and Engineering Tag in the easterly wall of a Catch Basin, 1' back

of the curb along the southerly curb of Lincoln Avenue, 58' +/-

westerly from the centerline of Irving Street

Tranfered by City Crew per LL 46/113 April 2000.

Calced and Entered April 2000

Point ID: E6-A2

1929 Elevation: 1079.003 1988 Elevation: 1081.475

Date Leveled: 1971 Date Leveled: 0

Reference: FB846/16 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the culvert headwall at the southeast corner of Jefferson Street

nd Hermosa Drive

Bench Mark Description:

Point ID: E6-B2

1929 Elevation: **1106.766** 1988 Elevation: **1109.239**

Date Leveled: 1971 Date Leveled: 0

Reference: FB846/24 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Railraod Spike in power pole #685391-H on the easterly side of Washington

Street at Hermosa Drive.

Bench Mark Description:

Point ID: E6-C2

1929 Elevation: 1083.278 1988 Elevation: 1085.748

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Top of a yellow painted bolt at the base of a vent pipe on the south side of a pump station slab at the northwest corner of Washington Street and Bradley

Street

(Reported Destroyed: 2/98 by City Survey Crew)

Bench Mark Description:

Point ID: **E6-D2**

1929 Elevation: **1322.273** 1988 Elevation: **1324.752**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/04 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the top of curb of the northerly curb return at Washington Street and Wagon Wheel Drive

Point ID: E7-A2

1929 Elevation: **1397.012** 1988 Elevation: **1399.493**

Date Leveled: 1971 Date Leveled: 0
Reference: FB739/46 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in 8 foot square boulder, 75 easterly of Washington Street

and 500 westerly of Golden Star Avenue.

Point ID: E8-A2

1929 Elevation: **1588.453** 1988 Elevation: **1590.935**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/74 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

P.K. Nail and tag in top of 35 X 50 X 20 foot granite boulder, 100 feet westerly

of Trautwein Road and 500 feet northerly of Jesse Lane.

Found in Excellent Condition: March 1996.

Bench Mark Description:

Point ID: E8-B2

1929 Elevation: **1609.733** 1988 Elevation: **1612.217**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/75 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and tag in the northerly end of a culvert headwall, 27 feet westerly

of Trautwein Road, and 200 feet southerly of Wood Road.

Destroyed: 1995 - Road widening; culvert replaced and extended

Bench Mark Description:

Point ID: E8-C3

1929 Elevation: **1674.947** 1988 Elevation: **1677.438**

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/10 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and Tag in the northerly wall of a catch basin 2 easterly of the

easterly curb of Trautwein Road, 100 feet northerly of Van Buren Blvd.

Transfer from VB-10-2

Adjusted and Entered: June 1997 with run from E8-A

Bench Mark Description:

Point ID: E8-D3

1929 Elevation: **1599.767** 1988 Elevation: **1602.256**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/108 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the sidewalk over the westerly wall of a Catch Basin at the E.C.R. of the southeasterly curb return of Jesse Lane and Trautwein Road. The mark is 2 feet southerly of the face of curb.

Adjusted and Entered: June 1997

Point ID: E8-E3

1929 Elevation: **1613.520** 1988 Elevation: **1616.023**

Date Leveled: 1997 Date Leveled: 0

Reference: Reference: LL43/108

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the sidewalk over the northerly wall of a Catch Basin along the easterly curb of Trautwein Road, 250 feet southerly of the southerly drive to the Orangecrest Electric Substation. The mark is 2 feet easterly of the face of curb.

Adjusted and Entered: June 1997

Bench Mark Description:

Point ID: E8-F3

1929 Elevation: **1665.151** 1988 Elevation: 1667.648

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/108 Reference:

Adjustment Year: 2009 Adjustment Year: 1971

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the sidewalk over the westerly wall of a Catch Basin along the southerly curb of Orange Terrace Pkwy, 100 feet easterly of Trautwein Road. The mark is 2 feet southerly of the face of curb.

Adjusted and Entered: June 1997.

Bench Mark Description:

Point ID: E8-G3

1929 Elevation: 1642.465 1988 Elevation: **1644.955**

Date Leveled: 2000 Date Leveled:

Reference: LL46/108 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the top of the sidewalk over the easterly wall of a Catch Basin along the southerly curb of Van Buren Blvd and 700 feet easterly of Wood Road.

Part of the Orangecrest Level Circuit: March 2000

Bench Mark Description:

Point ID: E8-H3

1929 Elevation: 1585.664 1988 Elevation: **1588.147**

Date Leveled: Date Leveled: 2000 0

Reference: LL46/109A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Northerly corner of the base flange of a steel power pole

35063 along the southerly alignment of John F. Kennedy, 75' east of Wood Road

Part of the Orangecrest Level Circuit: Mar 2000

Point ID: E8-I3

1929 Elevation: **1600.194** 1988 Elevation: **1602.678**

Date Leveled: 2000 Date Leveled: 0

Reference: LL46/109A Reference:

Adjustment Year: 2000 Adjustment Year: 2009

3rd Order Point Description:

Northerly corner of a the base flange of a steel power pole # 35061 along the John F. Kennedy alignment north of Wood Road

and 300 feet west of Trautwein Road.

Leveled as part of the Orangecrest Level Circuit: March 2000

Bench Mark Description:

Point ID: E8-J3

1929 Elevation: 1792.752 1988 Elevation: 1795.242

Date Leveled: 2000 Date Leveled: 0

Reference: LL46/109 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Enginer Tag in the northwest corner of a concrete street light base along the southerly curb of Siegal Avenue, 53 feet easterly of Jacob.

Part of the Orangecrest Level Circuit: Mar 2000

Bench Mark Description:

Point ID: E8-K3

1929 Elevation: **1737.063** 1988 Elevation: **1739.553**

Date Leveled: 2000 Date Leveled:

Reference: LL46/107A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag along the southerly curb of Siegal Avenue, 60 feet westerly of Dolf Court, in the northwest conrner of a concrete street light base.

Part of the Orangecrest Level Circuit: Mar 2000

Bench Mark Description:

Point ID: E8-L3

1929 Elevation: **1676.673** 1988 Elevation: **1679.163**

Date Leveled: 2000 Date Leveled: 0

Reference: LL46/107 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag along the easterly curb of Yarrow Lane, 71 feet southerly of Siegal Avenue, in the northwest corner of a concrete base of a street light.

Part of the Orangecrest Level Circuit: Mar 2000

Point ID: EV1112

1929 Elevation: 0 1988 Elevation: 935.120
Date Leveled: 0 Date Leveled: 1993
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

SET PIN AND COUNTY SURVEYOR BRASS TAG IN RETAINING WALL STAMPED "BM" ALONG BNSF RR, 1 MILE NORTH OF CENTER STREET, 30 FEET NORTH OF DeBERRY STREET EXTENDED, 12 FEET EAST OF THE EAST TRACK, IN A RETAINING WALL 1 FOOT SOUTH OF AN ANGLE POINT, 4 FEET NORTH OF THE SOUTH END OF THE WALL.

Bench Mark Description:

Point ID: EV1113

1929 Elevation: 0 1988 Elevation: 935.910
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard U.S.C.& G.S. Brass disk stamped "R-449 1949 " set in the top of the north end of the west headwall of the Riverside Water Company Canal headwall under the A.T.& S.F. Railroad tracks about 0.55 miles north of the Center Street crossing, between the Edison Plant and the Iowa Ave on/off ramps to the 215 freeway, 2 1/2 poles south of milepost 6, 1.3 feet north of a 1.5 inch iron pipe projecting 1.5 feet above the headwall, and 5 feet lower than the track

Bench Mark Description:

Point ID: EV1120

1929 Elevation: 0 1988 Elevation: 951.310 Date Leveled: 0 Date Leveled: 1991 Reference: Reference: NGS Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Description:

A standard U.S.C.&G.S. Brass Disk stamped " Z 38 RESET 1946 " set in the top of the concrete foundation of the former Highgrove railway station, 205 feet south along the A.T.&S.F. railroad tracks from the Center Street Crossing. Recovered 1996 in good condition. The building is now removed and the point remains in the concrete foundation flush with the ground.

Bench Mark Description:

Point ID: EV1129

1929 Elevation: 0 1988 Elevation: 901.150
Date Leveled: 0 Date Leveled: 1991
Reference: Reference: NGS
Adjustment Year: 0 Adjustment Year: 1991

1st Order Point Point Destroyed

Description:

A standard City of Riverside Brass Disk stamped " 600-6-68 " set in a concrete post 0.2 miles south along the A.T.&S.F. Railroad tracks from the Palmyrita Avenue crossing, 20 feet northwest of the northwest rail, 66.5 feet northeast of power pole # 25151-J, 50 feet northeast of a concrete control box. Point destroyed, 1996, Found base of concrete post 2 feet deep; by: City Survey Office.

Point ID: EV3460

1929 Elevation: 0 1988 Elevation: 932.030 Date Leveled: 0 Date Leveled: 1991 Reference: NGS Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

DISK STAMPED " E 1307 1978"

At Iowa and Citrus along teh BNSF Tracks, 10.7 Feet North of Citrus 33 Feet southeast of the southeast rail of the main tract, 124 feet NE of

NE Cor. of the RR Tele Box Foundation, Access is through a 4" Plastic Screw Cap.

Bench Mark Description:

Point ID: EV3552

1929 Elevation: 0
Date Leveled: 0 1988 Elevation: **962.030**Date Leveled: 1993
Reference: NGS Reference: Adjustment Year: 0 Adjustment Year: 1993

1st Order Point Description:

BRASS DISK STAMPED " F 1307 1978"

AT PALMYRITA AND THE BNSF TRACKS, 25 FEET SOUTH OF THE CENTERLINE OF PALMYRITA 51.5 FEET EAST OF THE EAST RAIL, IN TEH NORTH EDGE OF A UTILITY PAD FOUNDATION.

Point ID: F1-A2

1929 Elevation: 806.587 1988 Elevation: 809.027 Date Leveled: 1971 Date Leveled: 0 Reference: FB739/37 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Brass Disk stamped " F1-A " in 12 inch diameter concrete monument in the

parkway behind the southwesterly curb return of Gramercy Place and

Sierra Vista Drive.

Reported Destroyed by City Field Crew 2/97

Point ID: **F2-A2**

1929 Elevation: **742.089** 1988 Elevation: **744.534**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Concrete Monument with bolt in Well at intersection of Sierra Vista Avenue and

Pierce St.reet

Bench Mark Description:

Point ID: F2-B2

1929 Elevation: **786.734** 1988 Elevation: **789.177**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Concrete Monument and Nail in well at intersection of Sierra Vista Avenue

and Norwood Avenue.

Bench Mark Description:

Point ID: F2-C2

1929 Elevation: **740.718** 1988 Elevation: **743.158**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the center of the northwest curb return at La Sierra Avenue and Gramercy Place. NOTE: Mark Disturbed; Head Broken Off; see

FB 985 pg 37.

Reported Destroyed by City Field Crew 2/97

Bench Mark Description:

Point ID: **F2-D2**

1929 Elevation: **701.446** 1988 Elevation: **703.895**

Date Leveled: 1971 Date Leveled: 0

Reference: FB838/1 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail in the northeast curb return at La Sierra Avenue and Pierce Street

Point ID: F2-E2

1929 Elevation: **714.416** 1988 Elevation: **716.861**

Date Leveled: 1971 Date Leveled: 0

Reference: FB838/1 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail in the northwest return of La Sierra Avenue and Pierce Street

Bench Mark Description:

Point ID: F2-F2

1929 Elevation: **718.423** 1988 Elevation: **720.868**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/61 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Railroad Spike in a power pole (#1273917E) at the northwest corner of Wells

Avenue and Hedrick Avenue.

Bench Mark Description:

Point ID: F2-G3

1929 Elevation: **754.793** 1988 Elevation: **757.232**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the center of the southwest curb return at La Sierra Avenue and

Thrush Drive.

Bench Mark Description:

Point ID: F2-H3

1929 Elevation: **758.706** 1988 Elevation: **761.148**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a power pole (#750642-H) on the westerly corner of

Tyler Street and Hedrick Avenue.

Point ID: F2-I3

1929 Elevation: **703.158** 1988 Elevation: **705.605**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the most westerly curb return

at La Sierra Avenue and Schuyler Avenue.

Bench Mark Description:

Point ID: **F2-J3**

1929 Elevation: **702.865** 1988 Elevation: **705.314**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the catch basin wing of the most northerly curb of Collett Avenue, 475 feet westerly of Newby Drive. Near address 10907

Collett Avenue

Bench Mark Description:

Point ID: F2-K3

1929 Elevation: **705.060** 1988 Elevation: **707.509**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the most westerly curb return

at Collett Avenue and Polk Street.

Bench Mark Description:

Point ID: **F2-L3**

1929 Elevation: **703.973** 1988 Elevation: **706.421**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the center of the southwest curb return of

Hole Avenue and Jones Ave. DESTROYED

Point ID: F2-M3

1929 Elevation: **705.516** 1988 Elevation: **707.962**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Tag in the northerly curb of Hole Avenue 40 feet easterly

of the centerline of Hiers Avenue.

Bench Mark Description:

Point ID: F2-N3

1929 Elevation: **720.852** 1988 Elevation: **723.297**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly curb of Pierce Street midway

between Rose Avenue and Hollyhock Lane.

Bench Mark Description:

Point ID: F2-03

1929 Elevation: **722.756** 1988 Elevation: **725.201**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most southerly curb return at Pierce

Street and Golden Avenue.

Bench Mark Description:

Point ID: **F2-P3**

1929 Elevation: **725.633** 1988 Elevation: **728.078**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of of Pierce Street, 1100 feet southwesterly of Golden Avenue. Tag is 10 easterly of a driveway approach

Point ID: F2-Q3

1929 Elevation: **739.712** 1988 Elevation: **742.159**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the street light base at the back of the westerly curb of Pierce Street, 1100 feet southerly of Sierra Vista Avenue.

Bench Mark Description:

Point ID: F2-R3

1929 Elevation: **729.399** 1988 Elevation: **731.841**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the most westerly curb return of Norwood

Avenue and La Sierra Avenue

Reported Destroyed By City Field Crew 2/97

Bench Mark Description:

Point ID: F2-S2

1929 Elevation: **702.248** 1988 Elevation: **704.697**

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer tag in the center of the most southerly curb return

at La Sierra Avenue and Collett Avenue. (Formerly F2-D RE-SET)

Bench Mark Description:

Point ID: **F2-T2**

1929 Elevation: **713.089** 1988 Elevation: **715.534**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the curb at the northwest corner of the traffic signal island at the southeasterly corner of Hole Avenue and La Sierra Avenue. (FORMERLY F2-E RESET)

Point ID: **F2-U3**

1929 Elevation: 749.704 1988 Elevation: 752.148
Date Leveled: 2001 Date Leveled: 0
Reference: LL46-158 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the north corner of a traffic signal base at

at the southwest corner of Tyler Street and Wells Avenue

Point ID: **F3-A2**

1929 Elevation: **749.491** 1988 Elevation: **751.934**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "F3-A" in well at the intersection of Wells Avenue and Tyler

Street.

Bench Mark Description:

Point ID: F3-C2

1929 Elevation: **769.129** 1988 Elevation: **771.582**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the base of a street light on the most

easterly corner of Magnolia Avenue at Harrison Street southerly.

(FORMERLY F3-F RESET)

Reported Destroyed By City Survey Crew 5/2002

Bench Mark Description:

Point ID: F3-D2

1929 Elevation: **758.317** 1988 Elevation: **760.765**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the northerly curb return of Van Buren Blvd. and California Avenue

Bench Mark Description:

Point ID: F3-F2

1929 Elevation: **768.267** 1988 Elevation: **770.720**

Date Leveled: 1971 Date Leveled: 0

Reference: FB717/5 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Brass Disk in well at intersection of Harrison Street south and the southerly drive of Magnolia Avenue.

Point ID: F3-G1

1929 Elevation: **753.174** 1988 Elevation: **755.627**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Point Destroyed

Description:

N.G.S. Brass Disk near center of the most southerly curb return of Magnolia

Avenue at Hughes Alley.

Reported Destroyed by City Survey Crew 5/2001

Bench Mark Description:

Point ID: F3-H2

1929 Elevation: **736.223** 1988 Elevation: **738.675**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

PK Nail and City Engineer Tag in the S'ly Curb of Hole Ave, 165' W'ly of the

P.I. of Hole and Tyler, 2' N'ly of PP. # 29426-J .

Reported Destroyed by City Survey Crew 4/2002

Bench Mark Description:

Point ID: **F3-I2**

1929 Elevation: **731.350** 1988 Elevation: **733.800**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point

Description:

PK Nail in center of most W'ly curb return of Tyler Street and Bonita Ave.

Bench Mark Description:

Point ID: **F3-J3**

1929 Elevation: **745.602** 1988 Elevation: **748.050**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the most westerly curb return of Tyler Street and California Avenue.

Point ID: F3-K3

1929 Elevation: **754.979** 1988 Elevation: **757.425**

Date Leveled: 0 Date Leveled: 0

Reference: LL8/43A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly curb of Tyler Street 64.5 feet southerly of the centerline intersection of Tyler Street and Ocampo Street. (NOTE: This elevation was corrected on 7/29/98. Old elevation of 745.979 was incorrect.)

Bench Mark Description:

Point ID: **F3-L3**

1929 Elevation: **754.389** 1988 Elevation: **756.834**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a power pole (#694652-H) 180 feet southerly of the

intersection of Tyler Street and Mull Avenue. Vacinity of 4682 Tyler Street

Bench Mark Description:

Point ID: F3-M3

1929 Elevation: **707.193** 1988 Elevation: **709.642**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Hole Avenue 50

feet easterly of the centerline of Collett Avenue.

Bench Mark Description:

Point ID: F3-N3

1929 Elevation: **722.937** 1988 Elevation: **725.387**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the northerly curb Hole Avenue 45 feet westerly of the centerline of Bonita Avenue.

Point ID: F3-03

1929 Elevation: **768.625** 1988 Elevation: **771.076**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the street light base at the northwest

corner of Harrison Street and County Farm Road.

See LL30/114A for new mark.

Bench Mark Description:

Point ID: F3-P3

1929 Elevation: **766.065** 1988 Elevation: **768.515**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly curb of Harrison Street 40 feet

northerly of the centerline of Sharon Avenue

Bench Mark Description:

Point ID: F3-Q3

1929 Elevation: **764.628** 1988 Elevation: **767.077**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly top of curb of Harrison Street 265 feet southerly of the centerline of Sequoia Street, 5 feet southerly of the northerly driveway approach to 4179 Harrison Street.

Bench Mark Description:

Point ID: F3-R3

1929 Elevation: **710.956** 1988 Elevation: **713.408**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly curb of Polk Street, 40 feet

southerly of the centerline of Cochran Avenue.

Point ID: F3-S3

1929 Elevation: **768.872** 1988 Elevation: **771.323** Date Leveled: 1992 Date Leveled: 0

LL30/114A Reference: Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in teh top of curb at the M.O.C. of the

northwest curb return of Harrison Street and County Farm Road

Transfer per LL 30/114A from F3-03 Entered into CADME April 2000.

Point ID: F4-A1

1929 Elevation: **810.933** 1988 Elevation: **813.370**

Date Leveled: 1970 Date Leveled: 0

Reference: FB735/7 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

California Division of Highways Brass Disk stamped "C/L MONROE" in well at 40 feet northerly along the centerline of Monroe Street from the intersection

of Monroe Street and Indiana Avenue NOTE: Also known as 601-21-68

Bench Mark Description:

Point ID: **F4-D3**

1929 Elevation: **771.483** 1988 Elevation: **773.933**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most easterly curb return of Van Buren

Blvd. and Garfield Street

Bench Mark Description:

Point ID: F4-E2

1929 Elevation: **782.356** 1988 Elevation: **784.808**

Date Leveled: 1971 Date Leveled: (

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the center of the most easterly curb return of Magnolia

Avenue and Everest Street.

Bench Mark Description:

Point ID: **F4-F2**

1929 Elevation: **772.458** 1988 Elevation: **774.910**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the base of traffic signal at the northerly corner of Magnolia Avenue and Jackson Street

Point ID: **F4-G1**

1929 Elevation: **788.349** 1988 Elevation: **790.820**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

At Magnolia Avenue and Roosevelt Street at the Arlington Branch of the Riverside Public Library, on the east side of the main entrance and about 1

foot above the ground. A standard disk stamped " O 38 1924 ".

Bench Mark Description:

Point ID: F4-H3

1929 Elevation: **750.844** 1988 Elevation: **753.292**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the Easterly Wing of a Catch Basin at the

Westerly corner of California Avenue and Kingsbury Place.

Bench Mark Description:

Point ID: **F4-I3**

1929 Elevation: **750.138** 1988 Elevation: **752.586**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most westerly corner of the most

northerly curb return at California Avenue and Jackson Street.

Bench Mark Description:

Point ID: **F4-J3**

1929 Elevation: **758.121** 1988 Elevation: **760.571**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most northerly catch basin wing of the easterly corner of Jackson Street and Garfield Street.

Point ID: F4-K3

1929 Elevation: **783.098** 1988 Elevation: **785.549**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most northerly curb return of Melody Lane

and Magnolia Avenue.

Bench Mark Description:

Point ID: **F4-L3**

1929 Elevation: **771.170** 1988 Elevation: **773.621**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag 1 foot northeasterly of the northerly curb

return of Magnolia Avenue at Sherman Drive.

Bench Mark Description:

Point ID: F4-M3

1929 Elevation: **776.613** 1988 Elevation: **779.064**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/58 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. nad City Engineer Tag in the northerly curb of Hayes Street, 20 feet east of the B.C.R. of the northeast curb return at Van Buren Blvd and Hayes Street.

Set as part of the Van Buren Blvd. Widening Project

Bench Mark Description:

Point ID: F4-N3

1929 Elevation: **786.983** 1988 Elevation: **789.435**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/53 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Magnolia Avenue

1 foot east of the E.C.R. in the southeast curb return of Magnolia and Van Buren Blvd.

Set as part of the Van Buren Blvd Widening Project.

Point ID: F4-03

1929 Elevation: **805.903** 1988 Elevation: **808.358**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/55 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the east curb of Van Buren Blvd 2 feet north of the E.C.R. of the northeast curb return of Van Buren Blvd and Andrew Street.

Set as part of the Van Buren Blvd Widening Project 1996

Bench Mark Description:

Point ID: F4-P2

1929 Elevation: **814.981** 1988 Elevation: **817.437**

Date Leveled: 1979 Date Leveled: 0

Reference: FB1021/5 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly curb of Indiana Avenue, about 215 feet east of the centerline intersection of Van Buren Blvd and Indiana Ave.

BM TRANSFER/ Adjusted as part of the Van Buren Widening Project / 1996

Bench Mark Description:

Point ID: F4-Q3

1929 Elevation: **826.522** 1988 Elevation: **828.978**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/55 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the westerly curb of Gibson Street 1 foot southerly of the E.C.R. of the southwest curb return of Gibson Street and Indiana Avenue.

Set as part of the Van Buren Blvd. Widening Project

Bench Mark Description:

Point ID: F4-R3

1929 Elevation: **777.617** 1988 Elevation: **780.068**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/123 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb at the B.C.R. of the northwesterly curb return of Magnolia Avenue and Monroe Street.

Entered and Adjusted : May 1997

Point ID: **F4-S2**

1929 Elevation: **771.403** 1988 Elevation: **773.855**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/106 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the northwesterly corner of a catch basin along the westerly curb of Jackson Street, 80 feet northerly of Magnolia Avenue

B.M. Transfer from F4-F2

Entered June 1997

Point ID: F5-A3

1929 Elevation: **894.262** 1988 Elevation: **896.719**

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/25 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the back of a catch basin, 9 feet west of the southwest curb return at Lincoln Avenue and Madison Street, 20 feet south

of the centerline of Lincoln Avenue.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: F5-B2

1929 Elevation: **855.116** 1988 Elevation: **857.570**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/113 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the headwall at the drainage channel on the westerly side of Madison Street, 100 feet southerly of the

southerly curb return at Indiana Avenue and Madison Street.

Adjusted and Entered: May 1997.

Bench Mark Description:

Point ID: F5-C1

1929 Elevation: **837.656** 1988 Elevation: **840.035**

Date Leveled: 0 Date Leveled: (

Reference: FB735/51 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

Brass Disk stamped "F5-C" in capped well monument at the intersection of Jefferson Street and Indiana Avenue. Also known as " 601-19-68 "

Bench Mark Description:

Point ID: **F5-E2**

1929 Elevation: **873.374** 1988 Elevation: **875.835**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/78 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the culvert headwall at the easterly corner of Victoria Avenue and Monroe Street

Point ID: **F5-F2**

1929 Elevation: **896.317** 1988 Elevation: **898.777**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/79 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag on the concrete curb adjacent to the southerly

side of a dirt driveway on the westerly side of Adams Street, 150 feet

northerly of Victoria Avenue.

Bench Mark Description:

Point ID: F5-G2

1929 Elevation: **901.404** 1988 Elevation: **903.864**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/80 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Bench Mark Description:

Point ID: F5-H2

1929 Elevation: **845.599** 1988 Elevation: **848.058**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the Riverside Water Company Canal headwall on the westerly side of Monroe Street, 260 feet northerly of

Lincoln Avenue.

Bench Mark Description:

Point ID: **F5-I2**

1929 Elevation: **882.034** 1988 Elevation: **884.492**

Date Leveled: 1967 Date Leveled: 0

Reference: FB838/68 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in curb return at Lincoln Street entrance to the City Municipal Yard

Point ID: **F5-J3**

1929 Elevation: **824.075** 1988 Elevation: **826.530** Date Leveled: 1997 Date Leveled: 0

LL44/107 Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a street light base along the northerly curb

of Indiana Avenue, 75 feet west of Vance Street.

(Set as part of the Auto Center Renovation Project)

Bench Mark Description:

Point ID: F5-K3

1929 Elevation: **836.398** 1988 Elevation: **838.853**

Date Leveled: 1999 Date Leveled: 0

LL46/101 Reference: Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the nose of the center median island along

Adams Street at Indiana Avenue.

B.M. Tansfer as part of Auto Center Rehab: Sept 1999

Point ID: F6-A2

1929 Elevation: **927.999** 1988 Elevation: **930.458**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/3 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " F6-A " at the intersection of Victoria Avenue and

Washington Street.

Bench Mark Description:

Point ID: **F6-C2**

1929 Elevation: **923.327** 1988 Elevation: **925.786**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/60 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " F6-C " in a monument well at the intersection of the

southerly drive of Victoria Avenue and Madison Street.

Bench Mark Description:

Point ID: **F6-D2**

1929 Elevation: 1007.999 1988 Elevation: 1010.466

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the southerly headwall of the drain flume on the southerly side of

the Gage Canal, on the westerly side of Jefferson Street.

Bench Mark Description:

Point ID: **F6-E3**

1929 Elevation: 1009.342 1988 Elevation: 1011.806

Date Leveled: 0 Date Leveled: 0

Reference: FB739/44 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the westerly corner of the headwall of a spillway over the Gage Canal, 150 feet westerly of Kitchener Street.

Point ID: F6-F2

1929 Elevation: 1010.555 1988 Elevation: 1013.018

Date Leveled: 0 Date Leveled: 0

Reference: FB846/21 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Spike and Lead in the northerly end of the easterly headwall of the Gage Canal

at Washington Street.

Bench Mark Description:

Point ID: F6-G2

1929 Elevation: **1029.593** 1988 Elevation: **1032.057**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a concrete vault on the westerly side of Washington Street, 15 feet northerly of the intersection of Muirfield

Road produced.

Bench Mark Description:

Point ID: F6-H2

1929 Elevation: **976.574** 1988 Elevation: **979.039**

Date Leveled: 0 Date Leveled:

Reference: FB847/2 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the culvert headwall at the Southeast corner

of Jefferson Street and Dufferin Avenue Easterly

Bench Mark Description:

Point ID: **F6-I2**

1929 Elevation: **1110.839** 1988 Elevation: **1113.305**

Date Leveled: 0 Date Leveled: 0

Reference: FB854/10 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the southeast curb return of Muuirfield Road and Laurie Drive.

Point ID: **F6-J3**

1929 Elevation: 1083.720 1988 Elevation: 1086.190

Date Leveled: 1998 Date Leveled: 0 Reference: LL45/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the northerly wing of a catch basin at the BCR of the southeasterly curb return at Washington Street and Bradley Street. (Misc Levels; see GPS-69)

Point ID: F7-A2

1929 Elevation: 1337.423 1988 Elevation: 1339.889

Date Leveled: 0 Date Leveled: 0

Reference: FB846/43 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

1 1/2" square rod in concrete in a capped well monument on Alessandro

Blvd., 200 feet southerly of Via Vista Drive.

Bench Mark Description:

Point ID: F7-B2

1929 Elevation: **1294.788** 1988 Elevation: **1297.256**

Date Leveled: 0 Date Leveled: 0

Reference: FB847/18 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in a concrete monument on the southerly side of Muirfield Road 10 feet easterly of a power pole without a number and 300 easterly of power

pole # 16614J . Note: Due to development plotting is suspect.

Bench Mark Description:

Point ID: F7-C2

1929 Elevation: **1426.493** 1988 Elevation: **1428.963**

Date Leveled: 0 Date Leveled: (

Reference: FB847/19 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Spike and Tag in a granite rock, 125 feet northerly of Muirfield Road, 175 feet

westerly of a power pole # 16626-J, and 1/2 mile westerly of Whitegates

Reservoir Number 2.

Bench Mark Description:

Point ID: F7-D2

1929 Elevation: **1566.318** 1988 Elevation: **1568.791**

Date Leveled: 0 Date Leveled: 0

Reference: FB847/8 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag on the bottom step of a stairway on the northerly side of Whitegates Reservoir Number 2.

Point ID: F7-E2

1929 Elevation: 1422.295 1988 Elevation: 1424.769

Date Leveled: 0 Date Leveled: 0

Reference: FB847/12 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in a granite out-cropping, 100 feet north-easterly from the toe of slope of a wash, 50 feet northerly of a dirt road,

between Whitegates Reservoir Number 2 and Alesandro Blvd.

Bench Mark Description:

Point ID: F7-F2

1929 Elevation: **1339.661** 1988 Elevation: **1342.127**

Date Leveled: 0 Date Leveled: 0

Reference: FB1017/13 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the southwesterly curb of Alessandro Blvd.

200 feet southeasterly of Via Vista Drive

Bench Mark Description:

Point ID: F7-G3

1929 Elevation: **1183.682** 1988 Elevation: **1186.142**

Date Leveled: 1998 Date Leveled:

Reference: LDC Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a catch basin at the ECR of the

southeasterly curb return of Alessandro Blvd. and Trafalgar Avenue.

Leveled by LDC, adjusted by City as part of CITY, RBF, and LDC levels.)

Bench Mark Description:

Point ID: F7-H3

1929 Elevation: **1244.128** 1988 Elevation: **1246.590**

Date Leveled: 1998 Date Leveled: 0

Reference: LDC Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

3" MWD Brass Disk in the southerly end of catch basin along the easterly curb of Alessandro Blvd at Whitestone Drive.

(Leveled by LDC, adjusted by City as part of CITY, RBF, and LDC levels.)

Point ID: **F7-I3**

1929 Elevation: **1277.591** 1988 Elevation: **1280.054**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/100 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of street light at the

northeasterly curb return of Alessandro Blvd. and Century Avenue.

(Set and leveled by City Crew, input as part of RBF, City, and LDC Levels)

Bench Mark Description:

Point ID: F7-J3

1929 Elevation: **1302.588** 1988 Elevation: **1305.052**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/100 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag set in the northerly wall of a catch basin along the easterly curb of Alessandro Blvd., approximately 300 feet southeasterly of El Portal.

(Set by City Crew, adjusted as part of the City, RBF, and LDC levels)

Bench Mark Description:

Point ID: F7-K3

1929 Elevation: **1426.960** 1988 Elevation: **1429.430**

Date Leveled: 2002 Date Leveled: 0

Reference: LL47/7 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light along the southerly curb of Overlook Parkway 175' east of

Chateau Ridge Drive

Transfer from F7-C2 by City Survey Crew 6/10/2002

Point ID: F8-B2

1929 Elevation: **1607.635** 1988 Elevation: **1610.111**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in top of a concrete retaining wall southeasterly of the

intersection of Alessandro Blvd. and Trautwein Road. Shown as destroyed by JWS - Removed by construction.

Bench Mark Description:

Point ID: F8-C2

1929 Elevation: **1627.344** 1988 Elevation: **1629.820**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/72 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the northerly end of a 6' X 15' X 3' high granite rock northerly of the intersection of Alessandro Blvd. and Trautwein Road.

Shown as Destroyed - J.W.S.

Bench Mark Description:

Point ID: F8-D2

1929 Elevation: **1566.731** 1988 Elevation: **1569.210**

Date Leveled: 0 Date Leveled:

Reference: FB735/73 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in top of a 5' X 15' X 3' high granite boulder, 48 feet westerly of Trautwein Road and 0.4 miles southerly of Alessandro Blvd.

Bench Mark Description:

Point ID: F8-E2

1929 Elevation: **1502.195** 1988 Elevation: **1504.665**

Date Leveled: 0 Date Leveled: 0

Reference: FB847/5 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in top of a large rock 70 feet southerly of Alessandro Blvd. near pole # 775963-H and 0.6 miles southeasterly of Via Vista Drive.

Shown as destroyed by S.A.W.

Point ID: F8-F2

1929 Elevation: **1634.921** 1988 Elevation: **1637.395**

Date Leveled: 0 Date Leveled: 0

Reference: FB847/13 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in a 5' X 10' X 2' high granite rock between Whitegates Reservoir No. 2 and Alessandro Blvd, 15 feet northerly of a dirt road running along the crest of a hill. The B.M. bears 20 degrees left of the projected southeasterly side of the County Building on Alessandro Blvd. as measured from the most southerly corner and is 0.25 miles +/- distant. Note: Due to development the plotting accuracy is suspect.

Bench Mark Description:

Point ID: F8-G3

1929 Elevation: **1602.329** 1988 Elevation: **1604.806**

Date Leveled: 2000 Date Leveled: 0

Reference: LL46/116 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the sidewalk over the westerly wall of a catch basin, 1 foot northerly of the face of curb along the northerly curb of Alessandro Blvd., easterly of MIssion Grove Parkway NOTE: This BM was run in both directions from GPS 68. When closed into a loop it will be subject to further adjustment.

Bench Mark Description:

Point ID: F8-H3

1929 Elevation: 1622.303 1988 Elevation: 1624.840

Date Leveled: 2000 Date Leveled:

Reference: LL46/116 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light pole along the northerly curb of Alessandro Blvd., 125 feet easterly of Bartion Road.

NOTE: This BM has been run forward and back to GPS 68. It is not part of a loop and subject to further adjustment.

Point ID: G1-A3

1929 Elevation: **900.680** 1988 Elevation: **903.108**

Date Leveled: 0 Date Leveled: 0

Reference: FB739/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northerly curb return of Arlington Avenue and Western Hills

Drive . Note: The elevation of this point is notes as "tentative" .

Bench Mark Description:

Point ID: **G1-B3**

1929 Elevation: **770.448** 1988 Elevation: **772.885**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southwesterly curb return of Campbell

Street and La Sierra Avenue.

Formerly "G2-B RESET"

Bench Mark Description:

Point ID: G1-C3

1929 Elevation: **796.948** 1988 Elevation: **799.382**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Taq in the southeasterlt curb return of Alpine Way

and La Sierra Avenue. Formerly "G2-C RESET"

Bench Mark Description:

Point ID: **G1-E3**

1929 Elevation: **806.660** 1988 Elevation: **809.100**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/89 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the in the southwesterly corner of a catch basin along the westerly curb of Sierra Vista Avenue at the northwest corner of Gramercy Place and Sierra Vista Avenue.

Set as part of the Gramercy-Golden Topo Project

Point ID: G1-F3

1929 Elevation: **771.853** 1988 Elevation: **774.293**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/89 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeasterly corner of a catch basin along the northerly curb of Gramercy Place at the northwesterly curb return of Golden Avenue and Gramercy Place

Set as part of the Gramercy-Golden Topo Project.

Bench Mark Description:

Point ID: G1-H3

1929 Elevation: **741.142** 1988 Elevation: **743.582**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/89 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly end of a catch basin along the westerly curb of La Sierra Avenue, 44 feet northerly of the B.C.R. of the northwesterly curb return at La Sierra Avenue and Gramercy Place Set as part of the Gramercy-Golden Topo Project.

Bench Mark Description:

Point ID: **G1-J3**

1929 Elevation: **729.556** 1988 Elevation: **731.999**

Date Leveled: 1997 Date Leveled:

Reference: LL43/89 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly wing of a catch basin at the B.C.R. of the southwesterly curb return at La Sierra Avenue and Norwood Avenue.

Bench Mark Description:

Point ID: G1-K3

1929 Elevation: **736.645** 1988 Elevation: **739.085**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/107 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of the northerly wing of a catch basin, along the westerly curb of Mitchell Avenue, 290 feet notherly of Gramercy Place.

Entered and Adjusted: June 1997, Mark originally set per FB 1021/27.

Note: included into net with combination of new and old level work. see LL 12 also.

Point ID: G1-L3

1988 Elevation: **749.896** 1929 Elevation: **747.456**

Date Leveled: 1984 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a combination power pole, No. 28642J in the southeasterly corner of Gramercy Place and Norwood Avenue.

Entered and Adjusted: June 1997, Tied in by combination of old and new levels

Note: Spike found bent upward: June 1997.

Bench Mark Description:

Point ID: G1-M3

1988 Elevation: **766.701** 1929 Elevation: 764.260

Date Leveled: Date Leveled: 1984 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southeasterly curb return of Gramercy Place and Bushnell Avenue.

Entered and Adjusted: June 1997. Tied in with combination of new and old levels

Note: Found in good condition: June 1997.

Bench Mark Description:

Point ID: G1-N3

1929 Elevation: 751.716 1988 Elevation: **754.157**

Date Leveled: 1984 Date Leveled:

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a combination power pole No. 581503H in the northeasterly

corner of Gramercy Place and Jones Avenue.

Entered and Adjusted: June 1997. Tied in by combination of old and new levels

Found in good condition by City: June 1997

Bench Mark Description:

Point ID: G1-03

1929 Elevation: 772.431 1988 Elevation: 774.868

Date Leveled: Date Leveled: 2001 0

Reference: LL46/144 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in teh Easterly end of a

Catch Basin, 4 feet behind the curb face, along the southerly

side of Campbell, 125 feet westerly of the centerline of La Sierra Avenue.

Transferred from G1-B3(formerly G2-B Reset)

Point ID: **G1-P3**

1929 Elevation: 770.446 1988 Elevation: 772.886 Date Leveled: 2005 Date Leveled: 0 Reference: LL47/50 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Surveyor Tag set in the south wall of a catch basin along

Tyler Avenue, 15 feet north of the northeast curb return at Tyler

Street and Keller Avenue, 1 foot behind the top of curb.

Point ID: G2-A2

1929 Elevation: **865.079** 1988 Elevation: **867.509**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/58A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " G2-A " set in concrete in the most westerly traffic island

at Arlington Avenue and La Sierra Avenue.

Bench Mark Description:

Point ID: G2-B2

1929 Elevation: **771.134** 1988 Elevation: **773.571**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail in the center of the southwest curb return at Campbell Street and '

La Sierra Avenue.

Bench Mark Description:

Point ID: G2-C2

1929 Elevation: **798.722** 1988 Elevation: **801.156**

Date Leveled: 0 Date Leveled:

Reference: FB739/38 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the concrete step of a house at 6071 La Sierra Avenue, on

the southerly side facing Alpine Way.

Bench Mark Description:

Point ID: **G2-D2**

1929 Elevation: **800.374** 1988 Elevation: **802.806**

Date Leveled: 0 Date Leveled: 0

Reference: FB837/57 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

1-1/4" Iron Pipe in a capped well monument at the intersection of MItchell Avenue and Arlington Avenue.

Point ID: G2-E2

1929 Elevation: **779.118** 1988 Elevation: **781.552**

Date Leveled: 0 Date Leveled: 0

Reference: FB837/58 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

1-1/4" Iron Pipe in a capped well monument at the intersection of Arlington

Avenue and Tyler Street. (See FB 996/14 and LL 23/108 for transfer)

Recovered and verified by City Field Crew 2/27 NOTE: Use Transfer BM G3-U2

Bench Mark Description:

Point ID: G2-F2

1929 Elevation: **780.144** 1988 Elevation: **782.583**

Date Leveled: 0 Date Leveled: 0

Reference: FB739/60 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the center of the northwest curb return of Tyler Street

Campbell Avenue.

Bench Mark Description:

Point ID: G2-G3

1929 Elevation: **774.911** 1988 Elevation: **777.349**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Campbell Avenue

50 feet westerly of the centerline of Jones Avenue.

Bench Mark Description:

Point ID: G2-H3

1929 Elevation: **790.806** 1988 Elevation: **793.244**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railraod Spike in power pole number 609138-H at the northeast corner of Chadbourne Avenue and Campbell Avenue.

Point ID: G2-I3

1929 Elevation: **771.650** 1988 Elevation: **774.087**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a power pole, no number, at the northwest corner of

Campbell Avenue and Norwood Avenue

Bench Mark Description:

Point ID: **G2-J3**

1929 Elevation: **759.913** 1988 Elevation: **762.350**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in power pole number 28783-J at the northeast corner of

Campbell Avenue and Stover Avenue.

Bench Mark Description:

Point ID: G2-K3

1929 Elevation: **752.139** 1988 Elevation: **754.576**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northwest curb return of Campbell

Avenue and Mitchell Avenue.

Bench Mark Description:

Point ID: **G2-L3**

1929 Elevation: **768.495** 1988 Elevation: **770.936**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in power pole number 694695-H at the westerly corner of

Tyler Street and Gramercy Place.

Found in good condition: May 1997.

Point ID: G2-M3

1929 Elevation: **779.743** 1988 Elevation: **782.178**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the top of the easterly curb of La Sierra Avenue, approximately 40 northerly of the centerline of Palm Terrace Lane.

Bench Mark Description:

Point ID: G2-N3

1929 Elevation: **770.246** 1988 Elevation: **772.686**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the westerly curb of Tyler Street, approximately 30 feet southerly of the centerline of Keller Avenue. Reported Destroyed by Construction by City Survey Crew - 2005, LL46/50

Bench Mark Description:

Point ID: G2-O3

1929 Elevation: **792.980** 1988 Elevation: **795.418**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in Power Pole No. 30525-J at the westerly corner of Tyler Street

and Sinclair Avenue.

Bench Mark Description:

Point ID: G2-P3

1929 Elevation: **788.836** 1988 Elevation: **791.272**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in the base of Power Pole Number 28184-J at the northeast

corner of Tyler Street and Cypress Avenue.

Point ID: G2-Q3

1929 Elevation: **778.741** 1988 Elevation: **781.176**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Enginer Tag in the center of the northeast curb return at

Tyler Street and Gould Street.

Bench Mark Description:

Point ID: G2-R3

1929 Elevation: **837.988** 1988 Elevation: **840.419**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K., Nail in the northwest curb return of Arlington Avenue and Western Avenue

Bench Mark Description:

Point ID: G2-S3

1929 Elevation: **829.037** 1988 Elevation: **831.468**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the nortwest curb return of Arlington Avenue and Valley Drive

Bench Mark Description:

Point ID: **G2-T3**

1929 Elevation: **812.930** 1988 Elevation: **815.362**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northwest curb return of Arlington Avenue and Sandy Lane.

Point ID: G2-U3

1929 Elevation: **800.236** 1988 Elevation: **802.669**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northwest curb return of Arlington Avenue and Stover Avenue.

Bench Mark Description:

Point ID: G2-V3

1929 Elevation: **812.558** 1988 Elevation: **814.991**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K., Nail in the northeast curb return of Arlington Avenue and Norwood Avenue.

Bench Mark Description:

Point ID: G2-W3

1929 Elevation: **815.252** 1988 Elevation: **817.685**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northwest curb return of Arlington Avenue and Chadbourne

Avenue

Bench Mark Description:

Point ID: G2-X3

1929 Elevation: **792.825** 1988 Elevation: **795.258**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northeast curb return of Arlington Avenue and Jones Avenue.

Point ID: G2-Y3

1929 Elevation: **829.205** 1988 Elevation: **831.637**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the easterly curb of La Sierra Avenue, approximately 150 feet northerly of the centerline of Francisco Place.

Bench Mark Description:

Point ID: G2-Z2

1929 Elevation: **781.486** 1988 Elevation: **783.920**

Date Leveled: 1976 Date Leveled: 0

Reference: FB996/14 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Top of the southeast signal base bolt at the northwest corner of the intersection of Tyler Street and Arlington Avenue. (Transfer from G2-E2)

Reported Destroyed by City Field Crew 2/97

Point ID: G3-A2

1929 Elevation: **742.228** 1988 Elevation: **744.672**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/11 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " G3-A " in a well monument at the intersection of

Van Buren Blvd. and Colorado Avenue.

Bench Mark Description:

Point ID: G3-B2

1929 Elevation: **742.211** 1988 Elevation: **744.655**

Date Leveled: 0 Date Leveled: 0

Reference: FB1038/1 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Chis " X " on the southwest bolt of a traffic signal standard at the northeast

corner of Van Buren Blvd. and Wells Avenue. This point is a benchmark

transfer from BM G3-A2 Note: Formerly "G3-A RESET"

Bench Mark Description:

Point ID: G3-C2

1929 Elevation: **733.651** 1988 Elevation: **736.088**

Date Leveled: 1985 Date Leveled:

Reference: LL14/25A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the northerly curb of Arlington Avenue approximately 105 feet

westerly of the centerline of Copper Lantern. (TRANSFER FROM G3-D)

Recovered and verified by City Field Crew as part of the JoJo/Penny Project 2/97

Bench Mark Description:

Point ID: **G3-D2**

1929 Elevation: **733.313** 1988 Elevation: **735.750**

Date Leveled: 0 Date Leveled: 0

Reference: Fb735/59 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

Brass Disk stamped " G3-D " in a well monument at the angle point in Arlington Avenue approximately 500 feet easterly of Lake Street.

Reported Paved over by City Field Crew. Use transfer: G3-C2.

Point ID: G3-E2

1929 Elevation: **746.244** 1988 Elevation: **748.680**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail in the northeast curb return at Arlington Avenue and Rutland Avenue

NOTE: This point may have settled. Use with caution.

Reported Destroyed by City Field Crew 2/97

Bench Mark Description:

Point ID: G3-F2

1929 Elevation: **736.332** 1988 Elevation: **738.771**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in a monument well at the intersection of Arlington Avenue and

Van Buren Blvd.

Bench Mark Description:

Point ID: G3-G2

1929 Elevation: **778.790** 1988 Elevation: **781.232**

Date Leveled: 0 Date Leveled:

Reference: FB739/62 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and tag 1 foot easterly of the E.C.R. of the easterly curb return of

Wells Avenue and Crest Avenue

Bench Mark Description:

Point ID: G3-H2

1929 Elevation: **738.692** 1988 Elevation: **741.134**

Date Leveled: 0 Date Leveled: 0

Reference: FB838/11 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the northeast curb return of Wells Avenue and Challen Avenue.

Point ID: G3-I3

1929 Elevation: **740.007** 1988 Elevation: **742.449**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light at the back of the easterly curb of Jackson Street, approximately 600 feet northwest of Audrey Avenue. In the vacinity of 4801 Jackson Street.

Bench Mark Description:

Point ID: G3-J3

1929 Elevation: **736.671** 1988 Elevation: **739.111**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the concrete base of a traffic signal standard at the northeast corner of Jackson Street and Van Buren Blvd. Reported Destroyed by City Field Crew 2/97. See G3-O3 for replacement.

Bench Mark Description:

Point ID: G3-K3

1929 Elevation: **739.275** 1988 Elevation: **741.705**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the east curb of Van Buren Blvd. 0.5 feet southerly of the southeast curb return of a driveway to a shopping center at the intersection of Van Buren Blvd. and Philbin Avenue

Bench Mark Description:

Point ID: G3-L3

1929 Elevation: **736.350** 1988 Elevation: **738.791**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/99 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the T.C. near the M.O.C. of the southwest curb return of the easterly intersection Philbin Avenue and Corwin Lane. Set and adjusted as part of the Bryant Park Project.

Point ID: G3-M3

1929 Elevation: **736.685** 1988 Elevation: **739.126**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/99 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the T.C. at the E.C.R. of the southeast curb

return of Philbin Avenue and Picker Street.

Set and adjusted as part of the Bryant Park Project.

Bench Mark Description:

Point ID: G3-N3

1929 Elevation: **735.503** 1988 Elevation: **737.942**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/99 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northwest corner of a catch basin along the northerly curb of Cypress Avenue at the northwest curb return of Cypress

Avenue and Wohlsetter Street.

Set and Adjusted as part of the Bryant Park Project

Bench Mark Description:

Point ID: G3-O3

1929 Elevation: **736.648** 1988 Elevation: **739.088**

Date Leveled: 1997 Date Leveled:

Reference: LL43/99 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb near the M.O.C. of the

northwest curb return at Van Buren Blvd. and Cypress Avenue.

Set and adjusted as part of the Bryant Park Project.

Bench Mark Description:

Point ID: G3-P2

1929 Elevation: **736.604** 1988 Elevation: **739.043**

Date Leveled: 1983 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

P.K. Nail and City Engineer Tag in the base of a traffic signal at the southwest corner of Van Buren Blvd. and Arlington Avenue. B.M. Transfer from G3-F2

Point ID: G3-Q3

1929 Elevation: **742.763** 1988 Elevation: **745.192**

Date Leveled: 1977 Date Leveled: 0

Reference: FB1000/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a street light base on the westerly curb

of Crest Avenue and 80 southerly of the centerline of Jurupa Avenue.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: G3-R3

1929 Elevation: **736.618** 1988 Elevation: **739.049**

Date Leveled: 1977 Date Leveled: 0

Reference: FB1004/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light along the westerly curb of Farrier Avenue, 125 feet northerly of the centerline of Altadena Drive

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: G3-S3

1929 Elevation: **746.907** 1988 Elevation: **749.343**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a catch basin wing at the B.C.R. of the

southwesterly curb return of Arlington Avenue and Rutland Avenue.

Set and Adjusted as part of the Jojo/Penny Project.

Bench Mark Description:

Point ID: G3-T3

1929 Elevation: **760.187** 1988 Elevation: **762.622**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southeast corner of a traffic signal base at the nortwesterly corner of Arlington Avenue and Crest Avenue.

Found Pt. Adjusted as part of the JoJo/Penny Project

Point ID: G3-U2

1929 Elevation: **780.958** 1988 Elevation: **783.392**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in a catch basin wing at the E.C.R. of the

northwesterly curb return of Arlington Avenue and Tyler Street.

Set and Adjusted as part of the JoJo/Penny Project.

Bench Mark Description:

Point ID: G3-V3

1929 Elevation: **732.818** 1988 Elevation: **735.283**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the northerly curb of Arlington Avenue approximately 9 feet

easterly of the centerline of Harold Street produced. Set and adjusted as part of the JoJo/Penny Project.

Bench Mark Description:

Point ID: G3-W3

1929 Elevation: **735.434** 1988 Elevation: **737.871**

Date Leveled: 1997 Date Leveled:

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeasterly corner of a catch basin along the northerly curb of Arlington Avenue, 110 feet +/- westerly of the

centerline of Lake Street.

Set and Adjusted as part of the JoJo/Penny Project.

Bench Mark Description:

Point ID: G3-X3

1929 Elevation: **737.375** 1988 Elevation: **739.812**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/90 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a catch basin wing at the E.C.R. of the northwesterly curb return of of Arlington Avenue and Ben Lomond Way.

Set and Adjusted as part of the JoJo/Penny Project

Point ID: G3-Y3

1929 Elevation: **859.915** 1988 Elevation: **862.346** Date Leveled: 2001 Date Leveled: 0 Reference: LL46/114A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag set in the base of a concrete light pole along

the easterly curb of La Sierra Avenue approximately 200 feet southerly of

Arlington Avenue

Point ID: **G4-A2**

1929 Elevation: **749.836** 1988 Elevation: **752.276**

Date Leveled: 0 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a signal standard at

the northwest corner of Arlington Avenue and Airport Drive.

Recovered in good condition by City Survey Crew - 9/97

Bench Mark Description:

Point ID: **G4-B2**

1929 Elevation: **754.925** 1988 Elevation: **757.372**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/44 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " G4-B " in a monument well on the centerline of Monroe

Street 10 feet northerly of the centerline of California Avenue.

Bench Mark Description:

Point ID: G4-C2

1929 Elevation: **750.075** 1988 Elevation: **752.518**

Date Leveled: 0 Date Leveled:

Reference: FB839/35 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the westerly curb return of Monroe Street and Colorado Avenue

Bench Mark Description:

Point ID: **G4-D2**

1929 Elevation: **751.368** 1988 Elevation: **753.808**

Date Leveled: 0 Date Leveled: 0

Reference: FB839/40 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail in the nose of the island of Airport Drive at Arlington Avenue and Airport Drive.

Point ID: **G4-E2**

1929 Elevation: **781.006** 1988 Elevation: **783.449**

Date Leveled: 0 Date Leveled: 0

Reference: FB839/39 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the center of the southwest curb return of Arlington

Avenue and Adams Street.

Reported Destroyed by City Survey Crew - 12/97

Bench Mark Description:

Point ID: **G4-F3**

1929 Elevation: **753.174** 1988 Elevation: **755.621**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K., Nail and City Engineer Tag in the westerly curb return of of California

Avenue and Lido Drive.

Bench Mark Description:

Point ID: G4-G3

1929 Elevation: **758.567** 1988 Elevation: **761.014**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Enginee Tag in the top of a catch basin 2 feet southwest of the southwest curb return at California Avenue and Rucker Lane.

Bench Mark Description:

Point ID: G4-H3

1929 Elevation: **764.217** 1988 Elevation: **766.664**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a pedestrain signal at the northerly corner of Adams Street and California Avenue.

Point ID: G4-I3

1929 Elevation: **767.318** 1988 Elevation: **769.765**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the concrete base of a street light at the

southerly corner of California Avenue and Canterbury Road.

Bench Mark Description:

Point ID: **G4-J3**

1929 Elevation: **749.591** 1988 Elevation: **752.035**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Colorado Avenue

at the B.C.R. of the southerly curb return of Jackson Street and Colorado Avenue

Bench Mark Description:

Point ID: G4-K3

1929 Elevation: **745.785** 1988 Elevation: **748.229**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light at the

most mortherly corner of Colorado Avenue and Dundee Road.

Bench Mark Description:

Point ID: **G4-L3**

1929 Elevation: **748.724** 1988 Elevation: **751.170**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the easterly curb of Jackson Street, 2 feet southeasterly of the B.C.R. of the easterly curb return of

Jackson Street and Delano Avenue.

Point ID: G4-M3

1929 Elevation: **760.163** 1988 Elevation: **762.612**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the most westerly curb return of Monroe

Street and Garfield Street.

Bench Mark Description:

Point ID: G4-N3

1929 Elevation: **742.847** 1988 Elevation: **745.287**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the northerly curb of Arlington Avenue near the E.C.R. of the westerly curb return of the most easterly driveway

to Airport Park, approximately 1300 feet easterly of Van Buren Blvd.

Bench Mark Description:

Point ID: G4-O3

1929 Elevation: **774.065** 1988 Elevation: **776.507**

Date Leveled: 0 Date Leveled: (

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in powerpole number 26544-J on the north side of Arlington Avenue appoximately 177 feet west of Weaver Street. Spike is 1.5 feet above

existing ground.

Recovered in good condition by City Survey Crew - 12/97 (Elev checks)

Bench Mark Description:

Point ID: G4-P3

1929 Elevation: **779.410** 1988 Elevation: **781.859**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag at the E.C.R. of the most southerly curb return of Adams Street and Garfield Street.

Point ID: G4-Q3

1929 Elevation: **762.712** 1988 Elevation: **765.156**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag at the E.C.R. of the most northerly curb return

of Adams Street and Camelia Drive.

Recovered in good condition by City Survey Crew 12/97

Bench Mark Description:

Point ID: G4-R3

1929 Elevation: **758.229** 1988 Elevation: **760.676**

Date Leveled: 1988 Date Leveled: 0

Reference: LL24/93 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a Metropolitan Water Department air vent at the northerly corner of California Avenue and Shelby Drive. (Formerly G4-G RESET)

Bench Mark Description:

Point ID: G4-S2

1929 Elevation: **755.337** 1988 Elevation: **757.784**

Date Leveled: 1983 Date Leveled:

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of the traffic signal pole at the easterly corner of California Avenue and Monroe Street.

Bench Mark Description:

Point ID: **G4-T3**

1929 Elevation: **789.705** 1988 Elevation: **792.147**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/111 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a street light base along the southerly curb of Arlington Avenue, 55 feet easterly of Neil Street.

Point ID: G4-U3

1929 Elevation: **781.199** 1988 Elevation: **783.641**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/111 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the top of Catch Basin at the northwesterly

curb return of Arlington Avenue and Adams Street. (Church Entrance)

Bench Mark Description:

Point ID: G4-V3

1929 Elevation: **770.412** 1988 Elevation: **772.855**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/111 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a traffic signal base at the northwesterly

curb return of Arlington Avenue and Hillside Avenue.

Bench Mark Description:

Point ID: G4-X3

1929 Elevation: **767.418** 1988 Elevation: **769.862**

Date Leveled: 1997 Date Leveled:

Reference: LL44/111 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a concrete street light base at the north-

easterly corner of Arlington Avenue and Malibu Drive.

Bench Mark Description:

Point ID: G4-Y3

1929 Elevation: **768.188** 1988 Elevation: **770.632**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/111 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in lead on the southerly curb return of Arlington Avenue and Jefferson Street.

Point ID: **G4-Z3**

1929 Elevation: **769.102** 1988 Elevation: **771.544** Date Leveled: 1997 Date Leveled: 0 Reference: LL44/82 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light along the southerly

curb of Arlington Avenue, 325 feet easterly of Murray Street, and 50 feet

easterly of a driveway E.C.R.

Point ID: G5-A2

1929 Elevation: **797.890** 1988 Elevation: **800.341**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/16 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point
Description:

Brass Disk stamped " G5-A " in a monument well at the intersection of

Adams Street and Magnolia Avenue.

Bench Mark Description:

Point ID: G5-C2

1929 Elevation: **796.690** 1988 Elevation: **799.137**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/29 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Concrete Monument with Wire down 14 inches in a monument well at the

intersection of Arlington Avenue and Palomar Way.

Bench Mark Description:

Point ID: **G5-D2**

1929 Elevation: **833.147** 1988 Elevation: **835.596**

Date Leveled: 0 Date Leveled:

Reference: FB735/30 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " G5-D " in a monument well at the intersection of

Arlington Avenue and Palm Street.

Bench Mark Description:

Point ID: **G5-E2**

1929 Elevation: **767.860** 1988 Elevation: **770.305**

Date Leveled: 0 Date Leveled: 0

Reference: FB735/41 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " $\mathsf{G5-E}$ " in a monument well on the centerline of

Jefferson Street 10 feet southeasterly of Arlington Avenue.

Point ID: G5-F2

1929 Elevation: **792.336** 1988 Elevation: **794.786**

Date Leveled: 0 Date Leveled: 0

Reference: FB739/71 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag 3 feet northweasterly of the E.C.R. at the northerly curb

return of Magnolia Avenue and Jefferson Street

Bench Mark Description:

Point ID: G5-G2

1929 Elevation: **814.399** 1988 Elevation: **816.849**

Date Leveled: 0 Date Leveled: 0

Reference: FB739/72 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the concrete base of a signal standard at the southerly

corner of Magnolia Avenue and Madison Street.

Reported Destroyed: Wayne Ewing 4/27/92

Bench Mark Description:

Point ID: G5-H3

1929 Elevation: **855.153** 1988 Elevation: **857.607**

Date Leveled: 0 Date Leveled:

Reference: FB838/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and Tag in the headwall of the Riverside Water Company Canal

on the southwesterly side of Madison Street, southeasterly of Indiana Avenue.

See FB 739/75 and FB 838/??

Bench Mark Description:

Point ID: **G5-I2**

1929 Elevation: **781.416** 1988 Elevation: **783.862**

Date Leveled: 0 Date Leveled: 0

Reference: FB984/33 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the southerly curb of Arlington Avenue, 45, west of the centerline of California Avenue projected as measured along the southerly curb, 1.5 feet east of a catch basin.

Point ID: **G5-J3**

1929 Elevation: **772.102** 1988 Elevation: **774.548**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light at the

easterly corner of California Avenue and Jefferson Street. CADME does not show street light, check at traffic signal. Recovered in good condition by City Survey Crew - 12/97

Bench Mark Description:

Point ID: G5-K3

1929 Elevation: **778.803** 1988 Elevation: **781.251**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the most easterly curb return

of Jefferson Street and Sycamore Avenue.

Bench Mark Description:

Point ID: **G5-L2**

1929 Elevation: **845.155** 1988 Elevation: **847.605**

Date Leveled: 1988 Date Leveled:

Reference: LL24/66 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly wing of a catch basin on the

west side of Brockton Avenue, 79 feet southerly of Alrington Avenue.

(BM Transfer from NAVAL)

Point ID: G6-B2

1929 Elevation: **944.502** 1988 Elevation: **946.960**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/5 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in monument well at the intersection of Victoria Avenue and Mary

Street

Bench Mark Description:

Point ID: G6-E3

1929 Elevation: **858.758** 1988 Elevation: **861.209**

Date Leveled: 0 Date Leveled: 0

Reference: FB739/76 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and tag in the top of the northerly curb of Alrington Avenue, 1.5 feet westerly of the west curb of the north bound on ramp to the Riverside Freeway

Bench Mark Description:

Point ID: G6-F2

1929 Elevation: **974.744** 1988 Elevation: **977.202**

Date Leveled: 1971 Date Leveled:

Reference: FB838/57 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the culvert headwall at the westerly corner of Maude Street and Victoria Avenue.

Bench Mark Description:

Point ID: G6-G2

1929 Elevation: **960.565** 1988 Elevation: **963.021**

Date Leveled: 1971 Date Leveled: 0

Reference: FB838/60 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the culvert headwall at the westerly corner of Anna Street nd Victoria Avenue

Point ID: G6-H2

1929 Elevation: **889.160** 1988 Elevation: **891.610**

Date Leveled: 1971 Date Leveled: 0

Reference: FB839/38 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the top of a retaining wall on the south side of Arlington

Avenue, 75 feet west of Horace Street

Bench Mark Description:

Point ID: G6-I3

1929 Elevation: **902.440** 1988 Elevation: **904.894**

Date Leveled: 0 Date Leveled: 0

Reference: FB846/6-7 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and Tag in the easterly curb return of Mary Street and Marguerita

Avenue

Bench Mark Description:

Point ID: G6-J2

1929 Elevation: **912.466** 1988 Elevation: **914.923**

Date Leveled: 1971 Date Leveled:

Reference: FB847/1 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the westerly curb return of Washington Street and Lincoln

Avenue.

Bench Mark Description:

Point ID: G6-L3

1929 Elevation: **860.734** 1988 Elevation: **863.185**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/92 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Arlington Avenue perpindicular to the centerline intersection of Arlington Avenue and Indiana Avenue

Point ID: G6-M3

1929 Elevation: **851.147** 1988 Elevation: **853.597**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/92 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Arlington Avenue at the

approximate centerline prod of Mt. Diablo

Bench Mark Description:

Point ID: G6-N3

1929 Elevation: **825.580** 1988 Elevation: **828.028**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/8 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly curb of San Simeon Way, 1 foot

westerly of the E.C.R. at the northwest curb return of De Anza Avenue and

San Simeon Way

Bench Mark Description:

Point ID: G6-O3

1929 Elevation: **830.950** 1988 Elevation: **833.397**

Date Leveled: 1996 Date Leveled:

Reference: LL42/8 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly curb of De Anza Avenue, 1 foot northerly of the E.C.R. at the northeast curb return of Central Avenue and

De Anza Avenue.

Bench Mark Description:

Point ID: G6-P3

1929 Elevation: **845.459** 1988 Elevation: **847.905**

Date Leveled: 1996 Date Leveled: 0

Reference: LL41/107 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Chisled Square in the southwest corner of a concrete catchbasin cover on the southerly side of Tipperary Way, 65 feet easterly of the centerline of

Riverside Avenue.

Point ID: G7-A2

1929 Elevation: **967.071** 1988 Elevation: **969.526**

Date Leveled: 1971 Date Leveled: 0

Reference: FB839/34 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the center of the southwest curb return at Arlington Avenue

and Victoria Avenue

Bench Mark Description:

Point ID: G7-B2

1929 Elevation: 1017.293 1988 Elevation: 1019.749

Date Leveled: 1971 Date Leveled: Ω

Reference: FB839/37 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and tag in the southwesterly curb return of Arlington Avenue and

Hawarden Drive

Bench Mark Description:

Point ID: G7-C2

1929 Elevation: **1136.542** 1988 Elevation: **1139** Date Leveled: 1971 Date Leveled:

Reference: FB846/8 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the southeasterly curb return of Alessandro Blvd. and Chicago

Avenue

Bench Mark Description:

Point ID: G7-D2

1988 Elevation: 1092.302 1929 Elevation: 1089.845

Date Leveled: Date Leveled: 1971 0

Reference: FB846/15 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the base of a street light pole in the median of County Club Drive

at Chicago Avenue

Point ID: G7-E2

1929 Elevation: **969.928** 1988 Elevation: **972.383**

Date Leveled: 1976 Date Leveled: 0

Reference: FB994/36 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly wing of a catch basin on the southerly curb of Arlington Avenue, 55 feet easterly of the centerline of

Victoria Avenue. (B.M. Transfer from G7-A2)

Bench Mark Description:

Point ID: G7-F3

1929 Elevation: **1135.110** 1988 Elevation: **1137.570**

Date Leveled: 1985 Date Leveled: 0

Reference: LL15/107-A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Top edge of the most southerly corner of a large concrete vault

(approx. 10 feet X 14 feet) at the northwesterly corner of Arlington Avenue

and Alessandro Blvd.

Point ID: G8-A3

1929 Elevation: 1068.074 1988 Elevation: 1070.521

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light pole in the median of Country Club Drive 60 feet west of the centerline of Canyon Crest Drive.

1996 Re-Adjusted as part of the Central Avenue Trunk Sewer.

Bench Mark Description:

Point ID: G8-B3

1929 Elevation: 1036.570 1988 Elevation: 1039
Date Leveled: 0 Date Leveled: 0
Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light pole at the back of the west curb of Canyon Crest Drive, 48 feet northerly of Via Cartago.

1996 Re-Adjusted as a part of the Central Avenue Trunk Sewer Levels

Bench Mark Description:

Point ID: G8-C3

1929 Elevation: **1117.550** 1988 Elevation: **1119.999**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the nose of the median island of Country

Club Drive on the easterly side of Shaker Drive

1996: Re-Adjusted as part of the Central Avenue Trunk Sewer Levels

Bench Mark Description:

Point ID: G8-D3

1929 Elevation: 1099.701 1988 Elevation: 1102.151

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of the second street light pole in median of Country Club Drive easterly of Via Maria Buena

1996 Re-Adjusted as part of the Central Avenue Trunk Sewer Levels

Point ID: G8-E3

1929 Elevation: **1107.474** 1988 Elevation: **1109.920**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light pole in the median

of County Club Drive 33 feet westerly of Via Sotelo

1996: Readjusted as part of the Central Avenue Trunk Sewer Levels

Point ID: **G9-A3**

1929 Elevation: **829.937** 1988 Elevation: **832.368**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly curb of Stover Avenue, 150 feet northerly of the B.C. of the roadway, 84 feet northerly of a combination power pole and street light # 32062J. Adjusted and input May 20, 1997.

Bench Mark Description:

Point ID: **G9-B3**

1929 Elevation: **853.241** 1988 Elevation: **855.672**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a combination Steeet Light and Power Pole # 31801J

at the easterly corner of Stover Avenue and Chadbourne Avenue. Adjusted and

input, May, 1997.

Bench Mark Description:

Point ID: G9-C3

1929 Elevation: **838.187** 1988 Elevation: **840.618**

Date Leveled: 1985 Date Leveled:

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Stover Avenue, 160 feet westerly of the centerline of Jones Avenue. Adjusted and Input May, 1997

Bench Mark Description:

Point ID: **G9-D3**

1929 Elevation: **821.802** 1988 Elevation: **824.233**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Railroad Spike in a combination power pole # 30295J southerly of the centerline of Stover Avenue, and 97 feet southwesterly of Gaylord Avenue. Adjusted and input May, 1997.

Point ID: G9-E3

1929 Elevation: **809.332** 1988 Elevation: **811.762**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the M.O.C. of the southerly curb return of

Stover Avenue and Eureka Drive. Adjusted and input: May 1997.

Bench Mark Description:

Point ID: **G9-F3**

1929 Elevation: **768.203** 1988 Elevation: **770.633**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light pole, 6 feet easterly of the southeasterly corner of Tyler Street and Eureka Drive.

Adjusted and Entered: May 1997.

Bench Mark Description:

Point ID: **G9-G3**

1929 Elevation: **768.115** 1988 Elevation: **770.544**

Date Leveled: 1985 Date Leveled:

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly curb of Tyler Street, 300 feet

northerly of Mandalay Court. Adjusted and Entered: May 1997.

Bench Mark Description:

Point ID: **G9-H3**

1929 Elevation: **753.367** 1988 Elevation: **755.794**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag on the T.C. of the southerly curb return at Jurupa Avenue and Tyler Street. Adjusted and Entered: May 1997.

Point ID: **G9-I3**

1929 Elevation: **752.557** 1988 Elevation: **754.985**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light pole at the

westerly curb return of Jurupa Avenue and Idylwild Lane.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: **G9-J3**

1929 Elevation: **745.247** 1988 Elevation: **747.677**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light on the easterly curb of Crest Avenue, 7 feet southerly of the B.C.R. of the southeasterly return of Crest Avenue and Mandalay Court.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: G9-K3

1929 Elevation: **752.460** 1988 Elevation: **754.892**

Date Leveled: 1985 Date Leveled: (

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly catch basin wing along the westerly curb of Crest Avenue, 45 feet southerly of the centerline intersection of Crest Avenue and Hillsborough Lane.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: **G9-L3**

1929 Elevation: **745.700** 1988 Elevation: **748.135**

Date Leveled: 1985 Date Leveled: 0

Reference: LL12/ Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in base of a street light at the southwest corner of Rutland Avenue and Bruce Street.

Adjusted and Entered: May 1997

Point ID: GPS-51

1929 Elevation: **813.657** 1988 Elevation: **816.084**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

2 1/2 "Brass Disk stamped "City of Riverside GPS Station 51 1991 CADME" s set in the top of a Catch Basin along the northerly curb of Columbia Avenue, 4 feet east of the BCR of the northeast of Main Street at Coumbia Avenue.

Bench Mark Description:

Point ID: GPS-53

1929 Elevation: **794.821** 1988 Elevation: **797.250**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

2 1/2" Brass Disk stamped " City of Riverside GPS Station No 53 1991 CADME" set in the sidewalk, 1 foot south of the south curb of Mission Blvd. bridge at the west end of the bridge crossing the Santa Ana River.

Bench Mark Description:

Point ID: GPS-54

1929 Elevation: **841.125** 1988 Elevation: **843.564**

Date Leveled: 1991 Date Leveled: (

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

U.S. Coast and Geodetic Survey brass disk stamped " NEWMAN 1929 " in the sidewalk 6 feet back of the northerly curb of Fourteenth Street, 125 feet west of the centerline of Main Street.

Bench Mark Description:

Point ID: GPS-57

1929 Elevation: **952.990** 1988 Elevation: **955.439**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

City of Riverside Brass Cap stamped H7-E in a well monument at the centerline intersection of Kansas Avenue and Prince Albert Drive. Monument is 0.75 feet below A.C. surface.

Leveled by RBF as part of CADME GPS control.

Entered and Adjusted : June 1997

Point ID: GPS-58

1929 Elevation: **826.779** 1988 Elevation: **829.225**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/71 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

 $2\ 1/2$ " Brass Disk stamped "City of Riverside GPS Station # $58\ -\ 1991$ " set in the sidewalk 1' northerly of the northerly curb of Central Avenue; $60\$ feet easterly of the BCR of the northeasterly curb return of Magnolia Avenue and Central Avenue.

(Misc. Levels: RBF and City Survey combined)

Bench Mark Description:

Point ID: GPS-64

1929 Elevation: **876.681** 1988 Elevation: **879.139**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

 $2\ 1/2"$ Brass Disk stamped " City of Riverside GPS Station No. 64 - 1991 CADME" set in the top of a catch basin along the easterly curb of Adams Street at the southeasterly corner of Adams Street and Lincoln Avenue.

Bench Mark Description:

Point ID: GPS-65

1929 Elevation: **1299.467** 1988 Elevation: **1301.931**

Date Leveled: 1991 Date Leveled: (

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Nail in concrete, in a well monument, well is down 26" inches, monument is down 34 inches, in the centerline of Alessandro Blvd, 264.28 feet southerly of El Portal.

(Leveled by RBF as part of GPS project; adjusted by City using RBF, City, and LDC levels in 1998)

Bench Mark Description:

Point ID: GPS-66

1929 Elevation: **1594.281** 1988 Elevation: **1596.754**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

2 1/2" Brass Disk stamped " City of Riverside GPS Station 66 1991 CADME" set in the top of a catch basin along the northerly side of Canyon Spings Pkwy 0.3 miles west of Day Street.

Point ID: GPS-67

1929 Elevation: **1757.219** 1988 Elevation: **1759.712**

Date Leveled: 1971 Date Leveled: 0

Reference: RBFNotes Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

1 1/4" Brass Cap in a well monument, 5" Deep in the center of Barton Road,

230 feet southerly of the intersection of Barton and Van Buren Blvd.

(Point was set by RBF as part of the CADME GPS project and leveled by RBF from VB-10. VB-9 nearby was not found by City Survey Crew and is listed as being destroyed.

Bench Mark Description:

Point ID: GPS-68

1929 Elevation: **1610.288** 1988 Elevation: **1612.810**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

2 1/2" Brass Disk stamped " City of Riverside GPS Station 68, 1991, CADME" set flush in the top of a catch basin in the west center Island of Alessandro Blvd. at Trautwein Road.

Bench Mark Description:

Point ID: GPS-69

1929 Elevation: 1083.685 1988 Elevation: 1086.155

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

G.P.S. Point 69 - A 2 1/2" Brass Disk stamped " City of Riverside GPS Station 69 - 1991" set in the north end of a catch basin 1' east of the east curb of Washington Street and 3' south of the BCR at the southeast curb return of Washington Street and Bradley Street.

(Combined Levels - R.B.F. and City) Misc. Level Work

Bench Mark Description:

Point ID: GPS-70

1929 Elevation: 1003.831 1988 Elevation: 1006.300

Date Leveled: 1998 Date Leveled: 0

Reference: LL45 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

A 2 1/2" Brass Disk stamped "City of Riverside GPS Station 70 - 1991" set in top of the westerly headwall of the Gage Canal at the Van Buren Blvd crossing. Located 4 feet northwesterly of the P.K. Nail for City Benchmark VB-17-2. (B.M. Transfer)

Point ID: GPS-71

1929 Elevation: **705.726** 1988 Elevation: **708.181**

Date Leveled: 1991 Date Leveled: 0

Reference: RBF Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

 $2\ 1/2$ " Brass Disk stamped " City of Riverside GPS Station 71 1991 CADME" set in the southeast corner of a concrete slab for an elctrical vault in the median island of Magnolia Avenue, 325 feet west of the centerline of Fillmore Street.

Point ID: H3-A2

1929 Elevation: **743.621** 1988 Elevation: **746.057**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/39 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the nose of the median island at Van Buren Blvd. and Acorn

Street (now Morris ?)

Bench Mark Description:

Point ID: H3-B2

1929 Elevation: **733.265** 1988 Elevation: **735.696**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/40 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in a 8" concrete filled metal guard post in the traffic island of Van Buren Blvd. northwest of Jurupa Avenue

Bench Mark Description:

Point ID: H3-C2

1929 Elevation: **720.747** 1988 Elevation: **723.172**

Date Leveled: 1971 Date Leveled:

Reference: FB739/41 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the headwall of the old Pedley Road underpass to the

Union Pacific Railroad

Bench Mark Description:

Point ID: H3-D3

1929 Elevation: **726.212** 1988 Elevation: **728.643**

Date Leveled: 1992 Date Leveled: 0

Reference: LL32/32 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Top of the easterly base bolt of a 12" diameter traffic signal pole at the

northeasterly curb return of Jurupa Avenue and Van Buren Blvd.

Adjusted and Entered: May 1997

Point ID: H3-E3

1929 Elevation: **693.086** 1988 Elevation: **695.515**

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/62 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

3" M.W.D. Steel Disk stamped "UF 618 1992" in the concrete bridge abutment wall at the southeast end of the south-bound Van Buren Blvd. bridge over

the Santa Ana River.

Adjusted and Entered: May 1997.

Bench Mark Description:

Point ID: H3-F3

1929 Elevation: **741.229** 1988 Elevation: **743.710**

Date Leveled: 1998 Date Leveled: 0

Reference: FB982/53 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Lead and Tack in the top of curb of the median nose of Van Buren Blvd. south-easterly of the intersection of Central Avenue.

Levelled in 1975, tied into network and adjusted as part of the Landfill Borrow Site grading. 1998

Bench Mark Description:

Point ID: H3-G3

1929 Elevation: **747.059** 1988 Elevation: **749.493**

Date Leveled: 1997 Date Leveled:

Reference: LL39/121 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Chiseled Square in the top of curb at the B.C.R. of the northwest corner of

Acorn Street and Central Avenue.

Leveled in 1995; Tied into network in 1997 for the Landfill Borrow Site.

Bench Mark Description:

Point ID: H3-H3

1929 Elevation: **740.967** 1988 Elevation: **743.403**

Date Leveled: 1999 Date Leveled: 0

Reference: LL46/74 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northwest corner of an electric vault at the southwest corner of Van Buren Blvd and Morris Street

B.M. Transfer as part of Signal Installation: Dec 1999

Point ID: H4-A2

1929 Elevation: **788.314** 1988 Elevation: **790.748**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/48 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the base of a street light pole on the north side of Jurupa

Avenue, 40 feet westerly of the Rohr Spur railroad crossing.

Bench Mark Description:

Point ID: H4-B2

1929 Elevation: **790.235** 1988 Elevation: **792.669**

Date Leveled: 1971 Date Leveled: 0

Reference: FB739/47 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the northwest curb return of Jurupa Avenue and Fremont

Street. (The return between Columbus Street and Freemont Street)

Bench Mark Description:

Point ID: **H4-C3**

1929 Elevation: **790.277** 1988 Elevation: **792.711**

Date Leveled: 1995 Date Leveled: (

Reference: LL41/94 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a traffic signal at the northwest curb return of Jurupa Avenue and Fremont Street. (The return between Fremont

Street and Columbus Street)

Bench Mark Description:

Point ID: **H4-D3**

1929 Elevation: **812.209** 1988 Elevation: **814.643**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/94A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag inthe base of a street light at the north end of the northwest curb return at Jurupa Avenue and Ordway Street.

Point ID: **H4-E3**

1929 Elevation: **746.846** 1988 Elevation: **749.278**

Date Leveled: 1997 Date Leveled: 0

Reference: LL45/51A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light along the southerly

curb of Jurupa Avenue, 190 feet easterly of Rickenbacker Avenue.

Leveled as part of the Landfill Borrow Site project.

Bench Mark Description:

Point ID: H4-F3

1929 Elevation: **752.606** 1988 Elevation: **755.038**

Date Leveled: 1997 Date Leveled: 0

Reference: LL45/51A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a catch basin along the southerly

curb of Jurupa Avenue, 60 feet easterly of Acorn Street.

Leveled as part of the Landfill Borrow Site project.

Bench Mark Description:

Point ID: H4-G3

1929 Elevation: **758.910** 1988 Elevation: **761.343**

Date Leveled: 1997 Date Leveled:

Reference: LL45/50A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a catch basin along the

southerly curb of Jurupa Avenue, 80 feet easterly of Payton Avenue.

Leveled as part of the Landfill Borrow Site Project.

Bench Mark Description:

Point ID: H4-H3

1929 Elevation: **773.899** 1988 Elevation: **776.332**

Date Leveled: 1997 Date Leveled: 0

Reference: LL45/50 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light along the northerly curb of Jurupa Avenue, 50 westerly of Wilderness Avenue.

Leveled as part of the Landfill Borrow Site project.

Point ID: **H4-I3**

1929 Elevation: **713.400** 1988 Elevation: **715.830**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/50A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light pole at the southwest corner of the Sample Station, a brick building located at the southwest corner of the Operations Building/Break Room of the Riverside Sewage Treatment Plant.

Leveled as part of the Landfill Borrow Site project.

Point ID: **H5-A2**

1929 Elevation: **814.071** 1988 Elevation: **816.508**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in a monument well at the intersection of Grand Avenue and Bandini

Avenue, stamped " H5-A "

Bench Mark Description:

Point ID: H5-B2

1929 Elevation: **778.598** 1988 Elevation: **781.040**

Date Leveled: 1988 Date Leveled: 0

Reference: LL23/22C Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a taffic signal 2 feet southerly

of the northeasterly curb return at Streeter Avenue and Central Avenue

(B.M. transfer for H5-C2)

Bench Mark Description:

Point ID: **H5-C2**

1929 Elevation: **777.794** 1988 Elevation: **780.236**

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped H5-C in a monument well on the centerline of Streeter

Avenue, 10 feet southerly of the centerline of Central Avenue.

Bench Mark Description:

Point ID: **H5-D2**

1929 Elevation: **788.688** 1988 Elevation: **791.126**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the southwest curb return at Jurupa Avenue and Streeter

Avenue (Possibly Destroyed)

Point ID: **H5-E2**

1929 Elevation: **801.199** 1988 Elevation: **803.637**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the northwest curb return at Grand Avenue and Rubidoux

Avenue

Reported Destroyed by City Crew: June 1997. See H5-I3 for replacement.

Bench Mark Description:

Point ID: **H5-F3**

1929 Elevation: **788.643** 1988 Elevation: **791.083**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/94 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Rialroad Spike in Power Pole # 16917J, ip 1 foot, 37 feet westerly of the centerline of Streeter Avenue, 35 feet northerly of the northerly track of the

Union Pacific Railroad

Bench Mark Description:

Point ID: **H5-G3**

1929 Elevation: **787.253** 1988 Elevation: **789.692**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/94 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly corner of a catch basin along the northerly curb of Grand Avenue, 90 feet northeasterly of the intersection of Grand Avenue and Streeter Avenue

Bench Mark Description:

Point ID: H5-H3

1929 Elevation: **784.689** 1988 Elevation: **787.128**

Date Leveled: 1995 Date Leveled: 0

Reference: LL41/94 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southeasterly corner of a catch basin in the northerly curb of Jurupa Avenue, 37 feet westerly of Stearns Street.

Point ID: **H5-I3**

1929 Elevation: **801.352** 1988 Elevation: **803.790**

Date Leveled: 1977 Date Leveled: 0

Reference: LL44/110 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the northerly catch basin at the

northerly curb return of Grand Avenue and Rubidoux Avenue.

Bench Mark Description:

Point ID: **H5-J3**

1929 Elevation: **806.353** 1988 Elevation: **808.790**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/110 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light pole at the

northeast corner of Grand Avenue and Glorietta Lane.

Bench Mark Description:

Point ID: H5-K3

1929 Elevation: **738.833** 1988 Elevation: **741.269**

Date Leveled: 1997 Date Leveled:

Reference: LL44/110 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Top of a 1-1/4 " Iron Pipe on the centerline of Rubidoux Avenue, 946.12 feet

northerly of the P.I. of Rubidoux Avenue, northerly of Grand Avenue.

Point ID: H6-A2

1929 Elevation: **835.459** 1988 Elevation: **837.903**

Date Leveled: 1989 Date Leveled: 0

Reference: LL25/18 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a traffic signal pole at the

northeasterly curb return of Jurupa Avenue and Magnolia Avenue

Bench Mark Description:

Point ID: **H6-B2**

1929 Elevation: **834.784** 1988 Elevation: **837.228**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "H6-B" in a monument well at the intersection of Jurupa

Avenue and Magnolia Avenue

Bench Mark Description:

Point ID: **H6-C2**

1929 Elevation: **846.926** 1988 Elevation: **849.368**

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " H6-C" in a monument well at the intersection of Magnolia

Avenue and Bandini Avenue

Bench Mark Description:

Point ID: **H6-D3**

1929 Elevation: **875.844** 1988 Elevation: **878.286**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the northeast curb return of Commerce Street and Cottage Street

Point ID: **H6-E3**

1929 Elevation: **879.797** 1988 Elevation: **882.240**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the southeast curb return of

Commerce Street and Prospect Avenue.

NOTE: PROSPECT STREET IS NOW THE ENTRANCE TO A LARGE MANUFACTURING

COMPLEX

Bench Mark Description:

Point ID: H6-F2

1929 Elevation: **815.586** 1988 Elevation: **818.025**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/47 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "H6-F" in a monument well on the centerline of Palm

Avenue, 10 northerly of the centerline of Bandini Avenue

Bench Mark Description:

Point ID: **H6-G2**

1929 Elevation: **825.425** 1988 Elevation: **827.871**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Brasas Disk in concrete in the traffic island bounded by Magnolia Avenue,

Central Avenue, and Brockton Avenue.

Reported Destroyed By City Survey Crew 3/98

Bench Mark Description:

Point ID: H6-H3

1929 Elevation: **822.844** 1988 Elevation: **825.286**

Date Leveled: 1989 Date Leveled: 0

Reference: LL25/18 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Brockton Avenue 60 feet easterly of the centerline intersection of Maplewood Place and Brockton Avenue.

Point ID: **H6-I3**

1929 Elevation: **887.900** 1988 Elevation: **890.344**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/18A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly curb of Howard Avenue, 1 foot northerly of the B.C.R. of the northwest curb return at Howard Avenue and

Denton Street.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: **H6-J3**

1929 Elevation: **901.622** 1988 Elevation: **904.067**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/18A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southerly curb of Cridge Street, 50 feet easterly of the centerline of Grove Avenue.

Bench Mark Description:

Point ID: H6-K3

1929 Elevation: **862.622** 1988 Elevation: **865.063**

Date Leveled: 1987 Date Leveled:

Reference: LL20/8A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the back of the median island nose, westerly of the centerline

intersection of Fourteenth Street and Mulberry Street.

Adjusted and Entered: May 1997 Note: Location indicates Kane Street; while description indicates Fourteenth.

Point ID: H7-A2

1929 Elevation: **909.777** 1988 Elevation: **912.223**

Date Leveled: 1971 Date Leveled: 0

Reference: FB717/70 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "H7-A" in a monument well at the intersection of Voctoria

Avenue and Cridge Street

Bench Mark Description:

Point ID: H7-C2

1929 Elevation: **946.578** 1988 Elevation: **949.029**

Date Leveled: 1971 Date Leveled: 0

Reference: FB717/73 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "H7-C" in a monument well at the intersection of Central

Avenue and Victoria Ave.

Bench Mark Description:

Point ID: **H7-D3**

1929 Elevation: **929.257** 1988 Elevation: **931.702**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. nail and City Engineer Tag in the top of curb at the southerly end of the

southwest curb return at Kansas Avenue and Twelfth Street.

Bench Mark Description:

Point ID: H7-F2

1929 Elevation: **909.655** 1988 Elevation: **912.100**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/40 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in a 2 inch iron pipe in a monument well at the intersection of High Street and Pennsylvania Avenue.

Point ID: H7-G2

1929 Elevation: **971.111** 1988 Elevation: **973.559**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Taq in the center of the southwest curb return at

the intersection of Chicago Avenue and Pennsylvania Avenue. NOTE: Point may have settled - see LL 13/58 for details

Bench Mark Description:

Point ID: H7-H2

1929 Elevation: **937.218** 1988 Elevation: **939.665**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the southeast curb return of

Kansas Avenue and Pennsylvania Avenue

Bench Mark Description:

Point ID: **H7-I3**

1929 Elevation: **889.435** 1988 Elevation: **891.879**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Spike and Lead in the top of curb 1.5 feet northeast of the northeast curb

return at Park Avenue and Prospect Place

Bench Mark Description:

Point ID: H7-J3

1929 Elevation: **949.380** 1988 Elevation: **951.835**

Date Leveled: 0 Date Leveled: 0

Reference: FB864/48 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail in the rock foundation of the old Gage Canal line, 122 feet easterly of Chicago Avenue and 164 feet south of Central Avenue

Point ID: H7-K3

1929 Elevation: **944.734** 1988 Elevation: **947.188**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in a traffic signal base northerly of the ECR at

the northeast curb return of Chicago Avenue and Central Avenue.

Bench Mark Description:

Point ID: H7-L3

1929 Elevation: 1032.259 1988 Elevation: 1034.715

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of street light pole on the northerly curb of Central Avenue at the B.C.R. of the northeast curb return of Central Avenue and Chapala Drive.

Bench Mark Description:

Point ID: H7-M3

1929 Elevation: 1074.845 1988 Elevation: 1077.302

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of a catch basin along the southerly curb of the eastbound lanes of Central Avenue approximately 25 feet easterly of the southerly prolongation of Wainwright Ct.

Bench Mark Description:

Point ID: H7-N3

1929 Elevation: 1092.001 1988 Elevation: 1094.459

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeast corner of a catch basin along the northerly curb of Central Avenue 9 feet easterly of the B.C.R. of the northeast curb return of Central Avenue and El Cerrito Drive.

Point ID: H7-O3

1929 Elevation: 1103.111 1988 Elevation: 1105.569

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southwest corner of a catch basin along the westerly curb of Canyon Crest Drive 17.5 feet southerly of the ECR of the southwest curb return at Central Avenue and Canyon Crest Drive.

Bench Mark Description:

Point ID: H7-P3

1929 Elevation: **911.895** 1988 Elevation: **914.340**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/14A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southwest corner of a street light base along the northerly curb of Fourteenth Street, 164 feet +/- easterly of Bermuda Avenue.

Set as part of the photo control project for Fourteenth Street - Sedgwick to Kansas

Entered into CADME 5/99

Bench Mark Description:

Point ID: H7-Q2

1929 Elevation: **950.014** 1988 Elevation: **952.465**

Date Leveled: 2000 Date Leveled:

Reference: LL46/10 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

2nd Order Point
Description:

P.K. Nail and City Engineer Tag in the Easterly Wall of a Catch Basin 0.7 feet

back of the curb face along the southerly curb of Central Avenue,

90 feet easterly of the centerline of Victoria Avenue

BM Transfer from H7-C2

Bench Mark Description:

Point ID: H7-Q3

1929 Elevation: **955.980** 1988 Elevation: **958.428**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/15 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeast corner of a catchbasin along the northerly curb of Martin Luther King Blvd. at the northeast corner of Ottawa Ave and Martin Luther King Blvd.

Point ID: H8-A2

1929 Elevation: 1039.105 1988 Elevation: 1041.557

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the center of the northwest curb return at Canyon Crest Drive and Pennsylvania Avenue. Reported Destoyed by City Field Crew .

Bench Mark Description:

Point ID: H8-B2

1929 Elevation: **1258.074** 1988 Elevation: **1260.531**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/15 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the north curb of the Highway 395 frontage road, now Sycamore Canyon Blvd. , and across the street and west of the entrance to the Riverside County Sheriffs Academy

Bench Mark Description:

Point ID: H8-C3

1929 Elevation: **1103.450** 1988 Elevation: **1105.908**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the base of a street light pole at the back of the west curb of Canyon Crest Drive and 50 feet southerly of the centerline of Central Avenue (Previous Elevation used : 1103.51)

Reported Destroyed by City Field Crew: See H7-03 for new B.M.

Bench Mark Description:

Point ID: H8-D3

1929 Elevation: **1151.101** 1988 Elevation: **1153.499**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the nose of the median curb, about 1550 feet easterly of Canyon Crest Drive and south of the entrance to the La Colina Sub-Station.

1996: Re-Adjusted as part of the Central Avenue Trunk Sewer Levels.

Point ID: H8-E3

1929 Elevation: 1231.808 1988 Elevation: 1234.220

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southwesterly corner of the median catch basin on Central Avenue and about 3,450 feet easterly of Canyon Crest

Drive.

1996: Re-Adjusted as a part of the Central Avenue Trunk Sewer Levels.

Bench Mark Description:

Point ID: H8-F3

1929 Elevation: 1360.935 1988 Elevation: 1363.370

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly corner of a catch basin at the

southeast corner of Central Avenue and Box Springs Road (now Sycamore

Canyon Road)

1996: Re-Adjusted as part of the Central Avenue Trunk Sewer Levels.

Bench Mark Description:

Point ID: H8-G3

1929 Elevation: 1090.490 1988 Elevation: 1092.946

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the northwest curb return of Canyon Crest Drive and El Cerrito Drive. (Reported Destroyed 3/97 per City Field Crew.)

Bench Mark Description:

Point ID: H8-H3

1929 Elevation: 1073.450 1988 Elevation: 1075.904

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeast curb return of Canyon Crest Drive and Navajo Drive.

Point ID: H8-I3

1929 Elevation: **997.258** 1988 Elevation: **999.708**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the westerly wing of a catch basin on the north side of Pennsylvania Avenue 56.5 feet easterly of the centerline of Iowa Avenue. Point Destroyed by new construction of MLK. See H8-L3

Bench Mark Description:

Point ID: H8-J3

1929 Elevation: 1088.225 1988 Elevation: 1090.681

Date Leveled: 1997 Date Leveled: 0

Reference: LL42/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the catch basin wing at the northeasterly

curb return at Canyon Crest Drive and El Cerrito Drive.

Bench Mark Description:

Point ID: H8-K3

1929 Elevation: 1075.584 1988 Elevation: 1078.039

Date Leveled: 1997 Date Leveled:

Reference: LL43/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northeast corner of a street light base

along the westerly curb of Canyon Crest Drive 320 feet northerly of

Monte Vista Drive.

Bench Mark Description:

Point ID: H8-L3

1929 Elevation: **998.353** 1988 Elevation: **1000.803**

Date Leveled: 1996 Date Leveled: 0

Reference: LL43/135 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northwest corner of a catch basin along the northerly curb of Martin Luther King Blvd. at the BCR of the northeast curb return at Iowa Avenue and Martin Luther King Blvd.

Point ID: I5-A3

1929 Elevation: **753.831** 1988 Elevation: **756.266**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/109A Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

City of Riverside Brass Disk in a standard monument well stamped "I5-A" on the centerline of Tequesquite 506.74 feet southwesterly of the P.I. at the Landfill Entrance.

Bench Mark Description:

Point ID: **I5-B3**

1929 Elevation: **760.110** 1988 Elevation: **762.545**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/109 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Spike and City Engineer Tag at the P.I. of Tequesquite Avenue southwesterly of Gregory; intersection of centerline Tequesquite Avenue and southerly line of Evans Rio Rancho per CRLL 19/81; CRFB 1001/50; CRFB 972/5. Tied into levels from Tequesquite park photo control FB 1001/54.

Bench Mark Description:

Point ID: I5-C3

1929 Elevation: **778.320** 1988 Elevation: **780.756**

Date Leveled: 1977 Date Leveled:

Reference: FB1001/54 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

3/4" Iron Pipe and Tag R.E. 862 at centerline of Tequesquite Avenue and

San Andreas Avenue.

Leveled as part of the Tequesquite Park photo control CRFB 1001/54

Point ID: I6-C2

1929 Elevation: **773.826** 1988 Elevation: **776.263**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/42 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "I6-C" at the centerline intersection of Palm Avenue

and Pine Street

Bench Mark Description:

Point ID: **I6-D2**

1929 Elevation: **842.756** 1988 Elevation: **845.189**

Date Leveled: 1984 Date Leveled: 0

Reference: LL13/39C Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in a traffic signal base at the southeasterly corner of Seventh Street

and Redwood Drive (BM Transfer from I6-E2)

Bench Mark Description:

Point ID: I6-E2

1929 Elevation: **842.996** 1988 Elevation: **845.429**

Date Leveled: 1971 Date Leveled:

Reference: FB735/50 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "I6-E" in a monument well on the centerline of Seventh Street

(now Mission Inn Avenue) and 10 feet easterly of the centerline of Redwood

Drive. (see transfer BM I6-D2 LL 13/39C)

Bench Mark Description:

Point ID: **I6-F2**

1929 Elevation: **853.156** 1988 Elevation: **855.590**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/56 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped (I6-F) in a monument well at the centerline intersection

of Eleventh Street and Redwood Drive

Point ID: I6-G2

1929 Elevation: **834.134** 1988 Elevation: **836.572**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/134 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "I6-G" in a monument well at the centerline intersection

of Market Street and Fourteenth Street

Bench Mark Description:

Point ID: 16-H2

1929 Elevation: **834.478** 1988 Elevation: **836.917**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/130 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the back of the catch basin at the southeast

corner of Market Street and Fourteenth Street. (BM transfer from ${\tt I6-G2}$)

Bench Mark Description:

Point ID: I6-I3

1929 Elevation: **840.914** 1988 Elevation: **843.351**

Date Leveled: 1971 Date Leveled:

Reference: FB975/10 Reference:

Adjustment Year: 1929 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the top of curb along Tenth Street 12 feet southeasterly of the curb return at the most southerly corner of Tenth Street and Market Street.

Bench Mark Description:

Point ID: **I6-J3**

1929 Elevation: **847.334** 1988 Elevation: **849.766**

Date Leveled: 1997 Date Leveled: 0

Reference: LL44/27 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of a catch basin at the E.C.R of the southeasterly curb return of Fourth Street and Redwood Drive.

Point ID: I7-A2

1929 Elevation: **941.005** 1988 Elevation: **943.446**

Date Leveled: 1971 Date Leveled: 0

Reference: FB717/68 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped "I7-A" in a monument well at the centerline intersection

of Third Street and Chicago Avenue.

Bench Mark Description:

Point ID: I7-B2

1929 Elevation: **956.733** 1988 Elevation: **959.178**

Date Leveled: 1971 Date Leveled: 0

Reference: FB717/69 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Brass Disk stamped "I7-B" in a monument well at the centerline intersection

of Chicago Avenue and University Avenue.

Point Destroyed by Construction - See BM I7-V2

Bench Mark Description:

Point ID: I7-C3

1929 Elevation: **939.915** 1988 Elevation: **942.359**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the top of the easterly wing of a catch basin

at the northeast corner of University Avenue and Ottawa Avenue

Reported Destroyed: June 2001

Bench Mark Description:

Point ID: I7-D3

1929 Elevation: **923.273** 1988 Elevation: **925.716**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the northwest curb return at

University Avenue and Kansas Avenue

Point ID: I7-E2

1929 Elevation: **910.371** 1988 Elevation: **912.809**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/7 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a steet light pole at the

northeast corner of Spruce Street and Chicago Avenue

Bench Mark Description:

Point ID: I7-F2

1929 Elevation: **833.211** 1988 Elevation: **835.645**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/17 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the south end of the west abutment of the Southern Pacific Railroad overpass at Main Street (See BM I7-Q2 for transfer data - FB 1037/52)

Bench Mark Description:

Point ID: I7-G2

1929 Elevation: **825.448** 1988 Elevation: **827.880**

Date Leveled: 1971 Date Leveled: (

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

California Division of Highways Brass Disk in a monument well at the centerline

intersection of Oakley Street and Main Street.

NOTE: It is possible that a traffic detector loop has been placed over the

monument well. EXERCISE CAUTION !!

Bench Mark Description:

Point ID: I7-H3

1929 Elevation: **911.568** 1988 Elevation: **914.011**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail in the base of a street light pole at the back of the southerly curb of University Avenue, 27 feet easterly of the centerline of Comer Avenue

produced.

Point ID: I7-I3

1929 Elevation: **890.553** 1988 Elevation: **892.994**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the curb, 15 feet southeasterly of

the easterly curb return of University Avenue and Park Avenue.

Bench Mark Description:

Point ID: I7-J3

1929 Elevation: **876.441** 1988 Elevation: **878.882**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the center of the northerly headwall of the Riverside Water Company Canal, 110 feet northwest of the intersection of Tenth Street and Commerce Street, 14 feet southeast of the easterly rail of the Santa Fe Railroad.

Bench Mark Description:

Point ID: I7-K3

1929 Elevation: **881.022** 1988 Elevation: **883.460**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly end of the northerly headwall of

the Riverside Water Company Canal at Third Street, 170 feet northwest of

the intersection of Third Street and Commerce Street.

Bench Mark Description:

Point ID: I7-L3

1929 Elevation: **890.636** 1988 Elevation: **893.075**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly catch basin wing at the south east curb return of Third Street and Park Avenue.

Point ID: I7-M3

1929 Elevation: **901.360** 1988 Elevation: **903.800**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly wing of a catch basin, 7 feet

easterly of the northeast curb return at Third Street and Kansas Avenue

Bench Mark Description:

Point ID: I7-N3

1929 Elevation: **916.288** 1988 Elevation: **918.729**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb, 4.5 feet north of the north-

east curb return at Kansas Avenue and LInden Street

Bench Mark Description:

Point ID: **I7-03**

1929 Elevation: **920.765** 1988 Elevation: **923.205**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the northerly curb of Third Street

near the centerline prod of Dwight Street.

Bench Mark Description:

Point ID: I7-P2

1929 Elevation: **940.306** 1988 Elevation: **942.747**

Date Leveled: 1981 Date Leveled: 0

Reference: FB1032/18 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the northwest curb return at Chicago Avenue and Third Street

(Transfer from I7-A2)

Point ID: I7-Q2

1929 Elevation: **832.957** 1988 Elevation: **835.391**

Date Leveled: 1982 Date Leveled: 0

Reference: FB1037/52 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Spike and Lead in the easterly curb of Main Street, 450 feet northerly of First

Street (Transfer of I7-F see FB 1037/52)

Bench Mark Description:

Point ID: I7-R3

1929 Elevation: **860.433** 1988 Elevation: **862.870**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/98 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the back of a catch basin along the easterly curb of LIme Street, at the northeast corner of Lime Street and Third Street.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: I7-S3

1929 Elevation: **852.637** 1988 Elevation: **855.073**

Date Leveled: 1996 Date Leveled:

Reference: LL42/98 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the back of a catch basin along the westerly curb of Orange Street at the southwest corner of Orange Street and Third Street

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: I7-T3

1929 Elevation: **854.513** 1988 Elevation: **856.950**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/98 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Chiseled Square in the top of a curb at the back of the sidewalk, at the

southeast corner of Orange Street and Sixth Street.

Adjusted and Entered: May 1997

Point ID: I7-U3

1929 Elevation: **850.400** 1988 Elevation: **852.838** Date Leveled: 1996 Date Leveled: 0 Reference: LL43/7A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of curb of a Drop Inlet structure at

the southeasterly corner of Ninth Street and Orange Street.

Adjusted and Entered: May 1996

Bench Mark Description:

Point ID: I7-V2

1929 Elevation: **958.738** 1988 Elevation: **961.183**

Date Leveled: 1996 Date Leveled: 0

LL42-96A Reference: Reference:

Adjustment Year: 1970 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the northeast corner of a Catch Basin along the northerly curb of University Ave. at the northeast corner of Chicago Ave. and University Ave.

Point ID: 18-A3

1929 Elevation: **929.631** 1988 Elevation: **932.070**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly end of the southwest curb

return at Spruce Street and Atlanta Avenue

Bench Mark Description:

Point ID: 18-B3

1929 Elevation: **961.275** 1988 Elevation: **963.715**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light pole at

the southwest corner of Iowa Avenue and Spruce Street

Bench Mark Description:

Point ID: **I8-C3**

1929 Elevation: **963.185** 1988 Elevation: **965.626**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light pole at the southwest corner of Iowa Avenue and Massachusetts Avenue.

Bench Mark Description:

Point ID: **I8-D3**

1929 Elevation: **947.716** 1988 Elevation: **950.158**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly end of a catch basin wing on the northerly curb of Blaine Street, 1300 feet westerly of Iowa and 9 westerly of the most westerly driveway to the Arco Service Station.

Point ID: 18-E3

1929 Elevation: **979.847** 1988 Elevation: **982.290**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer tag in the top of curb 2 feet southerly of the south

west curb return at Iowa Avenue and Blaine Street.

Bench Mark Description:

Point ID: 18-F3

1929 Elevation: **993.575** 1988 Elevation: **996.020**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

Carriage Bolt in a 2" square steel plate stamped " BM 72 E 61 " in the center of

the northeast curb return at Iowa Avenue and Linden Street

Bench Mark Description:

Point ID: **I8-G3**

1929 Elevation: **997.467** 1988 Elevation: **999.914**

Date Leveled: 0 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and City Engineer Tag in the center of the southwest curb return of

Iowa Avenue and University Avenue. (Destroyed by construction: 1996)

Bench Mark Description:

Point ID: 18-H3

1929 Elevation: 1000.223 1988 Elevation: 1002.670

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the top of the curb 2 feet northerly of the northeast curb return at Iowa Avenue and Everton Place.

Point ID: I8-I3

1929 Elevation: **977.407** 1988 Elevation: **979.853**

Date Leveled: Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the easterly wing of a catch basin on University Avenue at the northeast corner of Cranford Street and University

Avenue

Bench Mark Description:

Point ID: 18-J3

1929 Elevation: **963.895** 1988 Elevation: **966.337**

Date Leveled: 0 Date Leveled: Ω

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the concrete base of a street light pole on

the westerly side of Iowa, 167 feet southerly of Massachusetts Avenue

(Formerly I8-C RESET)

Bench Mark Description:

Point ID: 18-K3

1929 Elevation: **996.699** 1988 Elevation: **999.144**

Date Leveled: 1988 Date Leveled:

Reference: LL23/125 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the east end of the north concrete handrail abutment of the Linden Street overcrossing of the 60/I-215 Freeway at the

northeasterly corner of Linden Street and Iowa Avenue.

Point ID: J7-B2

1929 Elevation: **841.159** 1988 Elevation: **843.587**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/31 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " J7-B " in a monument well at the centerline intersection

of Chase Street and Orange Street

Bench Mark Description:

Point ID: J7-C2

1929 Elevation: **830.703** 1988 Elevation: **833.132**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/32 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " J7-C " in a monument well at the centerline intersection

of Nash Street and Orange Street.

Bench Mark Description:

Point ID: J7-F2

1929 Elevation: **827.252** 1988 Elevation: **829.682**

Date Leveled: 1971 Date Leveled:

Reference: FB779/48 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Lead at the End of Curve of the soutwest curb return at Orange

Street and Columbia Avenue

Bench Mark Description:

Point ID: **J7-G2**

1929 Elevation: **870.475** 1988 Elevation: **872.907**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

California Division of Highways brass disk in a monument well at the

centerline intersection of Columbia Avenue and Primer Street

Point ID: J7-H2

1929 Elevation: **872.698** 1988 Elevation: **875.130**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

California Division of Highways brass disk in a monument well at the centerline intersection of East La Cadena Drive and Columbia Avenue.

Bench Mark Description:

Point ID: J7-I2

1929 Elevation: **836.813** 1988 Elevation: **839.238**

Date Leveled: 1971 Date Leveled: 0

Reference: FB735/66 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the soutwest corner of a concrete block "CB", 12 feet north of the centerline of Placentia Lane and 240 feet westerly of the centerline of Orange Street.

Bench Mark Description:

Point ID: **J7-J2**

1929 Elevation: **807.185** 1988 Elevation: **809.615**

Date Leveled: 1971 Date Leveled: 0

Reference: FB708/1 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the north "CB" of Strong Street, 90 feet easterly of the centerline

of Main Street.

Bench Mark Description:

Point ID: J7-K2

1929 Elevation: **813.234** 1988 Elevation: **815.662**

Date Leveled: 1971 Date Leveled: 0

Reference: FB847/16 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and Tag in the east "CB" of Main Street, 18 feet south of the Begin of Curb Return at Columbia Avenue

Point ID: J7-L2

1929 Elevation: **872.746** 1988 Elevation: **875.179**

Date Leveled: 1982 Date Leveled: 0

Reference: LL6/95A Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

The northeasterly bolt in the street light base at the southeasterly corner

of Columbia Avenue and East La Cadena Drive.

(BM Transfer from J7-H)

Reported Destoyed: 2/98 - By City Survey Crew

Bench Mark Description:

Point ID: J7-M2

1929 Elevation: **871.063** 1988 Elevation: **873.496**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/58 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly wall of a catch basin 1' north of the northerly curb of Columbia Avenue, 155 feet easterly of E.La Cadena Drive (Set as part of the Laurel project.)

Bench Mark Description:

Point ID: J7-N3

1929 Elevation: **868.272** 1988 Elevation: **870.706**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/58 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the street light base at the northwest curb

return of Laurel Avenue and Marlborough Avenue.

(Set as part of the Laurel project)

Bench Mark Description:

Point ID: J7-03

1929 Elevation: **887.877** 1988 Elevation: **890.312**

Date Leveled: 1998 Date Leveled: 0

Reference: LL45/70 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the westerly wall of a catch basin 1' northerly of the northerly curb of Marlborough Avenue, 95' easterly of the

centerline of Chicago Avenue.

(Set as part of the Laurel project)

Point ID: J8-A3

1929 Elevation: **929.110** 1988 Elevation: **931.546**

Date Leveled: 0 Date Leveled: 0

Reference: FB717/65 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Brass Disk stamped " ${\tt J8-A}$ " in a monument well at the centerline intersection

of Iowa Avenue and Marlborough Avenue.

Bench Mark Description:

Point ID: **J8-B3**

1929 Elevation: **918.760** 1988 Elevation: **921.194**

Date Leveled: 0 Date Leveled: 0

Reference: FB837/18 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Point Destroyed

Description:

P.K. Nail and Tag in the center of the northwest curb return at Columbia Avenue

and Iowa Avenue

Bench Mark Description:

Point ID: J8-C2

1929 Elevation: **945.989** 1988 Elevation: **948.417**

Date Leveled: 1974 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

A standard brass disk in a concrete post, 100 feet north and 160 feet east of the intersection of Transit Avenue and Church Street, 20 feet east of the extreme east rail, 12 feet north of a telegraph pole, and 5.5. feet south of a

switch box.

Bench Mark Description:

Point ID: **J8-D3**

1929 Elevation: **918.908** 1988 Elevation: **921.341**

Date Leveled: 1981 Date Leveled: 0

Reference: FB1029/16 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Lead and Tack in the top of curb 3.5 feet north of the B.C.R. of the northwest curb return at Palmyrita Avenue and Iowa Avenue.

CAUTION: There is also a lead and tack at the M.O.C.

Adjusted as part of the A.T.S.F. Railroad at Iowa Project 2/96

Point ID: **J8-E3**

1929 Elevation: **926.150** 1988 Elevation: **928.581**

Date Leveled: 1996 Date Leveled: 0

Reference: LL41/111 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Chisled Square at the S.E. Corner of a concrete retaining wall at the northeast

corner of Iowa Avenue and the A.T.S.F. railroad crossing.

Leveled and adjusted as part of the Iowa at A.T.S.F. Project dated 2/96

Bench Mark Description:

Point ID: J8-F2

1929 Elevation: **952.776** 1988 Elevation: **955.205**

Date Leveled: 1996 Date Leveled: 0

Reference: LL41/111 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Chisled Square at the southeast top of a catch basin on the northerly side of

Center Street east of Transit Avenue

Bench Mark Description:

Point ID: J8-G3

1929 Elevation: **930.869** 1988 Elevation: **933.305**

Date Leveled: 1997 Date Leveled:

Reference: LL43/104 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the southeasterly corner of a catch basin along the easterly curb of Iowa Avenue at the southeast curb return of Iowa

Avenue and Marlborough Avenue. (B.M. Transfer from J8-A3)

Bench Mark Description:

Point ID: J8-H3

1929 Elevation: **981.648** 1988 Elevation: **984.083**

Date Leveled: 1981 Date Leveled: 0

Reference: FB1029/17 Reference:

Adjustment Year: 1970 Adjustment Year: 2009

3rd Order Point Description:

Lead and Tack in the top of the northwest corner of a catch basin on the southwest corner of Palmyrita Avenue and Northgate Street - southerly.

(Input June 1998 from City Notes)

Point ID: K7-B2

1929 Elevation: **833.594** 1988 Elevation: **836.016**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

County Surveyor's brass monument in a monument well at the centerline

intersection of North Main Street and Placentia Lane.

Point ID: L1-A3

1929 Elevation: **1534.311** 1988 Elevation: **1536.787**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/105 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light pole along the northerly curb of Eastridge Avenue, 82 feet westerly of Box Springs Blvd.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: L1-B3

1929 Elevation: **1537.343** 1988 Elevation: **1539.816**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/105 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the base of a street light along the southerly curb of River Crest Drive, 70 feet westerly of Box Springs Blvd.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: L1-C3

1929 Elevation: **1510.379** 1988 Elevation: **1512.846**

Date Leveled: 1997 Date Leveled:

Reference: LL43/105 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

P.K. Nail and City Engineer Tag in the northerly corner of a catch basin in the median curb of Sycamore Canyon Blvd, 95 feet southeasterly of Fair Isle Drive.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: L1-D3

1929 Elevation: **1505.783** 1988 Elevation: **1508.251**

Date Leveled: 1997 Date Leveled: 0

Reference: LL43/105 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

Brass Disk in a monument well stamped " C.S.D.H., REPL 2"I.P. FOR NE COR. OF

SEC. 4, T3S R4W" 0.94 feet deep at the intersection of Morton Road and

Box Springs Blvd. (Elev per LL 14/82A = 1505.71)

Adjusted and Entered: May 1997

Point ID: MARTINEK

1929 Elevation: **984.900** 1988 Elevation: **987.352**

Date Leveled: 1971 Date Leveled: 0

Reference: FB857/64 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk in concrete on a small raised earth mound on the westerly side of Chicago Avenue at Le Conte Avenue. Point is 35 feet southerlu of a pole # 19037 J and 35.4 feet westerly of the existing berm of Chicago Avenue.

Point ID: NAVAL

1929 Elevation: **843.015** 1988 Elevation: **845.464**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

U.S.C.&G.S. brass cap (triangulation station naval) in a monument well in the sidewalk at the northwest corner of Alrington Avenue and Brockton Avenue

Point ID: 0-38

1929 Elevation: **788.349** 1988 Elevation: **790.802**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

See F4-G1 for details

Point ID: VB-08-2

1929 Elevation: **1638.123** 1988 Elevation: **1640.622**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass disk stamped " VB-8 " in the top of a 4 X 10 foot granite boulder, 205

feet west of Plummer Road at the southwest corner of Plummer Road and

Van Buren Blvd.

Found in Good Condition by Keith Co. 12/98

Bench Mark Description:

Point ID: VB-09-2

1929 Elevation: **1704.487** 1988 Elevation: **1706.981**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

Brass Disk stamped "VB-9" in a 4 X 9 X 16 foot granite boulder on top of a

small knoll, 150 feet south of Van Buren Blvd, and 1.2 miles east of the

intersection of Van Buren Blvd and Wood Road. Reported as NOT FOUND: 3/2/98 by City Survey Crew

Bench Mark Description:

Point ID: VB-10-2

1929 Elevation: 1700.632 1988 Elevation: 1703.123

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk stamped " VB-10 " on top of a 3 X 15 X 18 foot granite boulder in the northeast side of a group of boulders , 205 feet north of Van Buren Blvd

0.6 miles east of Wood Road.

Note: Mark Destoyed by construction 1996.

See Transfer LL 43/110

Bench Mark Description:

Point ID: VB-11-2

1929 Elevation: **1604.495** 1988 Elevation: **1606.984**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Point Destroyed

Description:

A concrete nail set in the north edge of a 8 foot concrete sidewalk , 3 feet west of a porch upright, 12 feet northwest of the northwest corner of a stucco building, 90 feet southerly of Van Buren Blvd, and 0.3 miles west on Van Buren Blvd. from the intersection of Wood Road.

MARK REPORTED DESTROYED 8/6/99

Point ID: VB-12-2

1929 Elevation: **1582.814** 1988 Elevation: **1585.301**

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

A brass disk marked "VB-12" set in a 1 X 3 X 7 foot granite boulder, 2 feet east of a marker post, 116 feet north of Van Buren Blvd., 92 feet east of Chicago Avenue, at the southeast corner of Van Buren Blvd. and Chicago Avenue in the Woodcrest area. NOTE: This discription contains a descrepancy related to the quadrant the BM falls in.

Bench Mark Description:

Point ID: VB-13-2

1929 Elevation: 1486.833 1988 Elevation: 1489.319

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

Brass Disk marked "VB-13-64" in a concrete post, 1 foot east of a marker post 9, feet west of a down guy anchor, 78.2 feet west of Washington Street, 490 feet south of the intersection of Van Buren Blvd and Washington Street in the Woodcrest area.

Bench Mark Description:

Point ID: VB-15-2

1929 Elevation: **1252.477** 1988 Elevation: **1254.952**

Date Leveled: 1971 Date Leveled:

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

3.8 miles southeast along Van Buren Blvd from the intersection of Van Buren Blvd and the A.T. & S.F. Railroad , 118 feet south of Van Buren Blvd. , 75 feet southwest of a telephone pole # 632971, 3 feet east of a marker post, on the west side of a large wash and on top of a large granite boulder, a Brass Disk stamped "VB-15"

Bench Mark Description:

Point ID: VB-17-2

1929 Elevation: 1003.826 1988 Elevation: 1006.295

Date Leveled: 1971 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

2nd Order Point Description:

P.K. Nail in the westerly headwall of the Gage Canal at the Van BUren Blvd Crossing.

Point ID: **Z-1-AUX**

1929 Elevation: **851.967** 1988 Elevation: **854.404**

Date Leveled: 1996 Date Leveled: 0

Reference: LL42/98 Reference:

Adjustment Year: 1971 Adjustment Year: 2009

3rd Order Point Description:

U.S. Coast and Geodetic Brass Disk stamped "Z1 RESET 1962" in a monument well in the back of the sidewalk at the northeast corner of Orange Street and Mission Inn Avenue.

Adjusted and Entered: May 1997

Bench Mark Description:

Point ID: Z-1-RESET

1929 Elevation: **857.615** 1988 Elevation: **860.090**

Date Leveled: 0 Date Leveled: 0

Reference: Reference:

Adjustment Year: 1971 Adjustment Year: 2009

1st Order Point Description:

A standard U.S.C.& G.S. brass disk cemented in a drill hole at the entrance to the Riverside Municipal Museum Building. About 4 feet higher than the street it is 41.6 feet south of a concrete lamp post, 16.5 feet east of the center of the entrance into the building, 3.3 feet west of the most easterly one of 6 columns, 3.3 feet east of the second column from the east and 0.6 feet south of the north edge of the archway.