MAP SHOWING IMPROVEMENTS TO BE MADE ON LIME ST.

Scale, 1 inch = 50 ft.
1 in Ver. = 5 ft.

A. P. Campbell,
City Engineer.



Cross section of curb and gutter.
Gutter to be 36 inches wide less the batter of the curb.

Cross-section of alley entrance. Concrete shall be 1 bag of cement to 4 cu. feet of sand and 8 cu. feet of rock. Surface shall be oil and screenings the same as called for in Specification No. 84 for the construction of macadam roadways. 3 inch screenings to be used.



Cross-section of roadway. Rock shall be 6" to 3" inclusive, crusher run rock. Rock base shall be FINISH GRADE when finished and No screenings and all put on above grade. 3 inch screenings shall be used.



Cross section of concrete to be constructed at "A", "B", "C" and "D". 10 inch "C" Band concrete, mixed in concrete after main proportions as the concrete gutter.

NOTE- IMPROVEMENTS TO BE ARE SHOWN ON THE MAP AS FOLLOWS :-
Macadam roadway to be constructed is shown thus :
Concrete gutter to be constructed is shown thus :
Cement curb to be constructed is shown thus :
Steel and concrete culverts to be constructed are shown thus ——, at "A", "B", "C" and "D".
Alley entrances to be concreted are shown thus :

Adopted by the Mayor and Common Council of the City of Riverside, July 2, 1910
Attest
City Clerk.