



- CONSTRUCTION NOTES**
- CONSTRUCTION SHALL BE IN ACCORDANCE WITH STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1979 EDITION.
 - THE FOLLOWING STD. DIMS APPLY:
 - 452 - PIPE BEDDING
 - 453 - TRENCH BACKFILL
 - 500 - MANHOLE
 - 565 - SEWER LATERAL
 - IT IS OPTIONAL FOR THE CONTRACTOR TO USE 455 COMPOSITE PIPE (TRUSS PIPE) IN LIEU OF V.C.P.

IOWA AVENUE

CITRUS STREET

BENCH MARK CITY OF RIV. 601-G-68
 BRONZE DISK IN CONG. POST ABOUT 1.1 MILES SW ALONG AT & SF R.R. FROM THE CROSSING OF CENTER STREET AT HIGH GROVE, 0.2 MILES SW OF THE PALMYRITA AVE. CROSSING, 20' NW OF THE NW RAIL, 66.5' NE OF PP#25181J, 50' NE OF A CONG. CONTROL BOX. STD. DISK IN CONG. POST 4' LOWER THAN THE TRACK GUARD POST
 ELEV. 898.646

APPROVED BY <i>James O. ...</i> PACIFIC TELEPHONE CO. DATE 10-22-79	HAWKINS, ROBERTSON & ASSOC. ENGINEERS & SURVEYORS RIVERSIDE CALIFORNIA <i>Charles E. Robertson</i> R.C.E. 15016 DATE 10/16/79 FOR: J.D. DIFFENBAUGH	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY PRINCIPAL ENGINEER PARK DEPARTMENT TRAFFIC DIVISION CHIEF P. W. ENGR. DATE 11/5/79	SEWER PLAN & PROFILE CITRUS STREET SEWER EXTENSION FOR: R.S. 53/32, PARCEL 2	PROJECT NO. S-1222 SHEET 1 OF 1 FILE NO. 79-2938
--	--	--	--	--