



CONSTRUCTION NOTES

- 1- Construct M.H. No 1 Std No. 500
- 2- Construct M.H. No 2 Std No. 500
- 3- Construct 8" VCP main
- 4- Construct 4" VCP lateral

QUANTITIES

1	CITY STD. NO. 500 MANHOLE	2 EA
2	8" VCP SEWER MAIN	265 LF
3	4" VCP SEWER LATERAL	334 LF
4	STREET CUT & PATCH	260SF

GENERAL NOTES

- 1 All manholes to be Riverside City Standard No. 500, unless otherwise noted on Plan. Maximum vertical spacing of steps in all manholes shall be 12 inches.
- 2 All construction shall be in accordance with the Standard Specifications for Public Works Construction 1979 Edition Standard Drawings of the City of Riverside, Department of Public Works. Pipe shall be bedded per Case 1 Standard Drawing No. 452 unless otherwise specified on Plans.
- 3 It shall be the responsibility of the Contractor to clear the right of way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances and at no cost to the City of Riverside.
- 4 Joints shall be Type 'E' or 'G' as per Standard Specifications.
- 5 Location of all tees and laterals to be located in field. Avoid conflict with proposed and/or existing facilities.
- 6 All stubs and laterals to be constructed in accordance with Standard Drawing No. 562.
- 7 Laterals shall be 4" VCP and extended to property line.
- 8 ~~Replace all pavement removal with 3" A.C. over 9" D.G. base~~
- 9 ~~All sewer laterals to be laid at 1/8% grade and all wyes to be laid flat.~~
- 10 Contractor is to verify existing sewer elevation prior to construction.
- 11 The sewer contractor shall adjust manholes to final grade after paving is completed.
- 12 A plug shall be installed and will remain in place where the new sewer connects with the existing sewer until the new sewer is accepted by the city.

BENCH MARK

P.K. nail in North cb of Strong Street 90' Easterly of centerline Main Street Field Book 708/1 Elev 807.185

PRIVATE ENGINEER'S NOTE

The private engineer signing these plans is responsible for assuring the accuracy and acceptability of the work hereon. In the event of discrepancies arising during construction as a result of errors or omissions the private engineer shall be responsible for determining an acceptable solution and revising the plans for approval by the City.

PLANNING DEPARTMENT
BUILDING & SAFETY DIVISION
APPROVED BY: *W.F. Jurey*
DATE: 1-8-80

CITY OF RIVERSIDE
PUBLIC UTILITIES DEPARTMENT
WATER DIVISION
APPROVED BY: *Med Lantz* DATE: 3/20/80

STEVEN R. SIMPSON CO.
ENGINEERS & CONSTRUCTORS
RIVERSIDE, CA.
APPROVED BY: *Steve Simpson* DATE: 2/28/80
R.E. No. 23,484

MARK	REVISIONS	APPR.	DATE
DESIGNED BY: <i>SRB</i>	DRAWN BY: <i>SK</i>	CHECKED BY: <i>SRB</i>	

CITY OF RIVERSIDE
PUBLIC WORKS DEPARTMENT
APPROVED BY: *[Signature]*
DATE: 5/17/80

Sewer Plan and Profile
BUSINESS WAY
PM 15234
Zone Case R-80-789
HORIZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 2'

ACCOUNT NO.
S-1237
SHEET 1 OF 1

* AS BUILT 5-28-85 T.E.