



NOTE:
WATER SERVICE LINES & SEWER
LATERALS MUST MAINTAIN A
10' MIN. OUT/OUT SEPARATION

GENERAL NOTES

- CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE DEPT. OF PUBLIC WORKS, STANDARD DRAWINGS, STANDARD DRAWING NO. 10 AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, CURRENT EDITION.
- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT-OF-WAY IN ACCORDANCE WITH THE PROVISIONS OF THE LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND NO COST TO THE CITY OF RIVERSIDE.
- PIPE SHALL BE BEDDED PER CASE 1, STANDARD DRAWING NO. 452, UNLESS OTHERWISE SPECIFIED ON PLAN.
- THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR ASSURING THE ACCURACY AND ACCEPTABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY.
- THE DEVELOPER SHALL BE RESPONSIBLE FOR PRESERVING OR RE-ESTABLISHING AND REFERENCING SURVEY MONUMENTS DESTROYED, DISTURBED OR BURIED AS A RESULT OF CONSTRUCTION SHOWN HEREON.
- ALL FLAGGED ELEVATIONS SHALL BE STAKED IN THE FIELD BY THE PRIVATE ENGINEER.
- THE CONTRACTOR SHALL CALL IN A LOCATION REQUEST TO UNDERGROUND SERVICE ALERT (USA) PHONE NO. 1-800-422-4133, TWO WORKING DAYS BEFORE DIGGING. NO CONSTRUCTION PERMIT WILL BE ISSUED BY THE PUBLIC WORKS DEPT. INVOLVING EXCAVATION FOR UNDERGROUND FACILITIES UNLESS THE APPLICANT HAS BEEN PROVIDED AN INQUIRY IDENTIFICATION NUMBER BY U.S.A.
- CONTRACTOR IS TO VERIFY EXISTING SEWER ELEVATION PRIOR TO CONSTRUCTION.
- LOCATION OF LATERALS TO BE DETERMINED IN THE FIELD AT THE DIRECTION OF THE OWNER. AVOID CONFLICT WITH PROPOSED AND/OR EXISTING FACILITIES.
- NO FINISHED FLOOR ELEVATION SHALL BE LESS THAN 4" ABOVE THE SEWER FLOW LINE AT POINT OF CONNECTION WITHOUT HAVING A PROPER BACKWATER VALVE INSTALLED IN THE LATERAL.
- A PLUG SHALL BE INSTALLED AND WILL REMAIN IN PLACE WHERE THE NEW SEWER CONNECTS WITH THE EXISTING SEWER UNTIL THE NEW SEWER IS ACCEPTED BY THE CITY.
- THE SEWER CONTRACTOR SHALL ADJUST MANHOLES TO FINAL GRADE AFTER PAVING IS COMPLETED. (APPLETON STREET).

BENCHMARK

U.S.C. & G.S. NO. 2-1142 RIVERSIDE COUNTY NO. -602-5-69
C & G.S. BENCHMARK DISK
51.0 FEET SOUTHEAST AND ACROSS THE TRACK FROM "STREETER" STATION SIGN, IN THE TOP OF THE WEST END OF THE SOUTH CONCRETE HEADWALL OF CULVERT 54.03, 10.0 FEET SOUTH OF THE SOUTH RAIL, AND ABOUT 4.5 FEET LOWER THAN THE TRACK.
ELEV. 785.382'



Note: All 8" V.C.P. lateral stationing is based upon wye lateral location in main line.

CITY OF RIVERSIDE WATER SYSTEM <i>David V. Garcia</i> 12-8-87 APPROVED DATE	PREPARED BY: K.W.C. ENGINEERS, INC. <small>CIVIL ENGINEERS, PLANNERS AND CONSTRUCTION CONSULTANTS</small> 720 S. RAMONA AVE., SUITE 104 • CORONA, CA. 91319 • 714/734-2130 <i>Kenneth W. Crawford, Jr.</i> 12-12-85 KENNETH W. CRAWFORD, JR. R.C.E. 26928 DATE	CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT APPROVED BY DATE BY PRINCIPAL ENGINEER TRAFFIC DIVISION CHIEF P. W. ENGINEER 1/21/87	APPROVED BY <i>William D. Gardner</i> PUBLIC WORKS DIRECTOR DATE 1-21-87	ACCOUNT NO. S-1449
				SHEET 1 OF 1