



- GENERAL NOTES**
- All wyes and laterals to be located in the field. All manholes to be in accordance with City Standard No. 500, unless otherwise noted on plan. Maximum vertical spacing of steps in all manholes shall be 32".
  - All laterals to be 4" and extended to the property line.
  - All construction shall be in accordance with Standards and Specifications No. 431 of the City of Riverside Department of Public Works. Pipe shall be bedded on "Base II", Standard Drawing No. 452.
  - It shall be the responsibility of the Contractor to clear the Right of Way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances, and at no extra cost to the City of Riverside.
  - Joints in vitrified clay pipe sewers shall conform to ASTM Standard C-425-60T, or the latest revision thereof.
  - Water main in Megginson Lane, northerly of Rancho Line (formerly City Limit), is privately owned. Before construction is begun contact adjacent owners for location.

NOTE: Railroad Spike in Pepper Tree on centerline of Magnolia Ave. 35' ± Ely. of centerline of Megginson Lane. Elev. 757.18. As per City Plan 5-133.

<b>J. F. DAVIDSON ASSOCIATES</b> CIVIL ENGINEERS - SURVEYORS - PLANNERS RIVERSIDE, CALIFORNIA APPROVED BY <i>J. F. Davidson</i> DATE 4-17-64 R.E. No. 862	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY <i>[Signature]</i> DATE 10-27-64 OFFICE ENGINEER TRAFFIC DIVISION ASSISTANT CITY ENG. <i>[Signature]</i>	APPROVED BY <i>[Signature]</i> DIRECTOR OF PUBLIC WORKS DATE 10-29-64	PROJECT NO.
			5-536
<b>SEWER PLAN AND PROFILE</b> <b>MEGGINSON LANE</b>			SHEET 1 OF 1
W.O. 12250 FOR: NICK TRACHUK DESIGNED BY <i>[Signature]</i> DRAWN BY <i>[Signature]</i> CHECKED BY <i>[Signature]</i>			FILE NO. 2751

\* As built 12/7/64 BE.