



- GENERAL NOTES:**
1. Construction shall be in accordance with the City of Riverside, Department of Public Works, Standard Specifications No 461 and Standard Drawings.
 2. It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 3. Joints in vitrified clay pipe sewers shall conform to ASTM Standard C-425-50 T, or the latest revision thereof.
 4. Pipe shall be bedded per Case II, Standard Drawing No 452, unless otherwise specified on plan.

B.M. Spike in palm tree at N.E. Cor. of Everest St. and Andrew St.
Elev. = 810.38

J. F. DAVIDSON ASSOCIATES CIVIL ENGINEERS - SURVEYORS - PLANNERS RIVERSIDE, CALIFORNIA APPROVED BY <i>J.F. Davidson</i> DATE 7/29/64 R.E. No. 822	REVISIONS MARK _____ DATE _____ APPR. DATE _____	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS		PROJECT NO. S-563
		APPROVED BY <i>[Signature]</i> OFFICE ENGINEER PARK DEPARTMENT TRAFFIC DIVISION ASSISTANT CITY ENG. <i>[Signature]</i>	BY DATE DATE 9-7-64	APPROVED BY <i>[Signature]</i> DIRECTOR OF PUBLIC WORKS
W.O. 12409 FOR: Julian A Mueller F.B. 203-7		DESIGNED BY L.S.W. DRAWN BY L.S.W. CHECKED BY E.H.		SEWER PLAN AND PROFILE MARTHA WAY RECORD OF SURVEY No 846 HORIZ. SCALE: 1" = 50' VERT. SCALE: 1" = 5'