



- GENERAL NOTES:**
1. Construction shall be in accordance with the City of Riverside Department of Public Works, Standard Specifications No. 461, and Standard Drawings.
 2. It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 3. Joints in vitrified clay pipe sewers shall conform to ASTM Standard C-425-60 T, or the latest revision thereof.
 4. Pipe shall be bedded per Case II, Standard Drawing No. 452, unless otherwise specified on plans.
 5. Location of eyes and laterals to be determined in the field.
 6. All stubs and laterals to be constructed in accordance with Standard Drawing No. 562. Stubs shall be plugged and capped.
- B.M. $\frac{3}{4}$ " Sq. bolt - County Tag - under E. intersection of Hale Ave. & Tyler St. Elev. = 738.62 (Rev. City Plan 5-481)

J. F. DAVIDSON ASSOCIATES CIVIL ENGINEERS - SURVEYORS - PLANNERS RIVERSIDE, CALIFORNIA APPROVED BY: <i>J. F. Davidson</i> DATE: 2-27-64 R.E. No. 362		CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY: <i>[Signature]</i> DATE: 10-15-64 OFFICE ENGINEER: <i>[Signature]</i> PARK DEPARTMENT: <i>[Signature]</i> TRAFFIC DIVISION: <i>[Signature]</i> ASSISTANT CITY ENG.: <i>[Signature]</i>		SEWER PLAN AND PROFILE MOBLEY AVENUE COCHRAN AVE. TO 150' ± S.L.V. PROJECT NO. S-575 SHEET 1 OF 1 FILE NO. 2768
W.O. 051 FOR: Arlo L. Kullman F.B. 796-79		DESIGNED BY: L.S.M. DRAWN BY: L.S.M. CHECKED BY: <i>[Signature]</i>		