



BENCH MARK:
Elev. 827.614 spike head in curb S.E. cor. Cortez & Orchard 1' East of E.C.R. on Orchard.

- GENERAL NOTES:**
1. Construction shall be in accordance with the City of Riverside, Department of Public Works, Standard Specifications No. 461 and Standard Drawings.
 2. It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 3. Joints in vitrified clay pipe sewer shall conform to A.S.T.M. Standard C-425-60T, or the latest revision thereof.
 4. Pipe shall be bedded per Case II, Standard Drawing No. 452, unless otherwise specified on plan.
 5. Location of wyes and laterals to be determined in the field.
 6. **NOTICE TO CONTRACTOR:** The existence and location of any underground utility pipes or structures shown on these plans are obtained by a search of the available records. To the best of our knowledge, there are no existing utilities, except as shown on these plans. The Contractor is required to take due precautionary measures to protect the utility lines shown and any other lines not of record or not shown on these plans.

QUANTITY ESTIMATE:

Manhole Standard No. 500	5 Ea.
8" Vitrified Clay Pipe	1039 L.F.
4" Vitrified Clay Pipe	372 L.F.
4"x8" Wyes	18 Ea.
Pavement Replacement	660 S.F.
6" Vitrified Clay Pipe	17 L.F.

NOT CONSTRUCTED
SEE S-713

ALBERT A. WEBB ASSOCIATES CIVIL ENGINEERS RIVERSIDE, CALIFORNIA APPROVED BY: <i>[Signature]</i> DATE: 9/23/64 R.E. No. 9976	MARK REVISIONS APPR. DATE DESIGNED BY: B.E.L. DRAWN BY: B.E.L. CHECKED BY: B.E.S.	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY: <i>[Signature]</i> DATE: 10-19-64 DIRECTOR OF PUBLIC WORKS	TRACT No 3077 ORCHARD ST., APOLLO PL. VALLEY	PROJECT NO. S-580 SHEET 1 OF 1 FILE NO. 64-223-B
		W.O. 64-223 FOR: <i>[Blank]</i> F.B. 563	DATE: 10-19-64 HORIZ. SCALE: 1" = 50' VERT. SCALE: 1" = 5'	INTERESTED - <i>[Signature]</i>