



GENERAL NOTES:
 Construction shall be accordance with the City of Riverside, Department of Public Works, Standard Specifications No. 461 and Standard Drawings.
 It shall be the responsibility of the Contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
 Joints in vitrified clay pipe sewers shall conform to ASTM Standard C-425-GOT, or the latest revision thereof.
 Pipe shall be bedded per Case II, Standard Drawing No. 452, unless otherwise specified on plans.
 At no time shall construction interfere with existing flow of sewage.

BENCH MARK
 CITY OF RIVERSIDE B.M. ELEVATION 849.24'
 TOP OF IRON PIPE UNDER CAP @ E INTERSECTION OF LEMON STREET AND 11TH STREET.

★ AS BUILT 12-1-65 HJB

J. F. DAVIDSON ASSOCIATES CIVIL ENGINEERS-SURVEYORS-PLANNERS RIVERSIDE, CALIFORNIA APPROVED BY <i>[Signature]</i> DATE 4/1/65 C.E. No. 10688 DESIGNED BY <i>[Signature]</i> DRAWN BY <i>[Signature]</i> CHECKED BY <i>[Signature]</i>	APPROVED BY _____ BY DATE _____ OFFICE ENGINEER PARK DEPARTMENT TRAFFIC DIVISION ASSISTANT CITY ENG.	APPROVED BY <i>[Signature]</i> DIRECTOR OF PUBLIC WORKS DATE 3-2-65	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS SEWER PLAN & PROFILE BROCKTON TRUNK BYPASS 11TH STREET BETWEEN LIME STREET AND LEMON STREET	PROJECT NO. S-620 SHEET 1 OF 1 FILE NO. 2796
	REVISIONS: _____ APPR. DATE _____ MARK _____			HORIZ. SCALE: 1" = 20' VERT. SCALE: 1" = 4'