



**GENERAL NOTES**

1. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE, DEPARTMENT OF PUBLIC WORKS, STANDARD SPECIFICATIONS NO. 401 AND STANDARD DRAWINGS.
2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT OF WAY IN ACCORDANCE WITH THE PROVISIONS OF LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND AT NO COST TO THE CITY.
3. JOINTS SHALL BE IN CONFORMANCE TO ASTM SPECIFICATIONS C-425-64, TYPE I OR II, OR TO ASTM SPECIFICATIONS C-594-66T (BAND SEAL) WITH CERTAIN EXCEPTIONS ON FILE WITH THE CITY ENGINEERS.
4. PIPE SHALL BE BEDDED PER CASE I, STANDARD DRAWING NO. 492, UNLESS OTHERWISE SPECIFIED ON PLAN.
5. LATERAL TO BE 6" V.C.P. AND EXTENDED TO PROPERTY LINE.
6. LOCATION OF THE LATERAL TO BE AS ON THE PLAN. AVOID CONFLICT WITH PROPOSED AND/OR EXISTING FACILITIES.
7. ALL MANHOLES TO BE CITY OR RIVERSIDE STANDARD NO. 500.
8. ALL STUBS AT MANHOLES SHALL BE 2' LONG AND PLUGGED.

**BENCH MARK** ELEV. 924.92'  
 5' x 5' in. Southwest Curb Return @ 11742'  
 Section of Sedgwick & Pennsylvania S.E. 1/4 Sec. 35, T. 33 N. R. 35 E.

APPROVED:  
 Howard K. Cremon 2-11-69  
 CITY OF RIVERSIDE WATER DIV. DATE

**J. F. DAVIDSON ASSOCIATES**  
 CIVIL ENGINEERS - SURVEYORS - PLANNERS  
 RIVERSIDE, CALIFORNIA

APPROVED BY: Robert K. Jones DATE: 1-27-69  
 R.E. No. 16699

**CITY OF RIVERSIDE, CALIFORNIA**  
 DEPARTMENT OF PUBLIC WORKS

APPROVED BY: DATE: APPROVED BY:  
 OFFICE ENGINEER: 7/16/69 2/24/69 William D. Harbison  
 PARK DEPARTMENT: DIRECTOR OF PUBLIC WORKS  
 TRAFFIC DIVISION: 2/6/69 2-11-69  
 ASSISTANT CITY ENG. DATE: 5/22/69

**R.S. 1047**  
 SEWER PLAN & PROFILE  
 SEDGWICK AVENUE  
 @ 130' SLY OF PENN. AVE.

PROJECT NO. **S-636**  
 SHEET **1** OF **1**