



GENERAL NOTES:

1. It shall be the responsibility of the contractor to clear the Right of Way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenance and at no cost to the city.
2. Construction shall be in accordance with the City of Riverside Department of Public Works Specifications No. 461 and Standard Drawings 2.
3. Joints in Vitrified Clay Pipe shall be in conformance to A.S.T.M. Specifications C-425-64 Type I or III or to A.S.T.M. Specifications C-598-66-T (Band Seal) with certain exceptions or modifications on file with the City Engineer.
4. Pipe shall be bedded per CASE I, Std Dwg # 432, unless otherwise specified on Plans.
5. Location of Tees & Laterals will be determined in the field by the owner or his representatives.
6. All stubs & laterals to be constructed in accordance with Standard Drawing No. 562. Stubs shall be plugged & capped, unless otherwise noted and shall be 2' long.
7. Excavation & Construction in the vicinity of existing underground utilities shall be done with special care.
8. Rims shall be set to proposed and existing pavement grades.

HUGH M. GALLAHER
 CIVIL ENGINEER
 RIVERSIDE, CALIFORNIA
 Approved by *Hugh M. Gallaher* Date 6-29-66
 R.C.E. No. 7304

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS
 APPROVED BY *[Signature]* DATE 10-9-69
 OFFICE ENGINEER
 PARK DEPARTMENT
 TRAFFIC DIVISION
 ASSISTANT CITY ENG.

SEWER PLAN & PROFILE
~~OLIVEWOOD AVE~~
 McMAHON
 Arlington Ave to 800' ± N.Y.
 R/S 1000
 HORIZ. SCALE: 1"=50' VERT. SCALE: 1"=5'

PROJECT NO.
S-670
 SHEET 1 OF 1

BENCH MARK: Spike in N.E. Curb Return, Inter
 Arlington Ave & Durango Ave
 Elev. 889.82 F.B. 350/133

PROFILE	DATE
NOTED	
NO. BOOK	
NO. SHEET	
NO. OF SHEETS	
NO. OF SHEETS	

PLAN	DATE
NOTED	
NO. BOOK	
NO. SHEET	
NO. OF SHEETS	
NO. OF SHEETS	