



GENERAL NOTES

- Construction shall be in accordance with the City of Riverside Department of Public Works Standard Specifications, 1963, and Standard Drawings.
- It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
- Joints in vitrified clay pipe sewers shall conform to ASTM Standard C-425-69T, or the latest revision thereof.
- Pipe shall be bedded per C-425-69T, or the latest revision thereof.
- All stubs and laterals shall be located at stations shown on plan.
- Manhole frames and covers shall be as shown on plan.
- Verification of existing telephone & gas line elevations is also required.
- Underground for signalization taken from City Plan X-401.

QUANTITY ESTIMATE

8" VITRIFIED CLAY PIPE	1591 LF.
MANHOLE PER STD. DWG. NO. 500	5 EA.
PAVING REPLACEMENT	1725 SF.
8" X 12" TEES	3 EA.
REMOVE TREES (C.S.)	L.S.

-CAUTION-
PACIFIC TELEPHONE
CABLES UNDERGROUND
BEFORE EXCAVATING
CALL COLLECT:
 7:30 A.M. to 5 P.M. & Holidays
 Orange County 714-633-0811 714-547-6606
 Riverside County 714-684-0071 714-547-6606
 Inyo County 714-684-0071 714-547-6606
 San Bernardino County 714-684-0071 714-547-6606
 Los Angeles County 213-621-3111
 Ventura County 213-621-3111
 San Diego County 714-298-0595 714-232-0027
24 HOUR SERVICE
 FOR FREE CABLE LOCATING SERVICE

"NOT BUILT"

ALBERT A. WEBB ASSOCIATES CIVIL ENGINEERS RIVERSIDE, CALIFORNIA APPROVED BY: <i>Albert A. Webb</i> DATE: 12/14/66 R.E. No. 9876	DESIGNED BY: D.R.D. DRAWN BY: D.R.D. CHECKED BY: M.G.	APPROVED BY: _____ DATE: _____ OFFICE ENGINEER	APPROVED BY: <i>Mark</i> DATE: 9-13-67 DIRECTOR OF PUBLIC WORKS	PROJECT NO. S-685 SHEET 1 OF 1
		CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS	SEWER PLAN AND PROFILE ARLINGTON AVENUE EXTENSION VAN BUREN BLVD. TO 950' WLY OF MONROE ST. 40' FOR TRACT NO. 3521	FILE NO. 64-367 B