



QUANTITY ESTIMATE

Clean Out Standard No. 560	1 Ea.
8" Vitrified Clay Pipe	50 L.F.
4" Vitrified Clay Pipe	138 L.F.
4" x 8" Tees	4 Ea.

**-CAUTION-
PACIFIC TELEPHONE
CABLES UNDERGROUND
BEFORE EXCAVATING
CALL COLLECT:**

Orange County	714-633-0811	714-547-6606
Riverside County	714-684-0071	714-547-6606
Inyo County	714-684-0071	714-547-6606
San Bernardino County	714-684-0071	714-547-6606
Los Angeles County	213-621-3111	24 HOUR SERVICE
Ventura County	213-621-3111	24 HOUR SERVICE
San Diego County	714-298-0595	714-232-0027

FOR FREE CABLE LOCATING SERVICE

- GENERAL NOTES**
- Construction shall be in accordance with the City of Riverside, Department of Public Works, Standard Specifications nos. 461 and Standard Drawings.
 - It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the law as it affects each utility including location lines and appurtenances and of no cost to the City.
 - Pipe shall be bedded per Case 1, Standard Drawing No. 452, unless otherwise specified on plan.
 - Location of tees and laterals to be determined to the field by owners.
 - All stubs and laterals to be constructed in accordance with Standard Drawing No. 562. Stubs shall be plugged and capped.
 - Manhole frames and covers to be set to proposed pavement grades.
 - Laterals are to be 4" and extended to property line.
 - Prior to construction of sewer, Contractor is to expose existing sewer and contact Engineer for verification of existing sewer.
 - Joints shall be in conformance to ASTM Specifications C-425-64 Type I or III or to ASTM Specifications C-594-66T (Band Seal) with certain exceptions or modifications on file with the City Engineer.

NOTICE TO CONTRACTOR

The existence and location of any underground utility pipes or structures shown on these plans are obtained by a search of the available records. To the best of our knowledge, there are no existing utilities except as shown on these plans.

The contractor is required to take due precautionary measures to protect the utility lines shown and any other lines not of record or not shown on these plans.

- BENCH MARK:**
- Top of 4" Iron Pipe filled with conc. of SW. corner of sec. 31, T.25, R.4W, E.lev. 1132.41 - Webb F.B. 549/85
 - T.B.M. Chiseled "a" on S.E. end of south curb return of Ransom Rd. & Intervale Dr. Elev. 1126.26, F.B. 498/82
 - T.B.M. Chiseled "d" on West end of N.W. curb return of Medina Wy. & Courtland Dr. Elev. 1166.09, F.B. 498/82

Approved by Chief Utility Engineer - Water	ALBERT A. WEBB ASSOCIATES CIVIL ENGINEERS RIVERSIDE, CALIFORNIA APPROVED BY <i>Albert A. Webb</i> DATE 4/19/68 R.E. No. 9876	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY <i>[Signature]</i> DATE 6-5-69 OFFICE ENGINEER PARK DEPARTMENT TRAFFIC DIVISION ASSISTANT CITY ENG.	SEWER PLAN & PROFILE INTERVALE DR. CUL-de-SAC SOUTH END R.S. No 1024	PROJECT NO. S-757 SHEET 1 OF 1 FILE NO. 68-94-B
	W.O. 68-94 FOR: FLORY & MABERRY F.B. 549	DESIGNED BY <i>[Signature]</i> DRAWN BY <i>[Signature]</i> CHECKED BY <i>[Signature]</i>	DATE 6-5-69 HORIZ. SCALE: 1" = 20' VERT. SCALE: 1" = 5'	