



BENCH MARKS:
 1. Hole & Jumps, PK nail on N.E. curb return Elev. 704.12, C.I.R. F.B. 704/23
 2. Hole & Bushnell, PK nail on N.W. curb return Elev. 714.56, C.I.R. F.B. 704/21

- GENERAL NOTES**
- Construction shall be in accordance with the City of Riverside, Department of Public Works, Standard Specifications No. 461 and Standard Drawings.
 - It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of the 1928 & 1957 acts each utility including irrigation lines and appurtenances and at no cost to the City.
 - Joints shall be in accordance to ASTM Specifications C-425-64 Type I with or to ASTM Specifications C-534-64 (Class B) with certain exceptions or modifications on file with the City Engineer.
 - Pipe shall be bedded per Case 1, Standard Drawing No. 452, unless otherwise specified on plan.
 - Location of wyes and laterals to be determined at the direction of the owner.
 - All stubs and laterals to be constructed in accordance with Standard Drawing No. 562. Stubs shall be plugged and capped.
 - Manhole frames and covers to be set to existing pavement grades.
 - Laterals are to be 4" and extended to property line.

QUANTITY ESTIMATE

Manhole Standard No. 500	4 EA.
Channel Standard No. 560	2 EA.
8" Vitrif. Clay Pipe	1,158 LF.
4" Vitrif. Clay Pipe	4,126 LF.
4" x 8" Wyes or Tees	31 EA.

* as built 7/23/70
 ✓ By Karl 9/23/70

Approved for Water
Howard L. O'Connell
 Chief Utilities Engineer
 4-30-69
 DATE

ALBERT A. WEBB ASSOCIATES
 CIVIL ENGINEERS
 RIVERSIDE, CALIFORNIA
 APPROVED BY *Paul N. Will* DATE 4/15/67
 R.E. No. 9876
 W.O. 68-716 FOR JANSON-MYERS-COUGH, DES. F.B. 623

MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS
 APPROVED BY *John A. ...* DATE 9/18
 OFFICE ENGINEER
 PARK DEPARTMENT
 TRAFFIC DIVISION
 ASSISTANT CITY ENGINEER
 DATE 9-11-69

SEWER — PLAN AND PROFILE
 BRODERICK DRIVE
 PAVIA WAY
 LANAI COURT
 TRACT NO. 3792
 HORIZ. SCALE: 1" = 50'
 VERT. SCALE: 1" = 5'

PROJECT NO.
 S-773
SHEET 1 **OF** 1
 FILE NO. 68-116-B