



- GENERAL NOTES:**
- Construction shall be in accordance with the City of Riverside Dept. of Public Works Standard Specification No. 461 and Standard Drawing No. 562.
 - It shall be the responsibility of the contractor to clear the right-of-way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances and at no cost to the City of Riverside.
 - Joints shall be in conformance to A.S.T.M. Specifications C-425-64 Type I or III or to A.S.T.M. Specifications C-594-66T (Band Seal) with certain exceptions on file with the City Engineer.
 - Pipe shall be bedded per Case 1, Standard Drawing No. 452, unless otherwise specified on plan.
 - Location of Tees and laterals will be determined in the field by the owner.
 - All stubs and laterals to be constructed in accordance with Standard Drawing No. 562. Stubs shall be plugged and capped and shall be two feet long.
 - Precast manholes may be used after obtaining prior approval of the City Engineer.
 - Manhole rims shall be set to finish street grades.

<p>Approved By: Howard L. Creamer 1-7-70 Chief Public Utilities Engineer - Water</p>	<p>BENCH MARK: ELEV 814.146 P.K. NAIL IN LEAD IN CENTER OF N.W. CORNER RETURN, PALM AVENUE AND JURUPA AVENUE. F.B. 720-36</p>
<p>TECHNOLOGICAL ENGINEERING CORP. 4921 DURFEE AVE., PICO RIVERA, CALIF. 699-1043 723-8691</p> <p>DESIGNED BY A.S.L. DRAWN BY A.S.L. CHECKED BY (Signature)</p>	<p>CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS</p> <p>APPROVED BY: (Signature) DATE: 2/20/70 OFFICE ENGINEER PARK DEPARTMENT TRAFFIC DIVISION ASSISTANT CITY ENGINEER</p>
<p>SANITARY SEWER IMPROVEMENTS TRACT NO. 3915 GARDENA STREET FROM: MEADOWBROOK LANE TO: 36' ELY OF APPLETON STREET EMERSON STREET FROM: GARDENA STREET TO: 278' N.E.2LY THEREOF</p>	<p>PROJECT NO. 5-783 SHEET 1 OF 1 FILE NO.</p>