



CONSTRUCTION NOTES:

- All sewer laterals shall be in accordance with Std. Dwg. No. 562
- All sewer laterals shall be 6" V.C.P.
- IF ANY sewer laterals are constructed to the west, they shall be encased in conc. 4 1/2 feet on each side of water line per city of Riverside Standards, or C.I. Pipe shall be used 4 1/2 feet on each side.

GENERAL NOTES:

- Construction shall be done in accordance with the Standard Specifications for Public Works Construction, 1970 Edition, and the City of Riverside Standard Drawings.
- It shall be the Contractors Responsibility to familiarize himself with the Job Site and any underground facilities shown or not shown on these plans. The Engineer will Not Be Responsible for any damage to Underground Facilities.

BENCH MARK: Bronze disk in concrete Post Stamped 601-26-68 65.5' S.E. of the & Magnolia Ave. and 52' N.E. & of Tyler Ave. Elev. 742.243

* AS BUILT 7-2-71 *glw*

Approved By: <i>Henry A. Brown</i> 7/18/71 Chief Public Utilities Eng. - Worker	PERRIS ENGINEERING 416 "D" STREET PERRIS, CALIFORNIA 92370 <i>Paul Dieges</i> DATE: 6/13/71 PAUL B. DIEGES R.C.E. NO. 13234	CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS APPROVED BY: <i>[Signature]</i> OFFICE ENGINEER: C. W. L. 6/23 PARK DEPARTMENT: <i>[Signature]</i> TRAFFIC DIVISION: <i>[Signature]</i> ASSISTANT CITY ENGINEER: <i>[Signature]</i> 7/12/71 DESIGNED BY: D.J.B. DRAWN BY: D.J.B. CHECKED BY: <i>[Signature]</i>	SEWER PLAN & PROFILE IN BANBURY DRIVE FROM 862' S.E. OF MAGNOLIA AVENUE TO 1,424' S.E. OF MAGNOLIA AVENUE FOR PARCEL MAPS 35 & 36 SHEET 1 OF 1	PROJECT NO. S-840 FILE NO.