




- ① RECHANNEL MH BASE AND BREAK OUT BRICK AS NECESSARY.
- ② CONSTRUCT PRECAST MH PER C/R STD. DWG. 500 ON SHEET 66.
- ③ CONSTRUCT CLEAN OUT, PER C/R STD. DWG. 560 ON SHEET 67.
- ④ RELAY 3 SEWER LATERALS AS SHOWN, PER C/R STD. DWG. N° 562 ON SHEET 67.
- ⑤ REMOVE EXIST. 10" VCP AFTER ② PIPE IS INSTALLED AND IN OPERATION.
- ⑥ ANGLES ARE 1/6 BENDS (22 1/2° ± 1°)
- ⑦ VERTICAL AND HORIZONTAL CURVES ARE 46' ± RADIUS, USE 2' PIPE LENGTHS.
- ⑧ ONLY TYPES F & G JOINTS WILL BE PERMITTED PER SECTION 306 AND RELATED SECTIONS OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.



PLAN
1" = 20'
0 20'

BENCH MARK
C.P. NO. 7 - ELEV. = 816.724'
TOP OF NAIL & R.C.F.C. TAG FLUSH IN FRONT OF 6658 PALM.
C.P. NO. 8 - ELEV. = 815.996'
TOP OF NAIL & R.C.F.C. TAG FLUSH 40 FT. N. OF THE INTERSECTION OF PALM & MARMIAN WAY.

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

APPROVED BY: *William D. Gardner*
DIRECTOR OF PUBLIC WORKS
DATE: 8/14/72

REVISIONS	DESCRIPTION	APPR. DATE

RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

DESIGNED BY: *John W. ...*
DRAWN BY: *John W. ...*
DATE DRAWN: 8-30-72

MAGNOLIA CENTER STORM DRAIN
PALM AVENUE LATERAL
SEWER SIPHON SOUTHERLY OF CENTRAL
1970 STORM DRAIN BOND ISSUE PROJECT NO. 14

PROJECT NO. 1-O-191
DRAWING NO. 1-281
SHEET NO. 51 OF 67