



GENERAL NOTES

1. BENCH MARK: 26.70' in South curb on UNIVERSITY AVE. 138' West of E CHICAGO AVE. ELEV. = 955.465 (A.B. P-5/1-50)
2. All work shall be done in accordance with these plans, Standard Specifications No. 461 and the Standard Drawings of the City of Riverside, Dept. of Public Works.
3. It shall be the responsibility of the contractor to secure the Right of Way in accordance with the provisions of the law as it affects each utility including irrigation lines and appurtenances, and at no cost to the City of Riverside.
4. Existing Curb, Form, Grade and Sewer/Curb are required.
5. Grading will require a permit under Ordinance No. 3093 for a cut or fill exceeding 100 cubic yards or a fill over 1'00" in depth.
6. Trim edge of exist. cut where new paving joins exist. pavt. to a clean straight line. Construct match up paving as shown, and overlay paving as directed in the field. Engineer estimates overlay to be 1.5 tons.

**PLAN & PROFILE
ALLEY**

Scale: Horiz. 1" = 20'
Vert. 1" = 4'

TYPICAL SECTION - ALLEY
7.1 x 5 SCALE: 1" = 4'

S.R.# 440 R-50
GARNER TEE TRACADAS & TROY
CIVIL ENGINEERING - LAND SURVEYING
357 WEST SECOND STREET
SAN BERNARDINO, CALIFORNIA
FRANK TRACADAS R.E. 11447

| REVISIONS | | | CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS | |
|-------------|---------------------|----------------|---|--------------------|
| MARK | DATE | DESCRIPTION | | |
| | | | ALLEY INTERSECTION AT CHICAGO AVE. 212' NORTH OF UNIVERSITY AVE. | |
| | | | BUILDING PERMIT-1705 | UNIVERSITY AVENUE |
| DESIGNED BY | W.H.A. | SUBMITTED BY | APPROVED BY | PROJECT NO. |
| DRAWN BY | A.N.A. - G.K. | TRAFFIC DIV. | <i>[Signature]</i> | R-1357 |
| CHECKED BY | 66 F.F. [Signature] | RECOMMENDED BY | DIRECTOR OF PUBLIC WORKS | DATE 6-5-69 |
| | | | | SHEET 1 OF 1 SHEET |