




GENERAL NOTES

- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT OF WAY IN ACCORDANCE WITH THE PROVISIONS OF LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES AND AT NO COST TO THE CITY.
- CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE, DEPARTMENT OF PUBLIC WORKS, STANDARD DRAWINGS, AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1976 EDITION.
- TRIM EDGE OF EXISTING PAVEMENT WHERE NEW PAVEMENT JOINS TO A SMOOTH, STRAIGHT LINE. CONSTRUCT MATCH-UP PAVING AS SHOWN ON PLAN AND OVERLAY PAVING AS DIRECTED IN THE FIELD TO PRODUCE A SMOOTH SECTION. ENGINEER ESTIMATES OVERLAY TO BE 8 TONS.
- CURB AND GUTTER SHALL BE STAKED WITH 3" OFFSETS AT 125' INTERVALS WHERE GRADE IS LESS THAN 0.35%. PLACE 3/4" DOWEL PINS AT ALL EXPANSION JOINTS. CURB AND GUTTER SHALL BE STAKED WITH 3" OFFSETS AT 25' INTERVALS WHERE GRADE IS GREATER THAN 0.35%.
- ALL FLAGGED ELEVATIONS SHALL BE STAKED IN THE FIELD BY THE PRIVATE ENGINEER.
- CONTACT THE PARK AND RECREATION DEPARTMENT, TREE DIVISION AT 787-7593 24 HOURS PRIOR TO RELOCATION OF TREES.
- THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR THE ACCURACY AND ACCEPTABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SIGNING THESE PLANS SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY.

CONSTRUCTION NOTES

- 200 - CONST. CURB & GUTTER, TYPE I (6" C.F.) PER STD. NO. 200.
- 325 - CONST. CURB SIDEWALK, PER STD. NO. 325.
- 304 - CONST. WHEELCHAIR RAMP, PER STD. NO. 304.
- 2 - CONST. VARIABLE THICKNESS A.C. OVERLAY PAVEMENT.
- 3 - CONST. 5" A.C. OVER COMPACTED NATIVE PER S.R. 112 R=68.
- 4 - ERECT R1 (STOP SIGN) 30" OCTAGON.
- 302 - CONST. DRIVEWAY APPROACH, TYPE II, PER STD. NO. 302.



STREET CURVE DATA				
No.	Δ	R	T	L
1	4°04'20"	1500'	64.20'	128.40'
2	6°50'35"	750'	45.50'	90.88'
3	3°35'56"	750'	23.56'	47.11'
4	3°08'03"	750'	20.82'	41.62'

BENCH MARK: ELEV. = 742.243
BRASS DISK SET IN CONC. AT BACK OF SIDEWALK
E/ly CORNER OF TYLER & MAGNOLIA.

CITY OF RIVERSIDE
DOMESTIC & IRRIGATION SYSTEM
By *Paul H. Wall*
CHIEF UTILITIES ENGINEER WATER DATE 4/30/79

ALBERT A. WITTE ASSOCIATES
CIVIL ENGINEERS
RIVERSIDE, CALIFORNIA
By *Paul H. Wall* 3/23/79
0876

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
By *Robert C. Nelson*
5/15/79

STREET PLAN & PROFILE
TYLER STREET
ZONING CASE NO. R-S-789
HORZ. 1" = 20' VERT. 1" = 2'

INDEXED R.M.F.
DRAWN: LINDSEY
R-2186
78-165