
GENERAL NOTES:

- 1) No person shall perform any construction activity or install any objects within the public rights-of-way or easements of the City of Riverside without a valid Construction Permit or, a Street Opening Permit or an Encroachment Permit issued by the City's Public Works Department.
- 2) It shall be the responsibility of the contractor to clear the right of way in accordance with the provisions of law as it affects each utility including irrigation lines and appurtenances and at no cost to the City.
- 3 Construction shall be in accordance with the City of Riverside Department of Public Works, Standard Drawings, its Supplemental Notes and the Standard Specifications for Public Works Construction, current edition.
- (4) The private engineer signing these plans is responsible for assuring the accuracy and acceptability of the work hereon. In the event of discrepancies arising during construction, the private engineer shall be responsible for determining an acceptable solution and revising the plans for approval by the City.
- 5) Quantities shown are for information only and the City of Riverside is not responsible for their accuracy.
- 6 The developer shall be responsible for preserving or re-establishing and referencing survey monuments destroyed, disturbed or buried as a result of construction shown hereon.
- (7) All flagged elevations shall be staked in the field by the private engineer.
- 8 Where new pavement is to join the existing pavement, the edge of the existing pavement shall be trimmed in a smooth and straight line existing pavement shall be trimmed in a smooth and straight line. Construct match-up paving as shown on the plans and overlay paving as directed in the field to produce a smooth section.
- 9 All overhanging tree limbs that are less than 14' above the street grade shall be trimmed back.
- (10) On all areas within public right of way where the fill is one (1) foot or greater, a letter will be required from the soils engineer, certifying the compaction of the fill below subgrade, prior to issuance of the Construction Permit/Cut Sheets.
- (11) Street opening permit for construction and/or modification of traffic signal facilities is required.
- (12) All traffic signs shall be installed prior to opening the streets to traffic.
- Any traffic control striping obliterated and/or badly worn during construction shall be restored by the contractor within five days after notification from the City Inspectors.
- (14) Final striping for traffic control and/or pavement marking to be the responsibility of the developer.
- The contractor shall call in a location request to Underground Service Alert (USA), Phone # 1-800-227-2600, two working days before digging. No construction permit will be issued by the Public Works Department involving excavation for underground facilities unless the applicant has been provided an inquiry identification number by U.S.A.

BUS TURN OUT RIVERSIDE TRANSIT AGENCY

1855 THIRD STREET, RIVERSIDE, CA 92517



VICINITY MAP

ABBREVIATIONS

- ASPHALT CONCRETE
- AGGREGATE BASE
- PORTLAND CEMENT CONCRETE
- BEGIN CURVE
- END CURVE
- **CENTERLINE**
- FINISHED SURFACE
- TOP OF GRATE
- PROPERTY LINE
- TOP OF CURB
- EDGE OF PAVEMENT
- EXISTING GROUND
- FINISHED GROUND

SHEET INDEX

- TITLE SHEET
- STREET IMPROVEMENT PLAN

EARTHWORK VOLUME ESTIMATE

FILL EXPORT SOIL

6 CUBIC YARD 5 CUBIC YARD 1 CUBIC YARD

EARTHWORK VOLUME SHOWN HEREON ARE ESTIMATED FOR BONDING AND PLAN CHECK FEE PURPOSES ONLY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING THE ACCURACY OF ESTIMATE FOR BIDDING PURPOSES.

DEMOLISHED NOTES

QUANTITIES

821 S.F.

- 1) SAWCUT AND REMOVE EXISTING PCC CURB GUTTER W/2' AC PVMT. & SIDEWALK
- RELOCATE EX. PALM BY CITY 2 EA.

CONSTRUCTION NOTES

- (1) CONSTRUCT 6" CURB TYPE II PER CITY OF RIVERSIDE STD. NO. 200.
- 113 L.F. (2) CONSTRUCT 6' WIDE CURB SIDEWALK, PER CITY OF RIVERSIDE STD. NO. 325 669 S.F.
- (3) CONSTRUCT 8" CONCRETE OVER 12" A.B. AND 95% COMPACTED SUBGRADE PER RTA STANDARD. 798 S.F.
- (4) CONSTRUCT 8'X 16' PCC PAVEMENT FOR BUS SHELTER. 128 S.F. 176 S.F. (5) CONSTRUCT 2' WIDE W/8" ASPHALT PATCH ON 12" A.B.


KEY NOTES

1 PROTECT ITEM IN PLACE AS NOTED.

4 EA.

PROJECT NO. PW05-1048

R-3914



TYPICAL SECTION

FROM STA 40+79.86 TO STA 41+29.86 TRAFFIC INDEX = 10SEE SHEET 2 N.T.S.

TOP OF NORTHERLY CURB OF THIRD STREET 67 MIRA COLLADO RIVERSIDE, CA 92517 SAN CLEMENTE, CA 92673 NEAR THE CENTERLINE PROD OF DWIGHT ATTN: ROBERT WYMAN STREET - ELEV.= 920.765 FEET 949-510-2101 951-565-5000 BASIS OF BEARING THE CENTERLINE OF THIRD STREET HAVE THE BEARING OF N89'30'00"E AS SHOWN ON PARCEL MAP CITY OF RIVERSIDE, PUBLIC UTILITIES CITY OF RIVERSIDE PUBLIC UTILITIES DEPARTMENT-ELECTRIC WATER DEPARTMENT OVERHEAD & UNDERGROUND APPROVED BY MW Moles

2(15/06

RIVERSIDE TRANSIT AGENCY

DATE 2/15/06

1825 THIRD STREET

LAND SURVEYOR:

RICHARD BEIGLE, L.S.

BENCHMARK

PPROVED BY

NOD BELOW

17-03 PK NAIL AND CITY ENGINEER TAG IN

IMPORTANT NOTICE
tion 4216/4217 of the Government Code
requires a Dig Alert Identification
Number to be issued before a
"Permit to Excavate" will be valid.
For your Dig Alert I.D. Number call CALL TOLL FREE 48 HOURS BEFORE YOU DIG Inderground Service Alert 1-800-227-2600

Civil • Surveying • Planning



REVISIONS APPR. DATE designed by <u>PL</u> drawn by <u>PL</u> checked by.

OF RIVERSIDE, CALIFORNIA PUBLIC WORKS DEPARTMENT APPROVED BY m CITY ENGINEER DATE 3/2/06

BUS TURN OUT

RIVERSIDE TRANSIT AGENCY

SHEET 1 OF 21855 THIRD STREET, RIVERSIDE, CA 92517 BUSINESS TAX CERTIFICATE NO. 122773, EXP. 12-20-06 HORIZONTAL SCALE: 1" = 1

INDEXED 3-7-06 4H

