



B.M. 809.447 Pole No. 7200 at S 1/4 Side Jurupa  
 50' S.W. 1/4 of Township 31  
 R. 2 E. 11 N. 16 E. 300' 62' 275' 288'  
 Scale: Hor. 1" = 50'  
 Vert. 1" = 5'

SCALE: 1" = 50'

Notes: 1. All work and materials shall comply with the specifications No. 141, Standards of the City of Riverside, Dept. of Public Works  
 2. If the subdivider desires to reduce the requirement for Impacted Base Material, additional soil tests may be taken at subdivider's expense after streets are prepared to rough grade  
 3. Subdivider will contact Inspection Div. Dept. of Public Works, before making tests. The City of Riverside will make a test of Base Material in place before paving can be installed; results of this test must indicate the Base Material is satisfactory to the Inspection Division  
 4. It shall be the responsibility of the contractor to clear the right-of-way in accordance with the provisions of law so it affects both utility including irrigation lines and appurtenances and of no cost to the City  
 5. Prime Coat and paint binder required

**McKee & Crawley**  
 SURVEYORS AND ENGINEERS  
 Riverside, California  
 Approved: *George O. Crawley* Field Bk. Date: 12-7-62  
 R.E. No. 5455

REVISIONS		CITY OF RIVERSIDE CALIFORNIA DEPARTMENT OF PUBLIC WORKS
MARK	DATE	
		JURUPA AVE. between Sta 120+54 & 124+15 Southernly Side
DESIGNED BY	CHECKED BY <i>RON</i>	APPROVED BY <i>A. Pithul</i>
DRAWN BY	<i>adw</i>	DIRECTOR OF PUBLIC WORKS
RECOMMENDED BY	ASSISTANT CITY ENGINEER	DATE <i>Dec 28 1962</i> SHEET 1 OF 1