



- GENERAL NOTES**
- All Construction shall be in accordance with Standards and Specifications No. 461 of the City of Riverside Department of Public Works.
 - If it shall be the responsibility of the Contractor to clear the Right of Way in accordance with the provisions of laws, it affects each utility including irrigation lines and appurtenances, and of no extra cost to the City of Riverside.
 - The City of Riverside will take a soil test to determine the Impact Base Material thickness after the street has been rough graded. Prime coat and power binder will be required.
 - TELEPHONE CABLE - CALL 685-0071 24 HOURS PRIOR TO ANY EXCAVATION
 - The Park Department is to be notified when the point relocation is to begin.
 - BENCH MARK: City B.M. N.F.P. South curb, Arlington Ave., 5' East of catch basin on Magnolia, ELEV. 828.73'
 - GAS LINE - 50 CALIF. GAS CO. IS TO BE CALLED 48 HOURS PRIOR TO ANY EXCAVATION
- Note: Grading will require a permit under Ordinance 3073 for a cost of \$11.00 exceeding 150 cubic yards or a fill over one foot in depth.*

REVISIONS

MARK	DATE	DESCRIPTION
1	10-20-63	As per notes
2	11-2-63	As per notes

APPROVED BY
[Signature]
 PUBLIC SUPERINTENDENT DATE 10-11-63

R.S. 67-78
J.F. DAVIDSON - CIVIL ENGINEER
 RIVERSIDE, CALIFORNIA
 APPROVED BY *[Signature]* DATE 10-11-63

REVISIONS

MARK	DATE	DESCRIPTION
1	10-20-63	As per notes
2	11-2-63	As per notes

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
STREET PLAN & PROFILE
NORTH SIDE MAGNOLIA AVE
AND FRONTAGE ROAD
BETWEEN ARLINGTON AVE.
AND EL HIJO STREET
 R-42-623 SCALE: PLAN 1"=20'
 PROFILE 1"=2'

CURB DATA

R	D	T	L
A	35'	64°13'30"	30.00'
B	24'	64°13'30"	22.25'
C	11.25'	180°00"	35.34'

DESIGNED BY *[Signature]* CHECKED BY Ren
 DRAWN BY *[Signature]* add wds
 RECOMMENDED BY *[Signature]* ASSISTANT CITY ENGINEER
 APPROVED BY *[Signature]* DATE 10/15/63 SHEET 1 OF 1