



Curb Curve Data  
 A = 19° 50'  
 R = 280'  
 T = 69.95'  
 L = 96.92'

B.M. X on S.E. Cor. of Church Porch at S.W. Cor. of Campbell and Tyler Streets.  
 Elev. = 777.57

- GENERAL NOTES**
1. All construction shall be in accordance with Standards and Specifications No. 461 of the City of Riverside Department of Public Works.
  2. It shall be the responsibility of the Contractor to clear the Right of Way in accordance with the provisions of laws that affect such utility including irrigation lines and appurtenances, and set no closer east than the City of Riverside.
  3. A soil test shall be taken by the Developer, the results of which shall be verified by the City Public Works Dept. prior to the determination of the thickness of the Base Material.
  4. Prime coat, seal coat and joint binder are required.
  5. Trim edge of existing pavement, where new pavement joins existing pavement, to a clean, straight line. Construct match-up paving as shown and overlay paving as directed in the field to produce a smooth crown section.
  6. Grading will require a permit under Ordinance 3093 for a cut or fill exceeding 100 cubic yards, or a fill over one foot in depth.

<b>J. F. DAVIDSON ASSOCIATES</b> CIVIL ENGINEERS - SURVEYORS - PLANNERS RIVERSIDE, CALIFORNIA		<b>CITY OF RIVERSIDE, CALIFORNIA</b> DEPARTMENT OF PUBLIC WORKS		STREET PLAN AND PROFILE <b>JONES AVENUE</b> RECORD OF SURVEY N° 809	PROJECT NO. <b>R-857</b> SHEET 1 OF 1
APPROVED BY: <i>J.S. Davidson</i> R.E. No. 362	DATE: 4-17-64	APPROVED BY: <i>John Lynch</i> DIRECTOR OF PUBLIC WORKS	DATE: 6-19-64	HORIZ. SCALE: 1" = 50' VERT. SCALE: 1" = 5'	FILE NO. 2753
W.O. 12238 FOR: M.A. Uhl - Bette Lu Uhl F.B. 869		DESIGNED BY: DRAWN BY: CHECKED BY: P.O.N.		REVISIONS:	