






**PAVEMENT DELINEATION GENERAL NOTES:**


1. STRIPING INSTALLATIONS SHALL CONFORM TO THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA MUTCD 2012), THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS DATED 2010, AND ALL ADDENDUMS THERETO, AND THE CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT STANDARD DRAWINGS, CURRENT EDITION.
2. ALL STRIPING, MARKINGS, AND LEGENDS SHALL BE REFLECTORIZED THERMOPLASTIC UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL PROVIDE AND INSTALL RAISED PAVEMENT MARKERS FOR ALL STRIPING, STRIPING, MARKINGS AND LEGENDS SHALL CONFORM TO THE LATEST CALTRANS STANDARD PLANS A20A THRU A20D AND A24A THRU A24E.
3. PRIOR TO FINAL ACCEPTANCE OF STREET IMPROVEMENTS, ALL PAVEMENT STRIPING AND STENCILING WITHIN THE PERIMETER OF THE CONSTRUCTION AREA SHALL BE RESTORED TO LIKE NEW CONDITION, IN A MANNER MEETING THE APPROVAL OF THE CITY OF RIVERSIDE.
4. THE CONTRACTOR SHALL RE-STRIPE EXISTING STRIPING AND CURB MARKINGS OBLITERATED BY NEW CONSTRUCTION, WHETHER OR NOT SHOWN ON THE PLANS FOR REPLACEMENT, AT NO COST TO THE CITY.
5. AT LOCATIONS WHERE EXISTING PAINTED CURB IS TO BE RECONSTRUCTED, THE CONTRACTOR SHALL PAINT THE NEW CURB AS SHOWN ON THE PLANS WITHIN 10 WORKING DAYS OF CURB CONSTRUCTION OR AS DIRECTED BY ENGINEER. THE PAINT SHALL BE WATER-BASED WITH 2-YEAR GUARANTEE AGAINST COLOR FADING. PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT TO THE CITY WRITTEN PROOF OF THE MANUFACTURER'S 2-YEAR GUARANTEE.
6. ALL NEW STRIPING SHALL BE "CAT TRACKED" AND APPROVED BY THE ENGINEER PRIOR TO FINAL INSTALLATION. THE CONTRACTOR SHALL NOTIFY THE ENGINEER AFTER COMPLETING LAYOUT AND AT LEAST 3 WORKING DAYS BEFORE COMMENCING INSTALLATION OF STRIPING, MARKINGS AND MARKERS.
7. STRIPING SHALL BE APPLIED WITHIN 48 HOURS OF SURFACE COURSE REPLACEMENT ON STREETS OPEN TO THE PUBLIC. IN NO CASE SHALL A NEWLY PAVED STREET OPEN TO THE PUBLIC BE LEFT UNSTRIPED OVER A WEEKEND OR HOLIDAY.
8. ALL CONFLICTING STRIPING, PAVEMENT MARKINGS, LEGENDS, AND RAISED PAVEMENT MARKERS SHALL BE REMOVED EVEN IF NOT SHOWN ON PLANS. REMOVALS OF PAINTED STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE DONE BY WET SANDBLASTING. REMOVALS OF THERMOPLASTIC STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE REMOVED BY WET SANDBLASTING, GRINDING OR OTHER APPROVED METHOD AND SHALL NOT DAMAGE THE PAVEMENT. "BLACK OUT" OF EXISTING DELINEATION IS NOT PERMITTED. ALL DAMAGED PAVEMENT DUE TO REMOVALS SHALL BE REPAIRED AS NECESSARY TO MAINTAIN A SMOOTH AND UNIFORM SURFACE OR AS DIRECTED BY THE ENGINEER. ALL STRIPING REMOVALS AND LEGENDS SHALL BE "FOG SEALED".
9. WHERE APPLICABLE, OUTBOUND LANE LINE DETAILS SHALL COMMENCE AT THE CROSSWALK, MEANING THE PAINTED PORTION OF THE DETAIL SHALL JOIN THE CROSSWALK.

**LEGEND AND CONSTRUCTION NOTES:**


- [E] EXISTING TO REMAIN.
- [#] INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- [PM] INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- [RP] REMOVE ALL EXISTING CONFLICTING TRAFFIC STRIPING AND MARKINGS AS NOTED, INCLUDING RAISED PAVEMENT MARKERS.
- [1-1] SIGN LOCATION
- [IS] FURNISH AND INSTALL ROADSIDE SIGN(S) OR SNS WITH/WITHOUT POST
- [RS] REMOVE SIGN(S)
- [RL] RELOCATE EXISTING SIGN(S) TO EXISTING POST OR INSTALL POST (IF APPLICABLE)
- [S] EXISTING SIGNALIZED INTERSECTION
- [P] PROPOSED SIGN (ONE POST)
- [O] EXISTING SIGN (ONE POST)
- [S-L] EXISTING SIGN (ON STREET LIGHT)
- [S-N] EXISTING STREET NAME SIGN
- [SNS] STREET NAME SIGN
- [12'] LANE WIDTH



Under Ground Service Alert of Southern California  
Call: TOLL FREE 1-800-227-2600  
TWO WORKING DAYS BEFORE YOU DIG



**ENGINEER IN RESPONSIBLE CHARGE**  
GILBERT M. HERNANDEZ  
R.C.E. No. 69170 EXPIRES: 6-30-14  
DATE: 3-10-14



|             |                           |          |         |            |          |
|-------------|---------------------------|----------|---------|------------|----------|
| DESIGNED BY | GMH                       | DRAWN BY | GMH     | CHECKED BY | GMH      |
| MARK        | INSTALL DETAIL 39A (120') | DATE     | 4/29/14 | APPR. DATE | 5/5/2014 |
| REVISIONS   |                           |          |         |            |          |

|   |    |         |               |
|---|----|---------|---------------|
| CITY OF RIVERSIDE, CALIFORNIA<br>DEPARTMENT OF PUBLIC WORKS |    |         |               |
| APPROVED BY   | BY | DATE    | APPROVED BY   |
| ENGINEERING MANAGER   | Fm | 4/30/14 | City Engineer |
| PRINCIPAL ENGINEER  |    |         |               |
| TRAFFIC DIVISION  | SL | 4/9/14  |               |
| CONSTRUCTION ADMIN.   | DL | 4/29/14 |               |

CALTRANS ENCROACHMENT PERMIT No: 08-13-N-MC-0273

**PAVEMENT DELINEATION PLAN**

UNIVERSITY AVE  
FROM UNIVERSITY VILLAGE  
TO CANYON CREST

SCALE: 1" = 40'

XL-706

SHEET 1 OF 4

FILE NAME: XL-706.DWG

MATCHLINE - SEE SHEET No. 2



**LEGEND AND CONSTRUCTION NOTES:**

- E** EXISTING TO REMAIN.
- #** INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- PM** INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- RP** REMOVE ALL EXISTING CONFLICTING TRAFFIC STRIPING AND MARKINGS AS NOTED, INCLUDING RAISED PAVEMENT MARKERS.
- 1-1** SIGN LOCATION
- IS** FURNISH AND INSTALL ROADSIDE SIGN(S) OR SNS WITH/WITHOUT POST
- RS** REMOVE SIGN(S)
- RL** RELOCATE EXISTING SIGN(S) TO EXISTING POST OR INSTALL POST (IF APPLICABLE)
- S** EXISTING SIGNALIZED INTERSECTION
- P** PROPOSED SIGN (ONE POST)
- o** EXISTING SIGN (ONE POST)
- o** EXISTING SIGN (ON STREET LIGHT)
- 12'** LANE WIDTH



| PAVEMENT DELINEATION & LOOP INSTALLATION QUANTITIES |                                   |      |          |         |       |
|---|-----------------------------------|------|----------|---------|-------|
| ITEM  | DESCRIPTION                       | UNIT | QUANTITY |         |       |
|   |                                   |      | SHEET 1  | SHEET 2 | TOTAL |
| 1   | 4" YELLOW/WHITE                   | LF   | 100      | 600     | 700   |
| 2   | 6" WHITE                          | LF   | 165      | 355     | 520   |
| 3   | 8" WHITE/YELLOW                   | LF   | 55       | 905     | 960   |
| 4   | 12" WHITE                         | LF   | 370      | 475     | 845   |
| 5   | GREEN (PER DETAIL)                | SF   | 225      | 450     | 675   |
| 6   | DETAIL 9                          | LF   | 700      | 155     | 855   |
| 7   | DETAIL 22                         | LF   | 305      | 1200    | 1505  |
| 8   | DETAIL 25A                        | LF   | 410      |         | 410   |
| 9   | DETAIL 27B                        | LF   |          | 335     | 335   |
| 10  | DETAIL 29                         | LF   | 90       | 570     | 660   |
| 11  | DETAIL 36                         | LF   | 120      |         | 120   |
| 12  | DETAIL 37B                        | LF   | 320      | 430     | 750   |
| 13  | DETAIL 38                         | LF   | 605      | 360     | 965   |
| 14  | DETAIL 38A                        | LF   | 150      | 455     | 605   |
| 15  | DETAIL 39                         | LF   | 2330     | 4465    | 6795  |
| 16  | DETAIL 39A                        | LF   | 900      | 780     | 1680  |
| 17  | DETAIL 40                         | LF   | 175      |         | 175   |
| 18  | TYPE I(18') ARROW                 | SF   |          | 50      | 50    |
| 19  | TYPE III ARROW                    | SF   | 168      | 126     | 294   |
| 20  | TYPE IV ARROW                     | SF   | 135      | 120     | 255   |
| 21  | TYPE VI ARROW                     | SF   |          | 252     | 252   |
| 22  | BIKE SYMBOL AND ARROW             | SF   | 98       | 294     | 392   |
| 23  | "DROP OFF" LEGEND                 | SF   |          | 135     | 135   |
| 24  | "NB/SB FWY ONLY" LEGEND           | SF   | 110      | 55      | 165   |
| 25  | DETECTOR LOOP (TYPE C, D, OR E)   | EA   |          | 21      | 21    |
| 26  | DETECTOR CHANNEL CARDS            | EA   |          | 4       | 4     |
| 27  | SPLICE NEW TO EXISTING CONDUCTORS | EA   |          | 4       | 4     |
| 28  | TYPE G MARKERS                    | EA   |          | 32      | 32    |

| PAVEMENT DELINEATION REMOVAL QUANTITIES |                       |          |     |         |     |
|---|-----------------------|----------|-----|---------|-----|
| ITEM                                    | DESCRIPTION           | QUANTITY |     |         |     |
|   |                       | SHEET 1  |     | SHEET 2 |     |
|   |                       | LF       | SF  | LF      | SF  |
| 1                                       | 4" WHITE              | 200      |     | 150     |     |
| 2                                       | 8" WHITE              |          |     | 25      |     |
| 3                                       | 12" WHITE             | 175      |     | 100     |     |
| 4                                       | DETAIL 9              | 1510     |     | 1065    |     |
| 5                                       | DETAIL 22 / 29        | 305      |     | 1620    |     |
| 6                                       | DETAIL 25A            | 100      |     |         |     |
| 7                                       | DETAIL 32             |          |     | 885     |     |
| 8                                       | DETAIL 37B            | 325      |     | 145     |     |
| 9                                       | DETAIL 38             | 710      |     | 455     |     |
| 10                                      | DETAIL 39             | 605      |     | 2695    |     |
| 11                                      | DETAIL 39A            | 200      |     | 200     |     |
| 12                                      | DETAIL 40             | 130      |     | 175     |     |
| 13                                      | TYPE I(18') ARROW     |          |     |         | 50  |
| 14                                      | TYPE II ARROW         |          | 45  |         |     |
| 15                                      | TYPE II(B) ARROW      |          | 219 |         |     |
| 16                                      | TYPE III ARROW        |          | 126 |         | 126 |
| 17                                      | TYPE IV ARROW         |          | 105 |         | 60  |
| 18                                      | BIKE SYMBOL AND ARROW |          | 28  |         | 28  |
| 19                                      | "FWY ONLY"            |          | 38  |         |     |
| TOTAL                                   |                       | 4085     | 736 | 7415    | 484 |


**NOTES:**

SEE SHEET No. 1 FOR SIGNING AND STRIPING GENERAL NOTES, CONSTRUCTION NOTES AND DETAILS


- INSTALL 3 NEW DLCs FOR DETECTOR CHANNELS 212L, 213U AND 213L APPROXIMATELY 40 FT TO CONTROLLER CABINET AT CAMPUS DRIVE. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY DETECTOR CHANNEL CARDS FOR INTENDED OPERATION.
- INSTALL 3 NEW DLCs FOR DETECTOR CHANNELS 111L, 6J2L AND 6J3U APPROXIMATELY 240 FT TO CONTROLLER CABINET AT CAMPUS DRIVE. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY DETECTOR CHANNEL CARDS FOR INTENDED OPERATION.
- INSTALL 2 NEW DLCs FOR DETECTOR CHANNELS 213U AND 213L APPROXIMATELY 15 FT TO CONTROLLER CABINET AT ALUMNI CENTER. CONTRACTOR SHALL FURNISH AND INSTALL NECESSARY DETECTOR CHANNEL CARDS FOR INTENDED OPERATION.
- INSTALL LOOP DETECTOR AS NOTED
- CONTRACTOR SHALL REMOVE PROOBSTRIAN INDICATIONS AND PUSH BUTTONS FOR THE WESTERLY CROSSWALK LEG AT CAMPUS DR & PLUG ALL VOIDS.




MATCHLINE - SEE SHEET No. 1



Under Ground Service Alert of Southern California  
Call: TOLL FREE 1-800-227-2600  
TWO WORKING DAYS BEFORE YOU DIG



**ENGINEER IN RESPONSIBLE CHARGE**  
GILBERT M. HERNANDEZ  
R.C.E. No. 69170 EXPIRES: 6-30-14  
DATE: 3-10-14



DESIGNED BY: GMH DRAWN BY: GMH CHECKED BY: GMH

**CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS**

APPROVED BY: *[Signature]* DATE: 4/30/14  
 ENGINEERING MANAGER: FN  
 PRINCIPAL ENGINEER: *[Signature]*  
 TRAFFIC DIVISION: DC  
 CONSTRUCTION ADMIN. DATE: 4/29/14

CALTRANS ENCROACHMENT PERMIT No: 08-13-N-MC-0273

**PAVEMENT DELINEATION PLAN**

**UNIVERSITY AVE FROM UNIVERSITY VILLAGE TO CANYON CREST**


SCALE: 1" = 40'

**XL-706**  
SHEET 2 OF 4  
FILE NAME: XL-706.DWG




**SIGNING GENERAL NOTES:**

- SIGNING INSTALLATIONS SHALL CONFORM TO THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA MUTCD 2012), THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS DATED 2010, AND ALL ADDENDUMS THERETO, AND THE CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT STANDARD DRAWINGS, CURRENT EDITION.
- TRAFFIC SIGN FACE SHALL BE 3M DIAMOND GRADE DG3 REFLECTIVE SHEETING (ASTM XI) OR APPROVED EQUAL WITH PROTECTIVE GRAFFITI OVERLAY FILM OR AS OTHERWISE NOTED. ALL WARNING SIGNS SHALL HAVE A FLUORESCENT YELLOW BACKGROUND AND SCHOOL SIGNS NOTED SHALL HAVE A FLUORESCENT YELLOW-GREEN BACKGROUND.
- SIGNS SHALL BE STANDARD SIZE UNLESS NOTED OTHERWISE. PRIOR TO INSTALLATION, NEW SIGNS SHALL BE APPROVED BY THE CITY OF RIVERSIDE. EXACT LOCATIONS OF SIGNS SHALL BE DETERMINED BY THE CITY ENGINEER.
- ALL EXISTING SIGNS AND POSTS TO BE REMOVED SHALL BE DELIVERED TO THE CITY OF RIVERSIDE SIGN DEPARTMENT.
- CONTRACTOR SHALL INSTALL NEW SIGN(S) AND/OR POST(S) PER CITY OF RIVERSIDE STANDARD DRAWING No. 664, SEE SPECIFICATIONS.
- CONTRACTOR SHALL INSTALL NEW STREET NAME SIGNS AND POST PER CITY OF RIVERSIDE STANDARD DRAWING No. 662, SEE SPECIFICATIONS.




**LEGEND AND CONSTRUCTION NOTES:**

- E EXISTING TO REMAIN.
- 1-1 SIGN LOCATION
- IS FURNISH AND INSTALL ROADSIDE SIGN(S) OR SNS WITH/WITHOUT POST
- RS REMOVE SIGN(S)
- RL RELOCATE EXISTING SIGN(S) TO EXISTING POST OR INSTALL POST (IF APPLICABLE)
- S EXISTING SIGNALIZED INTERSECTION
- P PROPOSED SIGN (ONE POST)
- P EXISTING SIGN (STRAP & SADDLE)
- + EXISTING SIGN (ONE POST)
- ⊙ EXISTING SIGN (ON STREET LIGHT)
- ⊙ EXISTING STREET NAME SIGN
- + EXISTING SIGN (TWO POST)



MATCHLINE - SEE SHEET No. 4

CALTRANS ENCROACHMENT PERMIT No: 08-13-N-MC-0273



Under Ground Service Alert of Southern California  
Call: TOLL FREE 1-800-227-2600  
TWO WORKING DAYS BEFORE YOU DIG

**ENGINEER IN RESPONSIBLE CHARGE**  
GILBERT M. HERNANDEZ  
R.C.E. No. 69170 EXPIRES: 6-30-14  
DATE: 4-7-14

| MARK | REVISIONS | APPR. | DATE |
|------|-----------|-------|------|
|      |           |       |      |

| CITY OF RIVERSIDE, CALIFORNIA<br>DEPARTMENT OF PUBLIC WORKS |    |         |                    |
|---|----|---------|--------------------|
| APPROVED BY   | BY | DATE    | APPROVED BY        |
| ENGINEERING MANAGER   | FM | 4/30/14 | Principal Engineer |
| PRINCIPAL ENGINEER  |    |         |                    |
| TRAFFIC DIVISION  |    |         |                    |
| CONSTRUCTION ADMIN.   |    |         |                    |

| SIGN PLAN  |  |
|--|--|
| UNIVERSITY AVE<br>FROM UNIVERSITY VILLAGE<br>TO CANYON CREST |  |
| SCALE: 1" = 40'  |  |

|                       |
|-----------------------|
| XL-706                |
| SHEET 3 OF 4          |
| FILE NAME: XL-706.DWG |

**SIGNING GENERAL NOTES:**


- SIGNING INSTALLATIONS SHALL CONFORM TO THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA MUTCD 2012), THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS DATED 2010, AND ALL ADDENDUMS THERETO, AND THE CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT STANDARD DRAWINGS, CURRENT EDITION.
- TRAFFIC SIGN FACE SHALL BE 3M DIAMOND GRADE DG3 REFLECTIVE SHEETING (ASTM XI) OR APPROVED EQUAL WITH PROTECTIVE GRAFFITI OVERLAY FILM OR AS OTHERWISE NOTED. ALL WARNING SIGNS SHALL HAVE A FLUORESCENT YELLOW BACKGROUND AND SCHOOL SIGNS NOTED SHALL HAVE A FLUORESCENT YELLOW-GREEN BACKGROUND.
- SIGNS SHALL BE STANDARD SIZE UNLESS NOTED OTHERWISE. PRIOR TO INSTALLATION, NEW SIGNS SHALL BE APPROVED BY THE CITY OF RIVERSIDE. EXACT LOCATIONS OF SIGNS SHALL BE DETERMINED BY THE CITY ENGINEER.
- ALL EXISTING SIGNS AND POSTS TO BE REMOVED SHALL BE DELIVERED TO THE CITY OF RIVERSIDE SIGN DEPARTMENT.
- CONTRACTOR SHALL INSTALL NEW SIGN(S) AND/OR POST(S) PER CITY OF RIVERSIDE STANDARD DRAWING No. 664, SEE SPECIFICATIONS.
- CONTRACTOR SHALL INSTALL NEW STREET NAME SIGNS AND POST PER CITY OF RIVERSIDE STANDARD DRAWING No. 662, SEE SPECIFICATIONS.

**LEGEND AND CONSTRUCTION NOTES:**


- E EXISTING TO REMAIN.
- 1-1 SIGN LOCATION
- IS FURNISH AND INSTALL ROADSIDE SIGN(S) OR SNS WITH/WITHOUT POST
- RS REMOVE SIGN(S)
- RL RELOCATE EXISTING SIGN(S) TO EXISTING POST OR INSTALL POST (IF APPLICABLE)
- S EXISTING SIGNALIZED INTERSECTION
- P PROPOSED SIGN (ONE POST)
- S EXISTING SIGN (STRAP & SADDLE)
- L EXISTING SIGN (ONE POST)
- L EXISTING SIGN (ON STREET LIGHT)
- L EXISTING STREET NAME SIGN
- L EXISTING SIGN (TWO POST)

| SIGN NUMBER        | SIGN CODE             | PANEL SIZE (IN) | INSTALL ROADSIDE SIGN(S) |          |          | INSTALL STREET NAME SIGN | RELOCATE ROADSIDE SIGN(S) OR SNS |          | REMOVE SIGN(S) |
|--------------------|-----------------------|-----------------|--------------------------|----------|----------|--------------------------|----------------------------------|----------|----------------|
|                    |                       |                 | NO POST                  | ONE POST | TWO POST |                          | ONE POST                         | TWO POST |                |
| 1-1                | R61-32(CA)            |                 |                          |          |          |                          |                                  | 1        |                |
|                    | R61-19(CA)            | 36X30           | 1                        |          |          |                          |                                  |          |                |
| 1-2                | R61-32(CA)            |                 |                          |          |          |                          |                                  | 1        |                |
|                    | R61-19(CA)            | 36X30           | 1                        |          |          |                          |                                  |          |                |
| 1-3                | NO PED XING           |                 |                          |          |          |                          |                                  | 1        |                |
| 1-4                | NO PED XING           |                 |                          |          |          |                          |                                  | 1        |                |
|                    | R9-3A                 |                 |                          |          |          |                          |                                  |          |                |
| 1-5                | R3-7                  | 30X30           |                          | 1        |          |                          |                                  |          |                |
| 1-6                | TYPE K-1(CA)          | 12X6            |                          | **3      |          |                          |                                  |          |                |
| 1-7                | R4-4                  | 36X30           | 1                        |          |          |                          |                                  |          |                |
| 2-1                | R3-7                  | 30X30           | 1                        |          |          |                          |                                  |          |                |
| 2-2                | <del>W4-1</del> R9-3A | 18x18           | 2                        |          |          |                          |                                  |          |                |
|                    | <del>W4-1</del> R9-3B | 36X36           | 2                        |          |          |                          |                                  |          |                |
| 2-3                | W4-7                  | 36X36           | 1                        |          |          |                          |                                  |          |                |
| 2-4                | W9-1(MOD)             | 30X30           |                          | 1        |          |                          |                                  |          |                |
| 2-5                | W9-1(MOD2)            | 30X30           |                          | 1        |          |                          |                                  |          |                |
| 2-6                | SNS                   |                 |                          |          |          |                          |                                  | 1        |                |
|                    | SNS                   | 9'XVAR          |                          |          |          | 1                        |                                  |          |                |
| 2-7                | W4-1                  | 36X36           | 1                        |          |          |                          |                                  |          |                |
| 2-8                | R26A(CA)EB            | 18X24           |                          | 1        |          |                          |                                  |          |                |
| 2-9                | G24-4(CA)(MOD3)       |                 |                          |          |          |                          |                                  | 1        |                |
|                    | G24-4(CA)(MOD4)       |                 |                          |          |          |                          |                                  |          |                |
|                    | G92(CA)               |                 |                          |          |          |                          |                                  |          |                |
|                    | G27-2(CA)(215)        |                 |                          |          |          |                          |                                  |          |                |
|                    | M6-1(R)               |                 |                          |          |          |                          |                                  |          |                |
| <b>GRAND TOTAL</b> |                       |                 | <b>97</b>                | <b>7</b> |          | <b>1</b>                 | <b>1</b>                         | <b>5</b> |                |


SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS  
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS  
 SNS = STREET NAME SIGN  
 \* = THE SIZE SHALL MATCH THE EXISTING  
 \*\* = CENTER OF SIGN SHALL BE 15-INCHES FROM PAVEMENT. POST SHALL BE FLEXIBLE AND INCLUDE A BASE EPOXIED TO THE PAVEMENT



MATCHLINE - SEE SHEET No. 3



Under Ground Service Alert of Southern California  
 Call: TOLL FREE 1-800-227-2600  
 TWO WORKING DAYS BEFORE YOU DIG



**ENGINEER IN RESPONSIBLE CHARGE**  
 GILBERT M. HERNANDEZ  
 R.C.E. No. 69170 EXPIRES: 6-30-14  
 DATE: 4-7-14



|             |     |          |     |            |     |
|-------------|-----|----------|-----|------------|-----|
| DESIGNED BY | GMH | DRAWN BY | GMH | CHECKED BY | GMH |
|-------------|-----|----------|-----|------------|-----|

**CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS**

|                     |         |               |           |
|---------------------|---------|---------------|-----------|
| APPROVED BY         | DATE    | APPROVED BY   | DATE      |
| ENGINEERING MANAGER | 4/30/14 | CITY ENGINEER | 5/15/2014 |
| PRINCIPAL ENGINEER  |         |               |           |
| TRAFFIC DIVISION    | 4/14/14 |               |           |
| CONSTRUCTION ADMIN. | 4/29/14 |               |           |

**SIGN PLAN**  
**UNIVERSITY AVE FROM UNIVERSITY VILLAGE TO CANYON CREST**  
 SCALE: 1" = 40'

**XL-706**  
 SHEET 4 OF 4  
 FILE NAME: XL-706.DWG

CALTRANS ENCROACHMENT PERMIT No: 08-13-N-MC-0273