

SIGN QUANTITIES - THIS SHEET

SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)		INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST		NO POST	ONE POST	
01-01	SNS (1)	9"			1(*)			
01-02	R1-1	36"		1				1
	SNS	-						1
01-03	SNS (2)	9"			1			
01-04	SNS	-						1
01-05	R1-1	36"		1				1
	SNS	-						1
01-06	SNS (3)	9"			1			
01-07	SNS (4)	9"			1			
01-08	R1-1	36"		1				1
	SNS	-						1

SIGN QUANTITIES - THIS SHEET


SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	NO POST	ONE POST	RELOCATE	REMOVE
01-09	R1-1	36"		1		1
	SNS	-				1
01-10	SNS (5)	9"			1	
01-11	R1-1	36"		1		1
	SNS	-				1(**)
01-12	SNS (6)	9"			1	1
01-13	SNS (7)	9"			1	
01-14	R32(CA) MOD	-				1
01-15	SNS	-				1
01-16	SNS (8)	9"			1	
01-17	R1-1	36"		1		1
01-18	R1-1	36"		1		1
01-19	SNS (9)	9"			1	
GRAND TOTAL:			2	5	9	1 1 14

CONSTRUCTION NOTES:

- 1 CONTRACTOR SHALL INSTALL (1) NEW DLC, APPROX. 25' FOR LOOPS 416L, FROM THE ADJACENT PULLBOX TO THE EXISTING CONTROLLER. THE INSTALLATION OF (1) NEW 2-CHANNEL DETECTOR CARD MAY BE NECESSARY FOR THE PROPOSED CONFIGURATION.

LEGEND AND CONSTRUCTION NOTES:

- # INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- PM INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- S EXISTING SIGNALIZED INTERSECTION
- XX' PROPOSED WIDTH
- SC SPLICE NEW TO EXISTING CONDUCTORS
- I INSTALL TYPE "D" AND/OR TYPE "E" DETECTOR LOOPS UNLESS OTHERWISE NOTED.




STRIPING/SIGNAGE QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 22	2705	LF
2	4" SOLID WHITE	280	LF
3	12" SOLID WHITE	305	LF
4	PAVEMENT LEGENDS/MARKINGS	198	SF

SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 * = INSTALL ON EXISTING STREET LIGHT STANDARD
 ** = NEW BRACKETS NEEDED FOR NEW POST
 (1) = "BROCKTON AVE 4000" / "ELEVENTH ST 4000"
 (2) = "ELEVENTH ST 4000" / "CHESTNUT ST 4000"
 (3) = "ELEVENTH ST 3900" / "CHESTNUT ST 4100"
 (4) = "ALMOND ST 4000" / "ELEVENTH ST 3900"
 (5) = "ALMOND ST 4100" / "ELEVENTH ST 3800"
 (6) = "TWELFTH ST 4000" / "CHESTNUT ST 4200"
 (7) = "CHESTNUT ST 4200" / "TWELFTH ST 3900"
 (8) = "ALMOND ST 4200" / "TWELFTH ST 3800"
 (9) = "TWELFTH ST 3900" / "ALMOND ST 4200"

Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG



ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES 6-30-16
 DATE 9.30.15




MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS

APPROVED BY: [Signature] DATE: 9/23/15
 ENGINEERING MANAGER
 TRAFFIC DIVISION: [Signature] DATE: 9/23/15
 CONSTRUCTION ADMIN. DATE: 9/23/15
 SURVEY DATE: 9/23/15
 STREETS DIVISION

SIGNING AND STRIPING PLAN
 2014/2015 CBDG IMPROVEMENTS
 ELEVENTH STREET, TWELFTH STREET,
 CHESTNUT STREET AND ALMOND STREET

XL-732
 SHEET 1 OF 8
 FILE NAME: XL732.DWG




CONSTRUCTION NOTES:

- 2 CONTRACTOR SHALL INSTALL (1) NEW DLC, APPROX. 75' FOR LOOPS 416L, FROM THE ADJACENT PULLBOX TO THE EXISTING CONTROLLER. THE INSTALLATION OF (1) NEW 2-CHANNEL DETECTOR CARD MAY BE NECESSARY FOR THE PROPOSED CONFIGURATION.
- 3 CONTRACTOR SHALL INSTALL (1) NEW DLC, APPROX. 15' FOR LOOPS 416L, FROM THE ADJACENT PULLBOX TO THE EXISTING CONTROLLER. THE INSTALLATION OF (1) NEW 2-CHANNEL DETECTOR CARD MAY BE NECESSARY FOR THE PROPOSED CONFIGURATION.

LEGEND AND CONSTRUCTION NOTES:

- # INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- PM INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- S EXISTING SIGNALIZED INTERSECTION
- XX' PROPOSED WIDTH
- SC SPLICE NEW TO EXISTING CONDUCTORS
- I INSTALL TYPE "D" AND/OR TYPE "E" DETECTOR LOOPS UNLESS OTHERWISE NOTED.




SIGN QUANTITIES - THIS SHEET

SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
02-01	R1-1	36"		1				1	
02-02	R1-1	36"		1				1	
02-03	R1-1	36"		1				1	
02-04	R2-1(25)	-					1		
	R26(CA) MOD.	**		1				1	
02-05	R26(CA) MOD.	**	1					1	
GRAND TOTAL:			1	4			1	5	


SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 682 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 * = THE SIZE SHALL MATCH THE EXISTING
 ** = REMOVE EXISTING AND REPLACE IN KIND (TEXT TO MATCH)

STRIPING/SIGNAGE QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 22	750	LF
2	12" SOLID WHITE/YELLOW	725	LF
3	PAVEMENT LEGENDS/MARKINGS	242	SF
4	PAINTED CURB (RED)	40	LF



ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-16
 DATE: 9-20-15




MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS
 APPROVED BY: [Signature] DATE: 9/23/15
 ENGINEERING MANAGER: PM
 TRAFFIC DIVISION: DL
 CONSTRUCTION ADMIN.: [Signature]
 SURVEY: [Signature]
 STREETS DIVISION: [Signature] DATE: 9/23/15

SIGNING AND STRIPING PLAN
 2014/2015 CBDG IMPROVEMENTS
 TWELFTH STREET, THIRTEENTH STREET, HOWARD AVENUE AND PARK AVENUE
 SCALE: 1" = 40'

XL-732
 SHEET 2 OF 8
 FILE NAME: XL732.DWG



MADISON STREET

POTOMAC STREET

MT. VERNON STREET

SAN RAFAEL WAY

03-01
03-02
PM

12" WHITE PM

PM 12" WHITE

PM

03-03

03-04
03-05
PM

03-06

PM 12" WHITE

SIGN QUANTITIES - THIS SHEET


SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
03-01	SNS (1)	9"		1					
03-02	SNS	-						1	
03-03	SNS (2)	9"		1				1	
03-04	SNS (3)	9"		1					
03-05	SNS	-						1	
03-06	W31(CA)	30X30		1				1	
GRAND TOTAL:				4				4	

STRIPING/SIGNAGE QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	12" SOLID WHITE	55	LF
2	PAVEMENT LEGENDS/MARKINGS	66	SF

LEGEND AND CONSTRUCTION NOTES:

PM INSTALL PAVEMENT MARKING OR ARROW AS NOTED.



SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 (1) = "POTOMAC ST 7400" / "MADISON ST 3800"
 (2) = "POTOMAC ST 7400" / "SAN RAFAEL WAY 3700"
 (3) = "MT VERNON ST 7400" / "MADISON ST 3600"

Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-16
 DATE: 9-20-15

MARK	REVISIONS	APPR.	DATE



CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS

APPROVED BY: [Signature] DATE: 9/23/15
 ENGINEERING MANAGER: EM
 TRAFFIC DIVISION: DC
 CONSTRUCTION ADMIN.: [Signature]
 SURVEY: [Signature]
 DESIGNED BY: GMH DRAWN BY: DMC CHECKED BY: GMH

SIGNING AND STRIPING PLAN
 2014/2015 CBDG IMPROVEMENTS
 POTOMAC STREET AND
 MT. VERNON STREET

XL-732
 SHEET 3 OF 8
 FILE NAME: XL732.DWG

SCALE: 1" = 40'





LEGEND AND CONSTRUCTION NOTES:

(PM) INSTALL PAVEMENT MARKING OR ARROW AS NOTED.

SIGN QUANTITIES - THIS SHEET									
SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
04-01	SNS (1)	9"				1			1
	"BIKE LANE"	-					1(*)		
04-02	R1-1	36"		1					1
04-03	R2-1(25)	24X30		1					1
GRAND TOTAL:				2		1	1		3

STRIPING/SIGNAGE QUANTITIES - THIS SHEET			
ITEM	DESCRIPTION	QUANTITY	UNIT
1	12" SOLID WHITE	50	LF
2	PAVEMENT LEGENDS/MARKINGS	44	SF



SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 (*) = RELOCATE TO THE NEW SNS POST
 (1) = "FARNHAM PL 3700" / "MAGNOLIA AVE 9400"



<p>Under Ground Service Alert of Southern California Call: TOLL FREE 1-800-227-2600 TWO WORKING DAYS BEFORE YOU DIG</p>	<p>ENGINEER IN RESPONSIBLE CHARGE GILBERT M. HERNANDEZ R.C.E. No. 69170 EXPIRES: 6-30-16 DATE: 9-30-15</p>	<p>CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS</p>		<p>SIGNING AND STRIPING PLAN 2014/2015 CBDG IMPROVEMENTS FARNHAM PLACE FROM MAGNOLIA TO ANDREW</p>	<p>XL-732 SHEET 4 OF 8 FILE NAME: XL732.DWG</p>
		<p>DESIGNED BY: GMH DRAWN BY: DMC CHECKED BY: GMH</p>	<p>APPROVED BY: <i>En DC</i> DATE: 9/15/15 TRAFFIC DIVISION: CIVIL CONSTRUCTION ADMIN. SURVEY</p>		

MATCHLINE "A"
SEE SHEET 7

MATCHLINE "B"
SEE SHEET 7



SIGN QUANTITIES - THIS SHEET								
SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST	NO POST	ONE POST	
06-01	SNS (1)	9"				1		
06-02	R1-1	36"		1				1
	SNS	-						1
06-03	R1-1	36"		1				
06-04	SNS	-						1
06-05	SNS (2)	9"				1		
06-06	TYPE N (CA) *	18X18	1					
06-07	SNS (3)	9"				1		
06-08	R1-1	36"		1				1
	SNS	-						1
06-09	SNS (4)	9"				1		1
06-10	SNS	-						1**
GRAND TOTAL:			1	3		4	1	6


STRIPING/SIGNAGE QUANTITIES - THIS SHEET			
ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 22	150	LF
2	12" SOLID WHITE	225	LF
3	PAVEMENT LEGENDS/MARKINGS	220	SF

LEGEND AND CONSTRUCTION NOTES:

- # INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- PM INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- XX PROPOSED WIDTH

SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 * = NEW BRACKET
 ** = NEW BRACKETS ARE NEEDED FOR NEW POST
 (1) = "NEBRASKA AVE 11000" / "LA SIERRA AVE 4900"
 (2) = "BOGART AVE 4900" / "BUSHNELL AVE 11000"
 (3) = "DOANE AVE 4800" / "BUSHNELL AVE 10900"
 (4) = "HIERS AVE 4800" / "BUSHNELL AVE 10800"

Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG



ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 8-30-16
 DATE: 9-16-15



MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS


APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	FM	9/17/15	<i>[Signature]</i>
TRAFFIC DIVISION	DC	9/18/15	CITY ENGINEER
CONSTRUCTION ADMIN.			
SURVEY			
STREETS DIVISION			

DESIGNED BY: GMH DRAWN BY: DMC CHECKED BY: GMH DATE: 9/23/2015

SIGNING AND STRIPING PLAN
 2014/2015 CBDG IMPROVEMENTS
 EASY STREET, NEBRASKA AVENUE, BOGART AVENUE AND BUSHNELL AVENUE

XL-732
 SHEET 6 OF 8
 FILE NAME: XL732.DWG

SCALE: 1" = 40'



MATCHLINE "A"
SEE SHEET 6

MATCHLINE "B"
SEE SHEET 6


SIGN QUANTITIES - THIS SHEET

SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S)		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
07-01	SNS	-						1	
07-02	SNS (1)	9"			1				
07-03	R1-1	36"	1					1	
	SNS	-						1	
07-04	SNS (2)	9"			1				
07-05	R1-1	36"		1				1	
07-06	SNS (3)	9"			1			1	
GRAND TOTAL:			1	1	3			5	

SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 (1) = "EASY ST 4900" / "SUNNYSLOPE AVE 10900"
 (2) = "SUNNYSLOPE AVE 10800" / "MITCHELL AVE 4900"
 (3) = "MITCHELL AVE 4900" / "BUSHNELL AVE 4900"

LEGEND AND CONSTRUCTION NOTES:

- # INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- PM INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- XX' PROPOSED WIDTH



STRIPING/SIGNAGE QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 22	265	LF
2	12" SOLID WHITE	80	LF
3	PAVEMENT LEGENDS/MARKINGS	88	SF

Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-16
 DATE: 9-16-15

MARK: _____
 REVISIONS: _____
 APPR. DATE: _____
 DESIGNED BY: GMH DRAWN BY: DMC CHECKED BY: GMH

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS
 APPROVED BY: _____ BY: FM DATE: 9/17/15
 TRAFFIC DIVISION: DC
 CONSTRUCTION ADMIN. DATE: 9/18/15
 SURVEY
 STREETS DIVISION

SIGNING AND STRIPING PLAN
 2014/2015 CBDG IMPROVEMENTS
 EASY STREET, SUNNYSLOPE AVENUE AND BUSHNELL AVENUE
 SCALE: 1" = 40'




XL-732
 SHEET 7 OF 8
 FILE NAME: XL732.DWG

TRAFFIC SIGNAL GENERAL NOTES:


- ALL ITEMS FURNISHED AND ALL WORK TO BE DONE SHALL CONFORM TO THE REQUIREMENTS OF: THE STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS, DATED 2010; THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES ADOPTED 2014; AND THE SPECIAL PROVISIONS.
- THE CONTRACTOR IS REQUIRED TO TAKE STEPS TO ASCERTAIN THE EXACT LOCATION OF ALL KNOWN SUBSTRUCTURES PRIOR TO DOING WORK THAT MAY DAMAGE OR INTERFERE WITH SUCH FACILITIES ("UNDERGROUND SERVICE ALERT" (800) 227-2600).
- THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS TO NOTIFY ALL AFFECTED AGENCIES AND THE RIVERSIDE UTILITY COMPANIES A MINIMUM OF 48 HOURS PRIOR TO START OF CONSTRUCTION.
- UNLESS SHOWN OTHERWISE, INDUCTIVE LOOPS SHALL BE MODIFIED TYPE "D" & TYPE "E" WITH 10', 15' AND 30' SPACING IN THE DIRECTION OF TRAVEL. NECESSARY STRIPING SHALL BE LOCATED PRIOR TO POSITIONING LOOPS. LOOPS SHALL BE SEALED WITH HOT MELT SEALANT. SEE DETAIL.
- IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE THE CORRECT CONDUCTORS REQUIRED FOR THE INTENDED OPERATION.
- CONDUIT BETWEEN ADJOINING PULL BOXES SHALL BE 2" UNLESS SHOWN OTHERWISE. ALL CONDUIT AND FITTINGS SHALL BE RIGID METAL, UNLESS SHOWN OTHERWISE (BURIED IN A MINIMUM OF 30" OF COVER IN THE STREET AND PARKWAY).
- UNDERGROUND SIGNAL CONDUCTORS SHALL NOT BE SPLICED.
- PULL BOXES SHALL BE No. 6 WITH FIBERLITE LIDS LABELED "TRAFFIC SIGNAL" UNLESS OTHERWISE NOTED ON THE PLAN.
- PULL BOXES SHALL NOT BE LOCATED IN OR WITHIN 1' OF ANY CURB ACCESS RAMP OR DRIVEWAY.
- THE CONTRACTOR SHALL VERIFY WITH THE ENGINEER THE PRECISE FIELD LOCATIONS OF ALL TRAFFIC SIGNAL EQUIPMENT PRIOR TO THE INSTALLATION.
- ALL LANDSCAPING WHICH IS DAMAGED BY CONSTRUCTION ACTIVITIES SHALL BE REPAIRED OR REPLACED TO THE SATISFACTION OF THE CITY AND THE PROPERTY OWNER.
- SALVAGED TRAFFIC SIGNAL EQUIPMENT SHALL BE DELIVERED TO THE CITY OF RIVERSIDE TRAFFIC SIGNAL MAINTENANCE YARD.
- DAMAGED SIDEWALK CONCRETE SHALL BE REPLACED PER CITY OF RIVERSIDE STANDARD.
- THE CONTRACTOR SHALL REMOVE ALL UNUSED PULL BOXES AND RE-PAVE SURROUNDING AREA TO MATCH EXISTING OR PROPOSED GRADE. ALL UNUSED CONDUIT SHALL BE ABANDONED AND CAPPED ONCE UNUSED CONDUCTORS ARE REMOVED.
- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO FURNISH AND INSTALL ANY ADDITIONAL LOAD SWITCHES AND/OR DETECTOR CARDS, IF NECESSARY, FOR THE PROPOSED OPERATION.

SIGNING AND STRIPING GENERAL NOTES:


- SIGNING AND STRIPING INSTALLATIONS SHALL CONFORM TO THE 2014 CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA MUTCD), THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS DATED 2010, AND ALL ADDENDUMS THERETO, AND THE CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT STANDARD DRAWINGS, CURRENT EDITION.
- ALL STRIPING, MARKINGS, AND LEGENDS SHALL BE REFLECTORIZED THERMOPLASTIC UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL PROVIDE AND INSTALL RAISED PAVEMENT MARKERS FOR ALL STRIPING. STRIPING, MARKINGS AND LEGENDS SHALL CONFORM TO THE LATEST CALTRANS STANDARD PLANS A20A THRU A20D AND A24A THRU A24E.
- PRIOR TO FINAL ACCEPTANCE OF STREET IMPROVEMENTS, ALL PAVEMENT STRIPING AND STENCILING WITHIN THE PERIMETER OF THE CONSTRUCTION AREA SHALL BE RESTORED TO LIKE NEW CONDITION, IN A MANNER MEETING THE APPROVAL OF THE CITY OF RIVERSIDE.
- THE CONTRACTOR SHALL RE-STRIP EXISTING STRIPING AND CURB MARKINGS OBLITERATED BY NEW CONSTRUCTION, WHETHER OR NOT SHOWN ON THE PLANS FOR REPLACEMENT, AT NO COST TO THE CITY.
- AT LOCATIONS WHERE EXISTING PAINTED CURB IS TO BE RECONSTRUCTED, THE CONTRACTOR SHALL PAINT THE NEW CURB AS SHOWN ON THE PLANS WITHIN 10 WORKING DAYS OF CURB CONSTRUCTION OR AS DIRECTED BY ENGINEER. THE PAINT SHALL BE WATER-BASED WITH 2-YEAR GUARANTEE AGAINST COLOR FADING. PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT TO THE CITY WRITTEN PROOF OF THE MANUFACTURER'S 2-YEAR GUARANTEE.
- ALL NEW STRIPING SHALL BE "CAT TRACKED" AND APPROVED BY THE ENGINEER PRIOR TO FINAL INSTALLATION. THE CONTRACTOR SHALL NOTIFY THE ENGINEER AFTER COMPLETING LAYOUT AND AT LEAST 3 WORKING DAYS BEFORE COMMENCING INSTALLATION OF STRIPING, MARKINGS AND MARKERS.
- TRAFFIC SIGN FACE SHALL BE 3M DIAMOND GRADE DG3 REFLECTIVE SHEETING (ASTM XI) OR APPROVED EQUAL WITH PROTECTIVE GRAFFITI OVERLAY FILM OR AS OTHERWISE NOTED. ALL WARNING SIGNS SHALL HAVE A FLUORESCENT YELLOW BACKGROUND AND SCHOOL SIGNS NOTED SHALL HAVE A FLUORESCENT YELLOW-GREEN BACKGROUND.
- SIGNS SHALL BE STANDARD SIZE UNLESS NOTED OTHERWISE. PRIOR TO INSTALLATION, NEW SIGNS SHALL BE APPROVED BY THE CITY OF RIVERSIDE. EXACT LOCATIONS OF SIGNS SHALL BE DETERMINED BY THE CITY ENGINEER.
- ALL EXISTING SIGNS AND POSTS TO BE REMOVED SHALL BE DELIVERED TO THE CITY OF RIVERSIDE SIGN DEPARTMENT.
- WHEN PAINT IS SPECIFIED, TRAFFIC STRIPES AND MARKINGS SHALL BE APPLIED IN TWO COATS. A MINIMUM OF SEVEN DAYS SHALL BE PROVIDED BETWEEN FIRST AND SECOND COATS.
- STRIPING SHALL BE APPLIED WITHIN 48 HOURS OF SURFACE COURSE REPLACEMENT ON STREETS OPEN TO THE PUBLIC. IN NO CASE SHALL A NEWLY PAVED STREET OPEN TO THE PUBLIC BE LEFT UNSTRIPED OVER A WEEKEND OR HOLIDAY.
- CONTRACTOR SHALL INSTALL NEW SIGN(S) AND/OR POST(S) PER CITY OF RIVERSIDE STANDARD DRAWING No. 664, SEE SPECIFICATIONS. 13. CONTRACTOR SHALL INSTALL NEW STREET NAME SIGNS AND POST PER CITY OF RIVERSIDE STANDARD DRAWING No. 662, SEE SPECIFICATIONS.
- ALL CONFLICTING STRIPING, PAVEMENT MARKINGS, LEGENDS, AND RAISED PAVEMENT MARKERS SHALL BE REMOVED EVEN IF NOT SHOWN ON PLANS. REMOVALS OF PAINTED STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE DONE BY WET SANDBLASTING. REMOVALS OF THERMOPLASTIC STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE REMOVED BY WET SANDBLASTING, GRINDING OR OTHER APPROVED METHOD AND SHALL NOT DAMAGE THE PAVEMENT. "BLACK OUT" OF EXISTING DELINEATION IS NOT PERMITTED. ALL DAMAGED PAVEMENT DUE TO REMOVALS SHALL BE REPAIRED AS NECESSARY TO MAINTAIN A SMOOTH AND UNIFORM SURFACE OR AS DIRECTED BY THE ENGINEER. ALL STRIPING REMOVALS AND LEGENDS SHALL BE "FOG SEALED".
- WHERE APPLICABLE, OUTBOUND LANE LINE DETAILS SHALL COMMENCE AT THE CROSSWALK, MEANING THE PAINTED PORTION OF THE DETAIL SHALL JOIN THE CROSSWALK.



Under Ground Service Alert of Southern California
Call: TOLL FREE 1-800-227-2600
TWO WORKING DAYS BEFORE YOU DIG



ENGINEER IN RESPONSIBLE CHARGE
GILBERT M. HERNANDEZ
R.C.E. No. 69170 EXPIRES: 6-30-16
DATE: 9-16-15



MARK	REVISIONS	APPR.	DATE

DESIGNED BY: GMH DRAWN BY: DMC CHECKED BY: GMH

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS			
APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	FM	9/17/15	[Signature]
TRAFFIC DIVISION	DC	9/18/15	CITY ENGINEER
CONSTRUCTION ADMIN.			
SURVEY			
STREETS DIVISION			
			DATE: 9/23/2015

SIGNING AND STRIPING PLAN	
2014/2015 CBDG IMPROVEMENTS	
EASY STREET, SUNNYSLOPE AVENUE AND BUSHNELL AVENUE	
SCALE: 1" = 40'	

XL-732
SHEET 8 OF 8
FILE NAME: XL732.DWG