

TRAFFIC SIGNAL GENERAL NOTES:


SEE SHEET #5.

SIGNING AND STRIPING GENERAL NOTES:


- SIGNING AND STRIPING INSTALLATIONS SHALL CONFORM TO THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (CA MUTCD), THE STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS DATED 2010, AND ALL ADDENDUMS THERETO, AND THE CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT STANDARD DRAWINGS, CURRENT EDITION.
- ALL STRIPING, MARKINGS, AND LEGENDS SHALL BE REFLECTORIZED THERMOPLASTIC UNLESS OTHERWISE NOTED. THE CONTRACTOR SHALL PROVIDE AND INSTALL RAISED PAVEMENT MARKERS FOR ALL STRIPING. STRIPING, MARKINGS AND LEGENDS SHALL CONFORM TO THE LATEST CALTRANS STANDARD PLANS A20A THRU A20D AND A24A THRU A24E.
- PRIOR TO FINAL ACCEPTANCE OF STREET IMPROVEMENTS, ALL PAVEMENT STRIPING AND STENCILING WITHIN THE PERIMETER OF THE CONSTRUCTION AREA SHALL BE RESTORED TO LIKE NEW CONDITION, IN A MANNER MEETING THE APPROVAL OF THE CITY OF RIVERSIDE.
- THE CONTRACTOR SHALL RE-STRIP EXISTING STRIPING AND CURB MARKINGS OBLITERATED BY NEW CONSTRUCTION, WHETHER OR NOT SHOWN ON THE PLANS FOR REPLACEMENT, AT NO COST TO THE CITY.
- AT LOCATIONS WHERE EXISTING PAINTED CURB IS TO BE RECONSTRUCTED, THE CONTRACTOR SHALL PAINT THE NEW CURB AS SHOWN ON THE PLANS WITHIN 10 WORKING DAYS OF CURB CONSTRUCTION OR AS DIRECTED BY ENGINEER. THE PAINT SHALL BE WATER-BASED WITH 2-YEAR GUARANTEE AGAINST COLOR FADING. PRIOR TO THE START OF CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT TO THE CITY WRITTEN PROOF OF THE MANUFACTURER'S 2-YEAR GUARANTEE.
- ALL NEW STRIPING SHALL BE "CAT TRACKED" AND APPROVED BY THE ENGINEER PRIOR TO FINAL INSTALLATION. THE CONTRACTOR SHALL NOTIFY THE ENGINEER AFTER COMPLETING LAYOUT AND AT LEAST 3 WORKING DAYS BEFORE COMMENCING INSTALLATION OF STRIPING, MARKINGS AND MARKERS.
- TRAFFIC SIGN FACE SHALL BE 3M DIAMOND GRADE DG3 REFLECTIVE SHEETING (ASTM XI) OR APPROVED EQUAL WITH PROTECTIVE GRAFFITI OVERLAY FILM OR AS OTHERWISE NOTED. ALL WARNING SIGNS SHALL HAVE A FLUORESCENT YELLOW BACKGROUND AND SCHOOL SIGNS NOTED SHALL HAVE A FLUORESCENT YELLOW-GREEN BACKGROUND.
- SIGNS SHALL BE STANDARD SIZE UNLESS NOTED OTHERWISE. PRIOR TO INSTALLATION, NEW SIGNS SHALL BE APPROVED BY THE CITY OF RIVERSIDE. EXACT LOCATIONS OF SIGNS SHALL BE DETERMINED BY THE CITY ENGINEER.
- ALL EXISTING SIGNS AND POSTS TO BE REMOVED SHALL BE DELIVERED TO THE CITY OF RIVERSIDE SIGN DEPARTMENT.
- STRIPING SHALL BE APPLIED WITHIN 48 HOURS OF SURFACE COURSE REPLACEMENT ON STREETS OPEN TO THE PUBLIC. IN NO CASE SHALL A NEWLY PAVED STREET OPEN TO THE PUBLIC BE LEFT UNSTRIPED OVER A WEEKEND OR HOLIDAY.
- CONTRACTOR SHALL INSTALL NEW SIGN(S) AND/OR POST(S) PER CITY OF RIVERSIDE STANDARD DRAWING No. 664, SEE SPECIFICATIONS.
- CONTRACTOR SHALL INSTALL NEW STREET NAME SIGNS AND POST PER CITY OF RIVERSIDE STANDARD DRAWING No. 662, SEE SPECIFICATIONS.
- ALL CONFLICTING STRIPING, PAVEMENT MARKINGS, LEGENDS, AND RAISED PAVEMENT MARKERS SHALL BE REMOVED EVEN IF NOT SHOWN ON PLANS. REMOVALS OF PAINTED STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE DONE BY WET SANDBLASTING. REMOVALS OF THERMOPLASTIC STRIPING, PAVEMENT MARKINGS AND LEGENDS SHALL BE REMOVED BY WET SANDBLASTING, GRINDING OR OTHER APPROVED METHOD AND SHALL NOT DAMAGE THE PAVEMENT. "BLACK OUT" OF EXISTING DELINEATION IS NOT PERMITTED. ALL DAMAGED PAVEMENT DUE TO REMOVALS SHALL BE REPAIRED AS NECESSARY TO MAINTAIN A SMOOTH AND UNIFORM SURFACE OR AS DIRECTED BY THE ENGINEER. ALL STRIPING REMOVALS AND LEGENDS SHALL BE "FOG SEALED".
- WHERE APPLICABLE, OUTBOUND LANE LINE DETAILS SHALL COMMENCE AT THE CROSSWALK, MEANING THE PAINTED PORTION OF THE DETAIL SHALL JOIN THE CROSSWALK.

SIGNING AND STRIPING LEGEND AND CONSTRUCTION NOTES:

- INSTALL "TYPE D" AND "TYPE E" DETECTOR LOOPS AS NOTED ON PLAN, PER DETAIL. SPLICE TO DLC(S) AT ADJACENT PULLBOX
- PAINT MEDIAN NOSE AS NOTED ON PLAN, PER DETAIL "C"
- CONTRACTOR SHALL INSTALL (1) NEW DLC APPROX. 50' FROM THE ADJACENT PULLBOX TO EXISTING CONTROLLER FOR EACH CHANNEL 7.5JL.
- CONTRACTOR SHALL INSTALL (1) NEW DLC APPROX. 10' FROM THE ADJACENT PULLBOX TO EXISTING CONTROLLER FOR EACH CHANNEL 418U.
- EXISTING TO REMAIN.
- INSTALL CALTRANS STRIPING DETAIL PER NUMBER NOTED, INCLUDING INSTALLATION OF RAISED PAVEMENT MARKERS.
- INSTALL PAVEMENT MARKING OR ARROW AS NOTED.
- REMOVE ALL EXISTING CONFLICTING TRAFFIC STRIPING AND MARKINGS AS NOTED, INCLUDING RAISED PAVEMENT MARKERS.
- SIGN LOCATION
- FURNISH AND INSTALL ROADSIDE SIGN(S) OR SNS WITH/WITHOUT POST
- REMOVE SIGN(S)
- RELOCATE EXISTING SIGN(S) TO EXISTING POST OR INSTALL POST (IF APPLICABLE)
- EXISTING SIGNALIZED INTERSECTION
- PROPOSED SIGN (ONE POST)
- EXISTING SIGN (ONE POST)
- EXISTING SIGN (ON STREET LIGHT)
- EXISTING STREET NAME SIGN
- STREET NAME SIGN
- EXISTING WIDTH
- PROPOSED WIDTH






R26A(CA)EB



SEE STANDARD DWG NO. 670 FOR TYPE "D" LOOP CONFIGURATION

PAVEMENT DELINEATION QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 25A	1,970	LF
2	DETAIL 38	300	LF
3	12" SOLID YELLOW/WHITE	365	LF
4	PAVEMENT LEGENDS/MARKINGS	250	SF
5	PAINTED CURB (RED)	30	LF
6	PAINT MEDIAN NOSE W/ RPM	5	EA



Under Ground Service Alert of Southern California
Call: TOLL FREE 1-800-227-2600
TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
GILBERT M. HERNANDEZ
R.C.E. No. 69170 EXPIRES: 6-30-14
DATE: 4-3-2013

REGISTERED PROFESSIONAL ENGINEER
GILBERT M. HERNANDEZ
No. 69170
Exp. 06-30-14
CIVIL
STATE OF CALIFORNIA

MARK REVISIONS APPR. DATE

DESIGNED BY	RDO	DRAWN BY	RDO	CHECKED BY	GMH
-------------	-----	----------	-----	------------	-----


CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS

APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	Fm	4-10-13	CITY ENGINEER
CONSTRUCTION ADMIN.	DL	4/17/13	
TRAFFIC DIVISION	Z	4/15/13	

SIGNING AND STRIPING PLAN
MISSION GROVE PARKWAY
FROM CANYON CREST DR TO ALESSANDRO BLVD
SCALE: 1" = 40'

XL-699
SHEET 1 OF 6
FILE NAME: XL-699.DWG

G:\Admin\Common\Design\Projects\12-020 RMP\F12-13 Arterials Maintenance - Phase 2\Design Plans\Traffic\CADD Sheets\XL699.dwg 4/27/2013 3:40:21 PM One ColorWare 650W\YLR1.rvt





PAVEMENT DELINEATION QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 25A	4,195	LF
2	12" SOLID YELLOW/WHITE	250	LF
3	PAVEMENT LEGENDS/MARKINGS	190	SF
4	PAINT MEDIANS NOSE W/ RPM	6	EA

SIGNING AND STRIPING GENERAL NOTES:
SEE SHEET #1.

SIGNING AND STRIPING LEGEND:
SEE SHEET #1.



Under Ground Service Alert of Southern California
Call: TOLL FREE 1-800-227-2600
TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
GILBERT M. HERNANDEZ
R.C.E. No. 69170 EXPIRES: 6-30-14
DATE: 4-3-2013




MARK	REVISIONS	APPR.	DATE

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	FM	4-10-13	[Signature]
CONSTRUCTION ADMIN.	DC	4/17/13	CITY ENGINEER
TRAFFIC DIVISION	[Signature]	4/15/13	DATE: 4/19/2013

SIGNING AND STRIPING PLAN
MISSION GROVE PARKWAY
FROM CANYON CREST DR
TO ALESSANDRO BLVD


XL-699
SHEET 2 OF 6
FILE NAME: XL-699.DWG



PAVEMENT DELINEATION QUANTITIES - THIS SHEET


ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 25A	4,350	LF
2	12" SOLID YELLOW/WHITE	215	LF
3	PAVEMENT LEGENDS/MARKINGS	200	SF
4	PAINT MEDIAN NOSE W/ RPM	10	EA

SIGNING AND STRIPING GENERAL NOTES:
 SEE SHEET #1.
SIGNING AND STRIPING LEGEND:
 SEE SHEET #1.



Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-14
 DATE: 4-2-2013



MARK	REVISIONS	APPR.	DATE


DESIGNED BY: RDO DRAWN BY: RDO CHECKED BY: GMH

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS

APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	Em	4-10-13	[Signature]
CONSTRUCTION ADMIN.	DC	4/12/13	CITY ENGINEER
TRAFFIC DIVISION	Z	4/15/13	DATE: 4/19/2013

SIGNING AND STRIPING PLAN
 MISSION GROVE PARKWAY
 FROM CANYON CREST DR
 TO ALESSANDRO BLVD
 SCALE: 1" = 40'

XL-699
 SHEET 3 OF 6
 FILE NAME: XL-699.DWG



PAVEMENT DELINEATION QUANTITIES - THIS SHEET

ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 25A	4,480	LF
2	12" SOLID YELLOW/WHITE	210	LF
3	PAVEMENT LEGENDS/MARKINGS	175	SF
4	PAINT MEDIAN NOSE W/ RPM	6	EA

SIGNING AND STRIPING GENERAL NOTES:


SEE SHEET #1.

SIGNING AND STRIPING LEGEND:

SEE SHEET #1.

MATCH LINE (SEE ABOVE RIGHT)

MATCH LINE (SEE SHEET 5)



Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE

 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-14
 DATE: 4-3-2013

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS

MARK	REVISIONS	APPR.	DATE

DESIGNED BY: RDO DRAWN BY: RDO CHECKED BY: GMH



APPROVED BY	BY	DATE	APPROVED BY	DATE
ENGINEERING MANAGER	FM	4-10-13	CITY ENGINEER	4/17/13
CONSTRUCTION ADMIN.	DC	4/17/13		
TRAFFIC DIVISION	SC	4/17/13		

DATE: 4/17/2013

SIGNING AND STRIPING PLAN
MISSION GROVE PARKWAY
 FROM CANYON CREST DR
 TO ALESSANDRO BLVD

SCALE: 1" = 40'

XL-699
 SHEET 4 OF 6
 FILE NAME: XL-699.DWG



SIGNING AND STRIPING GENERAL NOTES:

SEE SHEET #1.

SIGNING AND STRIPING LEGEND:

SEE SHEET #1.

CONSTRUCTION NOTES:

- 1. INSTALL "TYPE D" AND "TYPE E" DETECTOR LOOPS AS NOTED ON PLAN, PER DETAIL. SPLICE TO DLC(S) AT ADJACENT PULLBOX
- 2. PAINT MEDIAN NOSE AS NOTED ON PLAN, PER DETAIL "C"
- 3. CONTRACTOR SHALL INSTALL (1) NEW DLC APPROX. 50' FROM THE ADJACENT PULLBOX TO EXISTING CONTROLLER FOR EACH CHANNEL 7J5L.
- 4. CONTRACTOR SHALL INSTALL (1) NEW DLC APPROX. 10' FROM THE ADJACENT PULLBOX TO EXISTING CONTROLLER FOR EACH CHANNEL 4I8U.
- (S1) CONTRACTOR SHALL REPLACE (8) PEDESTRIAN PUSH BUTTONS WITH NEW ASSEMBLIES AND REPLACE (6) LUMINAIRE ASSEMBLIES WITH NEW LED ASSEMBLIES AS DESCRIBED IN SECTION 7-7 OF THE SPECIFICATIONS.



TRAFFIC SIGNAL GENERAL NOTES:

- 1. ALL ITEMS FURNISHED AND ALL WORK TO BE DONE SHALL CONFORM TO THE REQUIREMENTS OF: THE STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION (CALTRANS) STANDARD PLANS AND SPECIFICATIONS, DATED 2010; THE CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES ADOPTED 2010; AND THE SPECIAL PROVISIONS.
- 2. UNLESS SHOWN OTHERWISE, INDUCTIVE LOOPS SHALL BE MODIFIED TYPE "D" & TYPE "E" WITH 10', 15' AND 30' SPACING IN THE DIRECTION OF TRAVEL. NECESSARY STRIPING SHALL BE LOCATED PRIOR TO POSITIONING LOOPS. LOOPS SHALL BE SEALED WITH HOT MELT SEALANT. SEE DETAIL.
- 3. THE CONTRACTOR SHALL VERIFY WITH THE ENGINEER THE PRECISE FIELD LOCATIONS OF ALL TRAFFIC SIGNAL EQUIPMENT PRIOR TO THE INSTALLATION.
- 4. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO FURNISH AND INSTALL ANY ADDITIONAL LOAD SWITCHES AND/OR DETECTOR CARDS, IF NECESSARY, FOR THE PROPOSED OPERATION.
- 5. CONDUCTOR SCHEDULE IS FURNISHED AS AN INSTALLATION GUIDELINE ONLY. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE THE CORRECT CONDUCTORS REQUIRED FOR THE INTENDED OPERATION.
- 6. INTERNALLY ILLUMINATED STREET NAME SIGNS (ISNS) SHALL BE TYPE A. STREET NAME LEGENDS SHALL BE UPPER/LOWER CASE AND SHALL INCLUDE BLOCK NUMBERS AND ROAD NAME SUFFIXES.



STRIPING/SIGNAGE QUANTITIES - THIS SHEET			
ITEM	DESCRIPTION	QUANTITY	UNIT
1	DETAIL 9	640	LF
2	DETAIL 25A	1,775	LF
3	DETAIL 32	140	LF
4	DETAIL 38	485	LF
5	4" SOLID WHITE	50	LF
6	12" SOLID YELLOW/WHITE	950	LF
7	PAVEMENT LEGENDS/MARKINGS	230	SF
8	PAINTED CURB (RED)	150	LF
9	PAINT MEDIAN NOSE W/ RPM	7	EA

TRAFFIC SIGNAL QUANTITIES - THIS SHEET			
ITEM	DESCRIPTION	QUANTITY	UNIT
1	2-CHANNEL DETECTOR CARD	2	EA
2	DLC - DETECTOR LOOP CABLE	60	LF
3	TYPE "D" DETECTOR LOOPS	3	EA
4	TYPE "E" DETECTOR LOOPS	7	EA
5	SC - SPLICE CONNECTORS	2	EA
6	PEDESTRIAN PUSH BUTTON W/ SIGN	8	EA
7	LED LUMINAIRE ASSEMBLY	6	EA



Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-14
 DATE: 4-2-2013

MARK REVISIONS APPR. DATE
 DESIGNED BY: RDO DRAWN BY: RDO CHECKED BY: GMH

CITY OF RIVERSIDE, CALIFORNIA DEPARTMENT OF PUBLIC WORKS
 APPROVED BY: [Signature] DATE: 4-10-13
 BY: [Signature] DATE: 4/11/13
 CONSTRUCTION ADMIN. DATE: 4/15/13
 TRAFFIC DIVISION DATE: 4/15/13

SIGNING AND STRIPING PLAN
 MISSION GROVE PARKWAY FROM CANYON CREST DR TO ALESSANDRO BLVD
 SCALE: 1" = 40'

XL-699
 SHEET 5 OF 6
 FILE NAME: XL-699.DWG


E:\Admin\Com\Design Projects\12-020 PMP FY12-13 Arterials Maintenance - Phase 2\ Design Plans\Traffic\CADD Sheets\XL699.dwg - 4/2/2013 4:20:06 PM Oce ColorWave 6501\MLAR1.dwg

SIGN QUANTITIES - ALL SHEETS									
SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S) OR SNS		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
1-1	R4-7	24X30		1					
1-2	NEIGHBORHOOD WATCH	18X24							1
1-3	SNS	9XVAR				1			1
1-4	W3-1	30X30	1						1
1-5	SNS	9XVAR				1			1
1-6	R1-1	36X36		1					1
1-7	R1-1	36X36		1					1
1-8	SNS	9XVAR				1			1
1-9	R1-1	36X36		1					1
1-10	R1-1	36X36		1					1
2-1	W3-1	30X30	1						1
2-2	SNS	9XVAR				1			1
2-3	R1-1	36X36		1					1
2-4	SNS	9XVAR				1			1
2-5	SNS	9XVAR				1			1
2-6	SNS	9XVAR				1			1
2-7	SNS	9XVAR				1			1
2-8	SNS	9XVAR				1			1
2-9	W3-1	30X30	1						1
3-1	R1-1	36X36	1						1

SIGN QUANTITIES - ALL SHEETS									
SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S) OR SNS		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
3-2	SNS	9XVAR				1			
3-3	SNS								1
3-4	R1-1	36X36		1					1
3-5	R1-1	36X36	1						1
3-6	SNS	9XVAR				1			1
3-7	SNS	9XVAR				1			1
3-8	W3-1	30X30	1						1
3-9	R1-1	36X36	1						1
3-10	SNS	9XVAR				1			1
3-11	SNS	9XVAR				1			1
3-12	R1-1	36X36	1						1
3-13	SNS	9XVAR				1			1
3-14	R2-1(30)	30X36	1						1
4-1	SNS	9XVAR				1			1
4-2	R1-1	36X36		1					1
4-3	R1-1	36X36		1					1
4-4	SNS	9XVAR				1			1
4-5	R2-1(30)	30X36							1
	R2-1(30)	30X36						1	
4-6	R1-1	36X36		1					1


SIGN QUANTITIES - ALL SHEETS									
SIGN NUMBER	SIGN CODE	PANEL SIZE (IN)	INSTALL ROADSIDE SIGN(S)			INSTALL STREET NAME SIGN	RELOCATE ROADSIDE SIGN(S) OR SNS		REMOVE SIGN(S)
			NO POST	ONE POST	TWO POST		NO POST	ONE POST	
4-7	W3-1	30X30	1						1
4-8	R1-1	36X36		1					1
4-9	R1-1	36X36		1					1
4-10	SNS	9XVAR				1			1
4-11	R1-1	36X36		1					1
4-12	R26(MOD)								1
	R26(MOD)	24X30					1		
4-13	SNS	9XVAR				1			1
5-1	R1-1	36X36	1						1
5-2	R1-1	36X36		1					1
5-3	SNS	9XVAR				1			1
5-4	SNS	9XVAR				1			1
5-5	R26A(CA)EB	24X30		1					
5-6	R4-7	24X30		1					
GRAND TOTAL:			10	13	###	18	1	#	42

SEE CITY OF RIVERSIDE STD DWG NO. 664 FOR ROADSIDE SIGNS
 SEE CITY OF RIVERSIDE STD DWG NO. 662 FOR STREET NAME SIGNS
 SNS = STREET NAME SIGN
 * = THE SIZE SHALL MATCH THE EXISTING



Under Ground Service Alert of Southern California
 Call: TOLL FREE 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

ENGINEER IN RESPONSIBLE CHARGE
 GILBERT M. HERNANDEZ
 R.C.E. No. 69170 EXPIRES: 6-30-14
 DATE: 4-2-2013



MARK	REVISIONS	APPR.	DATE

DESIGNED BY: RDO DRAWN BY: RDO CHECKED BY: GMH

CITY OF RIVERSIDE, CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS

APPROVED BY	BY	DATE	APPROVED BY
ENGINEERING MANAGER	FM	4-10-13	[Signature]
CONSTRUCTION ADMIN.	DL	4/17/13	CITY ENGINEER
TRAFFIC DIVISION		4/5/13	

DATE: 4/17/2013

SIGNING AND STRIPING PLAN
 MISSION GROVE PARKWAY
 FROM CANYON CREST DR
 TO ALESSANDRO BLVD

SCALE: 1" = 40'

XL-699
 SHEET 6 OF 6
 FILE NAME: XL-699.DWG